

and previous
N. 0011K
D. 0057K

WIL 40/7/19

VASCULAR PLANTS OF SOUTH WELLINGTON COAST
WILDLIFE MANAGEMENT "SPEARGRASS WEEVIL" RESERVE

Around mouth of Long Gully (between Sinclair Head and South Karori Stream).

Compiled during speargrass planting on 6 July 1985, and on 1 February 1986 by C. C. Ogle and others of Wellington Botanical Society.

- * denotes exotic species.
- (u) denotes uncommon in the reserve (only one or a very few plants seen).

DICOTS

- Acaena anserinifolia (bidibidi)
* A. novae-zelandiae (bidibidi)
- Aciphylla squarrosa s.s. (speargrass)
* Anagallis arvensis (scarlet pimpernel)
- Apium australe (sea celery)
- Atriplex hastata (orache) (u)
- Brachyglottis (=Senecio) lagopus
B. repanda (rangiora)
* Cakile edentula (sea kale)
- Calystegia soldanella (sand convolvulus)
- C. tuguriorum
* Capsella bursa-pastoris (shepherd's purse) (u)
- * Cassinia leptophylla (tauhinu)
- Centaurium erythraea (centaury)

RVCB

DICOTS

- * Cerastium fontanum subsp. triviale
(mouse-eared chickweed)
- * Cirsium arvense (Californian thistle)
- C. vulgare (Scotch thistle)
- Clematis hookeriana
(C. forsteri var) (scented clematis)
- Colobanthus muelleri
- Coprosma propinqua
- C. repens subsp. repens (taupata)
- C. rhamnoides
- C. propinqua x C. robusta (u)
- Coriaria sarmentosa (shrub tutu)
- Cotula squalida subsp. squalida
- Craspedia uniflora var
maritima (yellow woolly-head)
- Crassula sieberiana
- * Dichondra repens (Mercury Bay weed)
- Digitalis purpurea (foxglove) (u)
- Disphyma australe (iceplant)
- Einadia (=Rhagodia) triandra (u)
- Epilobium alsinoides (willowherb)
- E. microphyllum (willowherb)
- * E. nummularifolium (willowherb)
- Euphorbia peplus (milkweed)
- Fuchsia perscandens (climbing fuchsia (u))
- * Fumaria muralis (fumitory)
- * Galium aparine (cleavers)
- Geranium molle (dove's foot)
- * G. sessiliflorum
- Glaucium flavum (horned poppy)
- Gnaphalium audax s.s. (cudweed (u))
- G. sp (=Pseudognaphalium sp.) (unnamed;
G. luteo-album agg.) (cudweed)

DICOTS

- Haloragis erecta var erecta
Hebe stricta var macroura (koromiko)
Helichrysum aggregatum (u)
Hymenanthera crassifolia (u)
* Hypochoeris radicata (cat's ear)
Lagenifera pumila
* Leontodon taraxacoides (hawkbit)
Leptospermum scoparium (manuka) (u)
Linum monogynum
Lobelia anceps
Macropiper excelsum (kawakawa) (u)
Melicytus ramiflorus (mahoe)
Microseris scapigera
* Mimulus guttatus (monkey musk)
Muehlenbeckia australis (pohuehue) (u)
M. complexa (pohuehue)
* Nasturtium officinale (watercress)
Olearia paniculata (akeraho)
O. solandri
* Orobanche minor (broom rape)
* Osteospermum ecklonis (dimorphotheca)
Oxalis exilis
Pimelea sp. (P. prostrata/P. urvilleana) (pinatoro)
* Plantago lanceolata (narrow-leaved plantain)
* P. major (broad-leaved plantain)
P. raoulii var. [broad-leaved, coastal form]
* Polycarpon tetraphyllum (allseed)
* Prunella vulgaris (self heal)
Ranunculus acaulis (sand buttercup) (u)
* R. repens (creeping buttercup)
Raoulia sp. (c.f. R. hookeri)
* Raphanus raphanistrum (wild radish)
* Rumex acetosella (sorrel)
* Sagina apetalus

DICOTS

- * S. procumbens (pearwort)
- Samolus repens (sea primrose)
- Scleranthus biflorus (u)
- * Senecio elegans
- S. hispidulus (u)
- * S. jacobaea (ragwort)
- S. laetus subsp. lautus
- * Silene gallica (catchfly)
- * Sonchus asper (prickly sowthistle)
- S. Kirkii
- * S. oleraceus (puwha)
- * Stellaria media (chickweed)
- * Taraxacum officinale (dandelion)
- * Trifolium dubium (suckling clover)
- * T. glomeratum (clustered clover)
- * T. repens (white clover)
- * Ulex europaeus (gorse)
- Urtica ferox (shrub nettle)
- * Vicia hirsuta (hairy vetch) (u)
- * V. sativa (vetch)
- Vittadinia australis (harebell)
- * Wahlenbergia gracilis (harebell)

MONOCOTS

- * Agrostis tenuis (browntop)
- * Aira caryophyllea (silvery hair grass)
- * Aloe sp. (aloe - planted only?) (u)
- * Anthoxanthum odoratum (sweet vernal)
- * Arrhenatherum elatius (tall oat-grass)
- Astrofestuca littoralis (= Poa triodioides)
- * Bromus mollis (soft brome)
- Carex flagellifera
- C. lessoniana (u)

MONOCOTS

- C. pumila (sand carex)
Cordyline australis (cabbage tree) (u)
Cortaderia fulvida
Cyperus ustulatus
* Dactylis glomerata (cock's foot)
Desmoschoenus spiralis (pingao)
Deyeuxia billardieri (sand bent)
* Ehrhartia erecta (veldt grass) (u)
Elymus sp. (E. rectisetus agg.) (blue wheatgrass)
* Festuca arundinacea (tall fescue)
F. multinodis
* Holcus lanata (Yorkshire fog)
* Hordeum murinum (?) (barley grass)
Isolepis (=Scirpus) cernua
I. (=S.) nodosa (club sedge)
I. (=S.) prolifer (u)
* Juncus articulatus (jointed-leaved rush)
J. caespiticius (u)
Lachnagrostis richardii
* Lagurus ovatus (hare's tail)
* Lolium perenne (perennial ryegrass)
Luzula banksiana var. banksiana (woodrush)
Phormium cookianum (coastal flax)
Poa anceps var. anceps
P. laevis (silver tussock)
* Rytidosperma racemosum
Spinifex hirsutus (spinifex)
Thelymitra longifolia (sun orchid)
Trisetum antarcticum (u)
- 6/3/91
2M

FERNS

- Adiantum cunninghamii (maidenhair)
Asplenium flabellifolium
A. terrestris subsp. maritimum
Blechnum chambersii
B. minus (swamp kio kio) (u)
B. sp (unnamed; B. capense
agg. Common lowland species
with proximal pinnae reduced)
Paesia scaberula (ring fern) (u)
Phymatosorus diversifolius (hound's tongue)
Pneumatopteris pennigera
Polystichum richardii
Pteridium esculentum (bracken)
Pyrrosia serpens