

trees and shrubs		1	2	3
<i>Beilschmiedia tawa</i>	tawa	1		
<i>Carmichaelia australis</i>	native broom	u		l
<i>Carpodetus serratus</i>	putaputaweta			u
<i>Coprosma propinqua</i>		l	x	l
<i>C. rhamnoides</i>			x	l
<i>C. rigida</i>		c	x	l
<i>C. rotundifolia</i>		l		l
<i>C. rubra</i>		u	x	u
<i>C. sp. "v"</i>		1	9	
<i>C. propinqua</i> x <i>C. robusta</i>				u
<i>Cordyline australis</i>	cabbage tree	l	x	l
<i>Dacrycarpus dacrydoides</i>	kahikatea	a	x	l
<i>Elaeocarpus hookerianus</i>	pokaka	7	x	u
<i>Hebe stricta</i>				u
<i>Hoheria angustifolia</i>		a	x	
<i>H. sextylosa</i>	long-leaved lacebark	l	x	c
<i>Korthalsella lindsayi</i>		l*		
<i>Kunzea ericoides</i>	kanuka	l	x	c
<i>Leptospermum scoparium</i>	manuka	u		l
<i>Lophomyrtus bullata</i>		l	x	u
<i>L. obcordata</i>	rohutu	c	x	c
<i>L. bullata</i> x <i>L. obcordata</i>		5	x	
<i>Melicope simplex</i>		c	x	c
<i>Melicytus micranthus</i>		c	x	c
<i>M. ramiflorus</i>	mahoe			u
<i>Myrsine australis</i>	mapou	u		u
<i>M. divaricata</i>	weeping matipo	u	x	l
<i>Neomyrtus pedunculata</i>			x	u
<i>Nestegis cunninghamii</i>	black maire	u	x	l
<i>N. lanceolata</i>	white maire		x	u
<i>Olearia virgata</i>			x	
<i>Pennantia corymbosa</i>	kaikomako	l	x	u
<i>Plagianthus regius</i>		c	x	l
<i>Pittosporum eugenioides</i>	lemmonwood			u
<i>P. tenuifolium</i>		u		u
<i>Podocarpus totara</i>	totara	l	x	c
<i>Prumnnotitys taxifolia</i>	matai	l	x	c
<i>Pseudopanax crassifolius</i>	lancewood	u		l
<i>Raukaua anomalus</i>		l	x	d
<i>Schefflera digitata</i>	pate			u
<i>Sophora microphylla</i>	kowhai	c	x	c
<i>Streblus heterophyllus</i>	small-leaved milk tree	l	x	u
<i>Teucrium parvifolium</i>		l**		
<i>Tupeia antarctica</i>				l***
<i>Urtica ferox</i>		l	x	c

1 = *Hoheria angustifolia* forest (also reported on in file note PNA836EW.doc, 11.09.1998) ,  
 2 = *Coprosma* sp. "v" site,  
 3 = forest remnant south of 2.

\* on *M. simplex*, and *L. obcordata* \*\* at least 26 plants, all with browsing signs from stock  
 \*\*\* on lemonwood

a = abundant, c = common, u = uncommon (or actual no. of individuals), l = local (may be common in small areas), x = present, no information about abundance (or small size of site).

### climbers

<i>Clematis paniculata</i>		x	c
<i>Metrosideros colensoi</i>		x	u
<i>M. diffusa</i>	u	x	l
<i>Muehlenbeckia australis</i>			l
<i>M. complexa</i>	l		l
<i>Parsonsia heterophylla</i>	l	x	c
<i>Passiflora tetrandra</i>	u		l
<i>Rubus schmidelioides</i>	l		l

a = abundant, c = common, u = uncommon (or actual no. of individuals), l = local (may be common in small areas), x = recorded, no information about abundance.

### Weeds:

barberry	l		c
black berry	u	x	c
elder	u		u
gorse			l

### Birds

tui	4+		
NZ kingfisher (breeding, allarm calling)	x		x
grey warbler	x		x
silvereve	x		x
fantail	x	x	x
NZ pigeon	1		
pukeko.	x		