


INDIGENOUS HIGHER PLANTS (FLOWERING PLANTS) OF
LAKE POUARUA AND MARGINS, UPPER KAINGAROA PLAINS

Grid ref. N 103 84-03; alt. 730m/2400ft

A.P.Druce, Botany Division, D.S.I.R., June 1975
(revised June 1976, May 1977, June 1979, May 1980,
Sept. 1984, July 1987, Sept. 1988, June 1990)



DICOT SHRUBS

- Coprosma acerosa* ssp.
C. propinqua ssp. *propinqua* (incl.
C.p. var. latiuscula)
Dracophyllum subulatum
Leptospermum scoparium var.
Leucopogon flossetii s.s.
Piniclea prostrata
- C. sinclairii*
Carpha alpina ss
Eleocharis acuta
E. gracilis
E. sphacelata
Isolepis basilaris
I. ciassiuscula
I. distigmatosa
I. subtilissima

ORCHIDS

- Microlis unifolia*

- Lepidosperma austale*
Oreobolus pectinatus
Schoenus concinnus
S. maschalinus
Uncinia rubra

GRASSES

- Cortaderia fulvida*
C. toetoe
Deyeuxia avanoides (incl. *Da.*
var. *brachyantha*)
Festuca novae-zelandiae
Lachnagrostis stricta
L. sp. (unnamed)
Poa cita
Rytidosperma gracile

RUSHES AND ALLIED PLANTS

- Juncus gregiflorus*
Leptocarpus similis

**MONOCOT HERBS OTHER THAN/
ORCHIDS, GRASSES, SEDGES, RUSHES**

- Hedapolition novae-zelandiae*
Potamogeton cheesemanii
Triglochin striata
Typha orientalis

COMPOSITE HERBS

- Baumea huttonii*
Carex breviculmis
C. cotiacea
C. dipsacea var. (*C. tahoata*)
C. echinata var. (*C. stellulata*) var.
australis
C. gaudichaudiana
C. magica
C. rubicunda
C. secta s.s.
- Gnaphalium acaule*
G. delicatum

| | |
|---|---|
| <i>G. limosum</i> s.s. | <i>Myriophyllum pedunculatum</i> ssp. <i>novae-zelandiae</i> |
| <i>G. paludosum</i> s.s. | <i>M. propinquum</i> |
| <i>Hedychrysum filicale</i> | <i>Nertera ciliata</i> |
| <i>Lagenifera pumila</i> | <i>N. setulosa</i> |
| <i>Leptinella dispersa</i> ssp. <i>dispersa</i> | <i>Oreomyrrhis famosa</i> |
| <i>Microseris scapigera</i> | <i>Plantago triandra</i> s.s. |

DICOT HERBS OTHER THAN COMPOSITES

| | |
|--|-----------------------------------|
| <i>Centella uniflora</i> | <i>Potentilla anserinoides</i> |
| <i>Crassula sinclairii</i> | <i>Pratia angulata</i> agg. |
| <i>Dichondra</i> sp. (aff. <i>D. brevifolia</i>) | <i>P. perpusilla</i> |
| <i>Drosera binata</i> | <i>Ranunculus glabrifolius</i> |
| <i>D. spathulata</i> | <i>R. limosella</i> |
| <i>Epilobium chionanthum</i> | <i>Rumex flexuosus</i> |
| <i>E. insulare</i> | <i>Salliera microphylla</i> |
| <i>E. pallidiflorum</i> | <i>Stackhousia minima</i> |
| <i>Geranium potentilloides</i> var. <i>potentilloides</i> | <i>Utricularia australis</i> |
| <i>G. sessiliflorum</i> var. <i>novae-</i> <i>zelandiae</i> | <i>U. novae-zelandiae</i> |
| <i>Glossostigma elatinoides</i> | <i>Viola cunninghamii</i> |
| <i>Gonocarpus aggregatus</i> | <i>Wahlenbergia albomarginata</i> |
| <i>G. micranthus</i> ssp. <i>micranthus</i> | var. <i>pygmaea</i> |
| <i>Gratiola sexdentata</i> | |
| <i>Hydrocotyle microphylla</i> | <u>No. of species: 93.</u> |
| <i>H. novae-zelandiae</i> s.s. | |
| <i>H. pterocarpa</i> | |
| <i>H. sulcata</i> | |
| <i>H. sp. (unnamed; included in <i>H. novae-zelandiae</i>, as var. montana, by Kirk 1899) var.</i> | |
| <i>Hypericum japonicum</i> | |
| <i>Lilazopsis Ruthiana</i> | |
| <i>Limosella lineata</i> | |