

# INDIGENOUS VASCULAR PLANTS OF RUAKITURI R. SCENIC

RESERVE<sup>†</sup>, N. OF WAIROA, 500-1000 FT  
 (T EREPETI)

A.P. Druce, Botany Division, D.S.I.R., June 1980  
 (revised July 1983, July 1985, Aug. 1990, July 1992)  
 (Based on visit August 1979)

<sup>†</sup>Grid Ref.: N 105 76-28-

## GYMNOSPERM TREES

*Dactylocarpus dactyloides*  
*Dactylium cupressinum*  
*Podocarpus totara* s.s.

*Macropiper excelsum* var.  
*excelsum*  
*Melicrytus tamiflorus* ssp.  
*tamiflorus*

## MONOCOT TREES

*Cordyline australis*

*Myrsine australis*

## DICOT TREES

*Alectryon excelsus* var.*excelsus*  
*Aristotelia serrata*  
*Beilschmiedia tawa*  
*Carpodetus serratus*  
*Dodonaea viscosa* var.

*Pittosporum eugenioides*  
*P. tenuifolium* ssp.*tenuifolium*  
*Pseudopanax arboreus* var.  
*arboreus*  
*P. crassifolius*  
*Schefflera digitata*  
*Sophora tetaptera*  
*Weinmannia racemosa* var.  
*racemosa*

*Fuchsia excorticata*

*Hedycarya arborea*  
*Hoheria populnea* var.*lanceolata*  
*Knightia excelsa*  
*Laurelia novae-zelandiae*

## DICOT SHRUBS

*Brachyglottis repanda* s.s.

*Cassinia leptophylla* var. *leptophylla* R. *schmidelioides* var. *schmidelioides*

**FERNS**

<i>Coprosma grandifolia</i>	<i>Adiantum cunninghamii</i>
<i>C. rhomboides</i>	
(incl. <i>C. polymorpha</i> )	
<i>C. robusta</i>	<i>Asplenium bulbiferum</i>
<i>Coriaria arborea</i>	<i>A. flaccidum</i>
<i>Gaultheria antipoda</i>	<i>A. polypodan</i>
<i>Geniostoma rupestre</i> var. <i>ligustifolium</i>	<i>Blechnum chambersii</i>
<i>Hedera stricta</i> var. <i>stricta</i>	<i>B. sp. (unnamed)</i> (common lowland sp.; lower pinnae reduced in length)
<i>Kunzea ericoides</i> agg.	<i>Cyathea dealbata</i>
<i>L. scoparium</i>	<i>C. medullaris</i>
<i>Leucopogon fasciculatus</i> var.	<i>Dicksonia squarrosa</i>
	<i>Hymenophyllum demissum</i>
	<i>Hypolepis ambigua</i>

**MONOCOT LIANES**

*Hipogonum scandens*

**DICOT LIANES**

*Calystegia tuguriorum*

*Clematis foetida*

*Metrosideros colensoi* (incl. *M. c. var. pendens*) *P. scandens*

*M. diffusa*

*M. perforata*

*Muehlenbeckia australis*

*Parsonsia capsularis* var.

*Passiflora tetrandra*

*Rubus cissoides* var. *cissoides*

*Lastreopsis glabatula*

*L. hispida*

*Leptolepia novae-zelandiae*

*Leptopteris hymenophylloides*

*Pellaea rotundifolia*

*Phymatosorus pustulatus*

*Pneumatopteris pennigera*

*Polystichum richardii*

*Pteridium esculentum*

*Pyrosia eleagnifolia*

*Rumohra adiantiformis*

*Trichomanes venosum*

**[ORCHIDS]***Eatina mucronata* s.s.*Cardamine* sp. (*C. debilis* agg.)**[GRASSES]***Cortaderia* sp.*Microlaena avenacea**M. stipoides**Poa anceps* ssp. *anceps**Epilobium heterocarpoides**E. rotundifolium**Maloragis erecta* ssp. *erecta**Nertera* sp. (unnamed; aff. *N. dichondrifolia*)*Oxalis exilis**Ranunculus reflexus***[SEDGES]***Carex* sp. (unnamed; aff. *C. geminata*) *Stellaria* *decipiens* (incl. *S. parviflora*)(much larger than *C. geminata*; lvs  
up to 2.5cm wide)*Uncinia uncinata*No. of species: 92.**[MONOCOT HERBS (OTHER THAN ORCHIDS)]****[GRASSES, SEDGES, RUSHES]***Colosperatum hastatum**C. microspermum* (?)**[COMPOSITE HERBS]***Senecio glomeratus**S. rufiglandulosus* var. *rufi-glandulosus***[DICOT HERBS (OTHER THAN COMPOSITES)]***Acaena australinifolia**Australinia pusilla*

