

INDIGENOUS HIGHER PLANTS (PSILOPSIDS, LYCOPODS, FERNS, GYMNO-SPERMS, FLOWERING PLANTS) IN VICINITY OF PELORUS BRIDGE[†]

SCENIC RESERVE, MARLBOROUGH, 20-400M.

[†]Grid. ref. NZMS 260 027 579898

A.P. Druce, Botany Division, D.S.I.R., July 1980 (revised
 (Based on visits March 1980, Dec. 1981, March 1989, Dec. 1981
 (Additions by G. Walls July 1982) March 1982
 (" " P.J. Brownsey Oct. 1983) July 1982
 (" " (unc) - uncommon July 1983
 Oct. 1983

GYMNOSPERM TREES

Dacrycarpus dacrydioides
Dacrydium cupressinum
Podocarpus totara s.s.
Prumnopitys ferruginea
P. taxifolia

M. ramiflorus ssp. *ramiflorus*
Myrsine australis
Nothofagus fusca
N. menziesii
N. solandri
N. truncata
N. solandri X *N. truncata*
Olearia rani var. *colorata*

MONOCOT TREES AND SHRUBS

Cordyline banksii

Pennantia corymbosa (unc)
Pittosporum eugenioides
P. tenuifolium ssp. *tenuifolium*
Plagianthus regius var. *regius* (unc)

DICOT TREES

Alectryon excelsus var. *excelsus*
Aristotelia serrata

Pseudopanax arboreus var. *arboreus*
P. crassifolius

Beilschmiedia tawa

Schefflera digitata

Carpodetus serratus

Sophora microphylla

Elaeocarpus dentatus (incl. *E. dentatus*
 var. *obovatus*)

Streblus heterophyllus (unc)

E. hookerianus (unc)

Weinmannia racemosa var. *racemosa*

E. dentatus X *E. hookerianus* (unc)

DICOT SHRUBS

Fuchsia excorticata

Alseuosmia pusilla (unc)

Griselinia littoralis

Brachyglottis repanda ss (unc)

Hedycarya arborea

Carmichaelia arborea var. (*C.*

Lophomyrtus bullata

glabrata)

L. obcordata (unc)

C. sp. (subgenus *Carmichaelia*)

L. bullata X *L. obcordata* (unc)

Cassinia leptophylla var. *leptophylla*

Melicytus lanceolatus (incl. *M. lanceolatus* var. *lanceolatus*) (unc)

(unc)

Coprosma acerosa ssp. (unc)

C. areolata < *C. colensoi* s.s.

C. foetidissima (unc)

C. grandifolia

C. linariifolia

C. lucida s.s.

C. microcarpa

C. propinqua ssp. *propinqua*

C. rhomboides (incl. *C. polymorpha*)

C. robusta

C. rotundifolia

C. tenuicaulis

C. sp. (unnamed; included in *C. parv.* flora by Oliver, 1935, and others)

(If undersurface not minutely hairy)

as is usual in *C. parviflora*; drupes

vs. unpigmented, occ. purplish red)

C. propinqua X *C. robusta*

Ceratia arborea

C. sarmentosa (unc)

Cotoneaster var. *cotoneaster*

Cyathodes sp. (*C. juniperinae* agg.) (vs

us. < 1cm long & 2mm broad)

Diacophyllum longifolium var. (unc)

Fuchsia excorticata X *F. perscandens*

Hebe divaricata

H. rigidula var. *rigidula*

H. sp. (*Veronica squalida*)

Helichrysum aggregatum var. agg. than in var. *cissoides*)

Kunzea ericoides agg.

Leptospermum scoparium

Leucopogon fasciculatus var.

L. fischeri s.s.

Melicope simplex

Melicytus micranthus (incl. *M. m.* var. *microphyllus*)

M. m. X *M. ramiflorus* (incl. *M. m.* var. *longiusculus*)

Neomyrtus pedunculata (unc)

Olearia cheesemanii (unc)

Pimelea longifolia (unc)

Pseudopanax anomalus

Pseudowintera axillaris

P. colorata

Solanum laciniatum (unc)

MONOCOT LIANES

Freylinia laurina ssp. *banksii*

Ripogonum scandens

DICOT LIANES AND RELATED

TRAILING PLANTS

Clematis foetida

C. paniculata

Fuchsia perscandens

Metrosideros diffusa

M. perforata

Muehlenbeckia australis

M. axillaris

M. ephedroides (unc)

M. axillaris X *M. ephedroides* (unc)

Parsonsia heterophylla

Rubus australis

R. cissoides var. (leaflets broader

PSILOPSIDS AND LYCOPODS

- Tmesipteris elongata* (incl. *T.e.* ssp. *robusta*) (unc)
T. tannensis (unc)
Lycopodium scariosum (unc)
L. varium (incl. *L. billardieri* & *L. n.z.*) (unc)
L. volubile

Grammitis billardieri

G. ciliata (unc)

G. pseudociliata (unc)
Histiopteris incisa

Hymenophyllum bivalve

H. cupressiforme (unc)

H. demissum

H. flabellatum

H. multifidum

H. rarum

H. revolutum

H. sanguinolentum agg.

H. scabrum

H. sp. (H. atrovirens or H. flexuosum) (unc)

Hypolepis ambigua

FERNS

Adiantum cunninghamii

Anarthropteris lanceolata (unc)

Asplenium bulbiferum

A. flabellifolium agg.

A. flaccidum

A. hookerianum

A. oblongifolium

A. polyodon

Blechnum chambersii

B. colensoi

B. discolor

B. fluitatile agg.

B. membranaceum

B. minus

B. procerum

B. vulcanicum

B. sp. (unnamed) (common lowland

sp.; lower pinnae reduced in length)

B. chambersii X *B. membranaceum*

Cheilanthes distans (unc)

C. humilis (unc)

Ctenopteris heterophylla

Cyathea dealbata

C. medullaris

C. smilacis

Dicksonia fibrosa

D. squarrosa

Diplazium australe

Doodia media ssp. *australis* (unc)

Lastreopsis glabella

L. hispida

L. velutina (unc)

Leptolepia novae-zelandiae (unc)

Leptopteris hymenophylloides

Lindsaea trichomanoides

Paesia scaberula

Pellaea rotundifolia

Phymatosorus pustulatus

P. scandens

Pneumatopteris pennigera

Polystichum richardii

P. silvaticum (unc)

P. vestitum

Pteridium esculentum

Rynchosia eleganifolia

Rumohra adiantiformis

Trichomanes andicarianum (unc)

T. venosum

ORCHIDS

- Caladenia carneola agg.*
Cotyphus rivularis s.s.
Dendrobium cunninghamii
Drymoanthus adversus (unc)
Eatina mucronata s.s.
Microlis unifolia
Orthoceras novae-zelandiae
Pterostylis banksii
P. graminea
Thelymitra hatchii
T. longifolia

GRASSES

- Cortaderia richardii*
Dichelachne crinita
Microlaena avenacea
M. stipoides
Poa anceps ssp. anceps
P. colensoi
P. imbecilla
P. pusilla (unc)
Rytidosperma claratum
R. gracile
R. setifolium
R. unarede

SEDGES

- Carex breviculmis*
C. forsteri
C. inversa (unc)
C. secta s.s. (unc)
C. solandri
Gahnia pauciflora
G. setifolia
Uncinia banksii

*U. clavata**U. distans**U. topestris (incl. U. angustifolia)**U. scabria**U. uncinata**U. zotovii***RUSHES**

- Juncus australis*
J. graciliflorus
Luzula picta s.s.
L. sp. (L. picta var. limosa)

MONOCOT HERBS (OTHER THAN ORCHIDS, GRASSES, SEDGES, RUSHES)

- Anthropodium candidum*
Astelia fragrans
Dianella nigra
Libertia grandiflora
L. ixoides
Phormium cookianum
P. tenax

COMPOSITE HERBS

- Brachyglottis traversii*
Celmisia gracilenta var. (unc)
Gnaphalium avda
G. gymnocephalum
G. limosum s.s.
G. polylepis (unc)
G. sp. (unnamed; aff. G. limosum) (lvs linear)
Helichrysum filicinum
Lagenifera pumila
L. strangulata
Leptinella sp. (L. squamida ssp. mediana)
Pseudognaphalium sp. (unnamed; aff. P. luteoalbum) (lvs mostly linear-spathulate to linear, acute)
(incl. Gnaphalium luteoalbum var. incanum)
Racilia glabra (unc)

DICOT HERBS (OTHER THAN COMPOSITES)	
<i>Acaena anserinifolia</i>	<i>Nantera depressa</i> (incl. <i>N. cunninghamii</i>)
<i>Australina pusilla</i>	<i>Oxalis exilis</i>
<i>Cardamine sp.(a)</i> (cf. <i>C. corymbosa</i>)	<i>Poranthera microphylla</i> (unc)
<i>C. sp.(i)</i> (<i>C. debilis</i> agg.) ("Long Style" of Pritchard 1957)	<i>Pratia angulata</i> agg.
<i>C. sp.(ii)</i> (<i>C. debilis</i> agg.) ("Narrow Petal" of Pritchard 1957)	<i>Ranunculus reflexus</i>
<i>C. sp.(iii)</i> (<i>C. debilis</i> agg.) ("Glossy Leaf" of Pritchard 1957)	<i>Stellaria decipiens</i> (incl. <i>S. parviflora</i>)
<i>Centella uniflora</i>	<i>Urtica incisa</i>
<i>Colobanthus apetalus</i> (incl. <i>C.a.</i> -var. <i>alpinus</i>) (unc)	<i>Viola</i> sp. (unc)
<i>Crassula sibiriana</i> (unc)	<i>Wahlenbergia rupestris</i>
<i>Dichondra</i> sp. (unnamed) (unc)	<u>No. of species: 249.</u>
<i>Epilobium cinereum</i>	
<i>E. heterocoides</i>	<u>References</u>
<i>E. pubens</i>	Oliver, W.R.B. 1935: The genus <u>Coprosma</u> . Bishop Mus. Bull. 132. 207 pp.
<i>E. rotundifolium</i>	Pritchard, G.G. 1957: Experimental taxonomic studies on species of <u>Cardamine</u> Linn. in N.Z. Trans. R. Soc. N.Z. 85: 75-89.
<i>Glossostigma elatinoides</i>	
<i>Hydrocotyle dissecta</i> (unc)	
<i>H. elongata</i>	
<i>H. heteromeria</i>	
<i>H. microphylla</i>	
<i>H. moschata</i>	
<i>H. novae-zealandiae</i> S.S. (unc)	
<i>Myosotis forsteri</i> (unc)	

