

(209)

INDIGENOUS VASCULAR PLANTS IN VICINITY OF ONAMALUTU
DOMAIN, WAIRAU V., NEAR BLENHEIM, MARLBOROUGH

A.P. Druce, Botany Division, D.S.I.R. May 1981

(revised Jan. 1982, June 1983, July 1984, May 1985,
April 1986, Oct. 1988, Sept. 1990)

(Based on visits Jan. 1981, Dec. 1981, Jan. 1985, Jan. 1986)

+ Grid Ref. S21 01-05

GYMNOSPERM TREES

Dacrycarpus dacrydioides
Podocarpus totara s.s.
Prumnopitys taxifolia

Nothofagus fusca

N. menziesii

N. solandri var. *solandri*

N. fusca × *N. solandri*

MONOCOT TREES

Cordyline australis

Pennantia corymbosa

Pittosporum eugenioides

P. tenuifolium ssp. *tenuifolium*

Pseudopanax arboreus var.
arboreus

P. crassifolius

Schefflera digitata

Streblus heterophyllus

Wainmannia racemosa var.
Racemosa

DICOT TREES

* *Aristotelia serrata*
Baileya media tawa (juv. only)
Carpodetus setatus
Fuchsia excorticata
Griselinia littoralis
Hoheria angustifolia
H. populnea var. *lanceolata*
Lophomyrtus bullata

Coprosma grandifolia

C. linatifolia

C. lucida s.s.

C. microcarpa

C. hamnoides ssp. *hamnoides*
(incl. *C. polymorpha*)

C. rigidula

C. robusta

* *H. angustifolia* × *H. populnea*

C. rotundifolia

C. rubra

C. sp. (unnamed; included in *C. parviflora*

by Oliver, 1935, and others) (If undersurface

not minutely hairy as is usual in *C. parviflora*;

drupe vs. unpigmented,
occ. purplish red)

C. propinqua × *C. robusta*

Coriaria arborea

Cyathodes sp. (*C. juniperina* agg.) (Ivs
small, vs. < 1 cm x < 1 mm)

Gaultheria antipoda

Hebe salicifolia var. *salicifolia*

H. sp. (*Veronica squalida*)

Helichrysum aggregatum var. *agg.*

Kunzea ericoides var.

Leucopogon fasciculatus

Melicytus micranthus (incl. *M. m.*
microphyllus)

Peraxilla colensoi

Pseudopanax anomalous

Pseudowintera colorata

LYCOPPODS

Lycopodium volubile

FERNS

Asplenium bulbiferum

A. flaccidum

A. gracillimum

A. flaccidum × *A. gracillimum*

Blachnum chambersii

B. colensoi

B. fluviatile agg.

B. membranaceum

B. minus

B. penn-martini

B. procerrimum

B. vulcanicum

B. sp. (unnamed) (common lowland
sp.; lower pinnae reduced in
length)

B. chambersii × *B. membranaceum*

Botrychium bifforme

Cyathea smithii

Dicksonia fibrosa

Diplazium australe

Histeropteris incisa

Hypolepis ambigua

Pacisia scaberula

Pneumatopteris pennigeria

Polystichum richardii

P. vestitum

Pteridium esculentum

Pyrrhia cleagnifolia

DICOT LIANES

Clematis foetida

C. paniculata

Muehlenbeckia australis

Parsonsia heterophylla

Rubus cissoides var. (leaflets
broader than in var. *cissoides*)

R. schmidelioides var. *schmideli-*
oides

R. cissoides × *R. schmidelioides*

ORCHIDS

Chiloglottis cornuta
Corybas trilobus s.s.
Pterostylis banksii
Thelymitra sp.

GRASSES

Cortaderia richardii
Deyeuxia aenoides (incl. *D.a. brachyantha*)
Dichelachne eriota
Echinochogon ovatus
Microlaena avenacea
M. stipoides
Rytidosperma gracile

MONOCOT HERBS (OTHER THAN ORCHIDS)

(GRASSES, SEDGES, RUSHES)
Arthropodium candidum
Astelia fragrans
Dianella nigra
Libertia ixioides
Phormium tenax

COMPOSITE HERBS

Anaphalis kereensis s.s.
Lagenaria pumila
L. strangulata
Pseudognaphalium sp. (aff. *P. luteoalbum*)
unnamed;

DICOT HERBS (OTHER THAN COMPOSITES)

Acaena anserinifolia
Australina pusilla
Cardamine sp.(i) (*C. debilis* agg.)
("Narrow Petal" of Pritchard 1957)
C. sp.(i) (cf. *C. corymbosa*)
Epilobium heteroides
E. rotundifolium
Hydrocotyle elongata
Nertera sp. (unnamed; aff. *N. dichondrifolia*) (hairs present on both surfaces of lf, straight, not hooked as in *N. dichondrifolia*)

Oxalis exilis
O. magellanica agg.
Pratia angulata agg.
Stellaria decipiens (incl. *S. parviflora*)
Urtica incisa
Viola lyallii
Wahlenbergia rupestris

No. of species: 128.

RUSHES

Luzula picta s.s.

[Planted: *Agathis australis*,

Dactylium cupressinum, *Sophora microphylla*]

