

INDIGENOUS HIGHER PLANTS (PSILOPSIDS, LYCOPODS, FERNS,
GYMNOSPERMS, FLOWERING PLANTS) OF MT BURNETT[†], N.W.
NELSON, 450-640 M (1500-2098 FT)

A.P.Druce, Botany Division, D.S.I.R., February 1982

(revised April 1982, Sept. 1982)

(Based on visits Jan. 1979 and Jan. 1982)

[†] Grid Ref. S1+3 055074, alt. 640 M (2098 ft)

(unc) - uncommon

[] - roadsides only, probably adventive

June 1982
May 1984
Sept. 1985
April 1986
Aug. 1990
Aug. 1991
Aug. 1992

GYMNOSPERM TREES

- Dactyridium cupressinum*
- Halocarpus biformis*
- Hectorostrobus colensoi*
- Lepidothamnus intermedius*
- Libocedrus bidwillii*
- Phyllocladus* sp. (unnamed; aff. *P. alpinus*)
- Podocarpus hallii*
- Prumnopitys ferruginea*
- P. taxifolia* (unc - juvenile only)

DICOT TREES

- Aristotelia serrata*
- Ascarina lucida* var. *lucida*
- Carpodetus serratus*
- Dracophyllum traversii* (incl. *D. pyramidale*)
- Elaeocarpus hookerianus*
- Fuchsia excorticata*
- Griselinia littoralis*
- G. lucida*
- Hedycarya arborea*
- Hoheria populnea* var. *ovata*
- Laurilia novae-zelandiae*
- Macropiper excelsum* var. *excelsum*
- Melicytus ramiflorus* ssp. *ramiflorus*
- Metrosideros parkinsonii*
- M. robusta*
- M. umbellata*

MONOCOT TREES AND SHRUBS

- Cordyline banksii*
- C. indivisa* (unc)
- Rhopalostylis sapida*

<i>Myrsine australis</i>	<i>Cassinia leptophylla</i> var. <i>leptophylla</i>
<i>M. salicina</i>	
<i>Nothofagus menziesii</i>	
<i>N. solandri</i>	<i>Coprosma colensoi</i> s.s.
<i>N. truncata</i>	<i>C. foetidissima</i>
<i>Olearia avicenniifolia</i>	<i>C. grandifolia</i>
<i>O. rani</i> var. <i>colorata</i>	<i>C. linatifolia</i>
<i>Pittosporum tenuifolium</i>	<i>C. lucida</i> s.s.
<i>Pseudopanax crassifolius</i>	<i>C. obconica</i> ssp. <i>obconica</i>
<i>P. edgerleyi</i> (incl.)	<i>C. propinqua</i> ssp. <i>propinqua</i>
<i>P. macintyrei</i>	
<i>P. simplex</i> (incl. <i>P. s. var. sinclairii</i>)	<i>C. rhamnoides</i> (incl. <i>C. polymorpha</i>)
<i>P. sp.</i> (unnamed; included in <i>P. colensoi</i> , as var. <i>fiordensis</i> and <i>C. robusta</i>	
as var. <i>ternatus</i> , by Wardle 1968)	<i>C. propinqua</i> X <i>C. robusta</i>
<i>Quintinia serrata</i> (incl. <i>Q. acutifolia</i> <i>Cotatia arborea</i> and <i>Q. elliptica</i>)	<i>Cyathodes</i> sp. (<i>C. juniperina</i> agg.) (lvs us. $> 1\text{cm} \times > 1\text{mm}$)
<i>Weinmannia racemosa</i> var. <i>racemosa</i>	<i>Dracophyllum longifolium</i> var. (incl. <i>D. filifolium</i> and <i>D. oliveri</i>)

DICOT SHRUBS

<i>Archeria traversii</i> (incl. <i>A. t.</i> var. <i>australis</i>)	<i>D. townsonii</i>
<i>Brachyglottis greyi</i> var. (<i>B. laxi-</i> <i>folia</i>)	<i>Hebe</i> sp. (aff. <i>H. glaucophylla</i>)
<i>B. hectorii</i>	<i>H. townsonii</i>
<i>B. repanda</i> s.s.	<i>Kunzea ericoides</i> agg.
<i>B. rotundifolia</i> var. (incl. <i>B. buch-</i> <i>ananii</i> and <i>B. cockaynei</i>)	<i>L. scoparium</i>
	<i>Leucopogon fasciculatus</i> var.
	<i>Melicope simplex</i>
	<i>Melicytus</i> sp. (unnamed; aff. <i>M. obovatus</i>) (tall dioecious shrubs; vs mostly narrowly elliptic)

Myrsine sp. (unnamed;
aff. *M. divaricata*) (branchlets
not drooping; lvs larger than in *M.*
divaricata)

Neomyrtus pedunculata

Olearia arborescens

Pimelea longifolia var. *longifolia*

Pittosporum cornifolium

P. rigidum var. (*P. crassicaule*)

Pseudowintera colorata

P. traversii (unc)

P. colorata × *P. traversii* (unc)

PSILOPSIDS AND LYCOPODS

Tmesipteris elongata (incl. *T. e.* ssp.
robusta)

T. tannensis

Lycopodium scariosum

L. vatum (incl. *L. billardierei* and *L.*
novaeseelandicum)

L. volubile

FERNS

Adiantum cunninghamii

Asplenium bulbiferum

A. flaccidum

A. oblongifolium

A. polyodon

Blechnum chambersii

B. discolor

B. filiforme

B. fluviatile agg.

B. fraseri

B. proctatum

B. sp. (unnamed) (common lowland
sp.; lower pinnae reduced in length)

B. procerum × *B.* sp. (*B. capense* agg.) (unc)

MONOCOT LIANES

Frayniella baueriana ssp. *banksii*

Ripogonum scandens

DICOT LIANES

Clematis forsteri (unc)

C. paniculata

Metrosideros colensoi (incl. *M.c.*
var. *pendens*)

M. fulgens

Muehlenbeckia australis

Parsonsia heterophylla

Rubus cissoides var. (leaflets
broader than in var. *cissoides*)

R. schmidelioides var. *schmideli-*
oides

Ctenopteris heterophylla

Dicksonia squarrosa (unc)

Gleichenia dicarpa (unc)

Grammitis billardierei

G. patagonica (unc)

Histiopteris incisa

Cyathea dealbata

C. medullaris

C. smithii

<i>Hymenophyllum armstrongii</i> (unc)	<i>Dendrobium cunninghamii</i>
<i>H. demissum</i>	<i>Eatina autumnalis</i>
<i>H. dilatatum</i> (unc)	<i>E. mucronata</i> s.s.
<i>H. ferrugineum</i> (unc)	<i>Gastrodia cunninghamii</i> (unc)
<i>H. lyallii</i> (unc)	<i>Microtis unifolia</i>
<i>H. multifidum</i> (unc)	<i>Thelymitra hatchii</i> (unc)
<i>H. villosum</i>	<i>T. pulchella</i>
<i>H. sp (unnamed) (aff. H. atrovirens and</i>	
<i>Hypolepis tufobarbata</i>	<i>H. flexuosum)</i>
<i>Lastreopsis glabella</i>	
<i>L. hispida</i>	GRASSES
<i>Leptolepia novae-zelandiae</i>	<i>Cortaderia richardii</i>
<i>Leptopteris hymenophylloides</i>	<i>Microlaena avenacea</i>
<i>Lindsaea trichomanoides</i>	<i>Rytidosperma gracile</i>
	<i>R. setifolium</i>

Paxia scabellula
Phymatosorus postulatus
Pneumatopteris pennigera
Polystichum vestitum (unc)
Pteridium esculentum (unc)
Pteris pandula (unc)
P. tremula (unc)
Pyrrosia cleagnifolia (unc)
Rumohra adiantiformis (unc)

Sticherus cunninghamii
Trichomanes teniforme
T. strictum (unc)
T. venosum (unc)

[ORCHIDS]

Caladenia catnea agg.
Chiloglottis cornuta

SEDGES
[Carex comans]
C. dissita s.s.
C. forsteri
C. sp. (unnamed) (syles 3)
Gahnia pauciflora
G. procera
G. xanthocarpa
Schoenus maschalinus
S. pauciflorus ss
Uncinia filiformis (unc)
U. rupestris (incl. *U. angustifolia*)
U. uncinata
U. zotovii *sensu*
*U. sp. (unnamed) (*U. affinis* Hamlin*
*1959, non *U. bipartita* var. *affinis* Col.*
ex Clarke) (unc)

RUSHES

- [*Juncus gregiflorus*]
- [*J. pallidus*]
- [*J. planifolius*]
- [*J. sarophorus*]

[*Raoulia glabra*]

[*R.tenuicaulis* (incl. *R.t.* var. *dimorph*
and *R.t.* var. *pusilla*)]

Senecco glaucophyllus ssp. *glaucophyllus* (unc)

S.minimus

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, RUSHES, SEDGES)

- Astelia fragrans*
- A.solandri*
- A.trinervia*
- A.sp* (unnamed; aff. *A.nervosa*)
- Collospermum hastatum*
- Dianella nigra*
- Libertia grandiflora*
- L.pulchella*
- Luzuriaga parviflora*
- Phormium cookianum*

DICOT HERBS (OTHER THAN COMPOSITES)

- Acaena anserinifolia*
- Cardamine sp.* (*C.debilis* agg.)
- Centella uniflora*
- Epilobium brunnescens* s.s.
- E.numularifolium*
- E.rotundifolium*
- E.sp.* (unnamed; included in *E.brunnescens*, as ssp. *minutiflorum*, by Raven and Engelhorn, (1971) (unc))
- Gingidia montana*
- Gonocarpus micranthus* ssp. *micranthus*
- Gunnera monoica*

COMPOSITE HERBS

- Anaphis katiensis* s.s.
- A.sp.* (*Helichrysum bellidoides* s.s.)

Jovellana repens

Lobelia anceps (unc)

Nertera depressa (incl. *N. cunninghamii*)

N.sp. (unnamed; aff. *N.dichondrifolia*)

Ourisia lactea ssp. *lactea*

Pratia angulata agg.

Ranunculus reflexus

No. of species: 211.

Gnaphalium audax

G.gymnocephalum

[*G.sphaericum* (unc)]

[*G.* sp. (unnamed; aff. *G.involucratum*
and *G.limosum*) (vs linear)]

Lagenifera pumila

Leptinella dioica ssp. *dioica*

Pseudognaphalium sp. (aff. *P.luteolum*) (vs mostly linear-spathulate to
linear, acute)

