

INDIGENOUS HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS, FLOWERING PLANTS) OF HALDON HILLS, MARLBOROUGH,
150-820 M/500-2697 FT


Highest point: 820 m/2697 ft; grid ref. S35 227674

A.P. Druce, Wellington; W.D. Burke, Nelson; Seddon
and B.P.J. Molloy, Botany Division, D.S.I.R.,
May 1983

(Revised June 1983, Aug. 1984, June 1986, April 1987, Nov. 1988,
(Based on visits Nov. 1982 and April 1987, and on
earlier visits by B.P.J.M.)

Additional records by P. Wardle and
C. Waddy, Jan. 1990

June 1990,
July 1992



(unc) - uncommon

GYMNOSPERM TREES

Podocarpus hallii
[Prumnopitys taxifolia (dead)]

Cassinia leptophylla var. leptophylla
C. vauvilliersii (unc)

MONOCOT TREES

Cordyline australis

Coprosma acerosa ssp. (unc)

DICOT TREES

Alectryon excelsus var. excelsus
Aristotella serrata
Carpodetus serratus
Dodonaea viscosa var. (unc)
Fuchsia excorticata
Griselinia littoralis
Lophomyrtus obcordata (unc)
Macropiper excelsum var. excelsum
Melicytus ramiflorus ssp. ramiflorus
Myoporum laetum var. laetum
Myrsine australis
Pennantia corymbosa
Pittosporum eugenoides (unc)
P. tenuifolium ssp. tenuifolium
Pseudopanax arboreus var. arboreus
P. crassifolius
Sophora microphylla

C. crassifolia
C. lucida s.s.
C. propinqua ssp. propinqua
C. rhamnoides (incl. C. polymorpha)
C. robusta
C. rotundifolia (unc)
C. propinqua X C. robusta
Coriaria arborea
C. kingiana
C. sarmentosa
Corokia cotoneaster var. cotoneaster
Cyathodes sp. (C. juniperina agg)
(lvs small, us. < 1cm x < 1mm)
Discaria toumatou
Fuchsia excorticata X F. per-scandens (F. X edensoi)
Gaultheria antipoda (unc)
Hebe hulkeana
H. salicifolia var. salicifolia
H. stricta var. atkinsonii
H. traversii
H. sp. (i) (Veronica arborea)
H. sp. (ii) (Veronica squalida)
H. salicifolia X H. stricta

DICOT SHRUBS

Brachyglottis montroi var. montroi
(incl. B.m. var. elongatus)
B. repanda s.s.
Carmichaelia sp. (subgenus Carmichaelia)

Helichrysum aggregatum var.
aggregatum

H. intermedium var. (unc)

H. parvifolium

H. sp. (aff. *H. coralloides*)

H. glomeratum x *H. bellidioides* (unc)

Meliccytus alpinus s.s.

Ileostylus micranthus

Kothenfelsella lindsayi

Kunzea ericoides agg.

Leptospermum scoparium

Leucopogon fraseri s.s.

Muehlenbeckia astonii (unc)

Olearia paniculata

O. solandri

Pachystegia insignis s.s.

P. rufa

P. insignis x *P. rufa*

Solanum aviculare var. *aviculare*

Sophora prostrata

Tupeia antarctica

Urtica ferox

DICOT LIANES

Calystegia tuguriorum

Clematis afoliata

C. forsteri

C. marata (unc)

C. quadribracteolata (unc)

Convolvulus sp. (unnamed; included in *C. verecundus*, as ssp. *waitaha*, by Sykes 1987)

Fuchsia perscandens

Muehlenbeckia australis

M. complexa

M. australis x *M. complexa*

Parsonsia capsulatis var.

P. heterophylla (unc)

Rubus cissoides var. (leaflets broader than in var. *cissoides*)

R. schmidelioides var. *subpaupretatus*

R. squarrosus

LYCOPODS

Lycopodium varium (unc)

FERNS

Adiantum cunninghamii

Asplenium bulbiferum (unc)

A. flabellifolium agg.

A. flaccidum

Agracillimum

A. hookerianum

A. oblongifolium

A. terrestre ssp. *terrestre*

Azolla filiculoides (unc)

Blechnum chambersii

B. discolor

B. fluviatile agg.

B. minus

B. penna-martina

B. sp. (i) (unnamed) (common lowland sp.; lower pinnae reduced in length)

B.sp.(ii) (unnamed) (cliff sp.; lower pinnae not reduced in length) ("The Green Bay Species of Crookes 1963")

B. minus x B.sp.(b) (unc)

Cheilanthes distans

C. humilis

Ctenopteris heterophylla

Histiopteris incisa

Ophioglossum coriaceum agg.

Pellaea caliditropium (unc)

P. rotundifolia

Phymatosorus pustulatus

Pleurosorus tutifolius (unc)

Pneumatosorus pennigera

Polystichum richardii

P. vestitum

Pyrosia elegnifolia

Pteridium esculentum

Pteris tremula (unc)

Cyathea dealbata (unc)

C. medullaris (unc)

ORCHIDS

Caladenia carnea agg.

Corybas macranthus

Drymoanthus adversus

Earina autumnalis (unc)

E. mucronata s.s. (unc)

Microtis unifolia

Pterostylis areolata (unc)

P. banksii

Thelymitra longifolia

undetermined orchid

GRASSES

Cortaderia richardii

Dichelachne crinita

Echinopogon ovatus

Elymus tenuis (unc)

E. sp. (unnamed; aff. E. recti-

setus) (lvs flat to rolled)

Festuca novae-zelandiae

Hierochloa tedolens

Microlaena polynoda

M. stipoides

Poa cita ssp

P. colensoi

P. imbecilla

Rytidosperma clavatum

R. setifolium

R. unatode

Trisetum sp. (unnamed) (plants slender; lf sheath usually glabrous; lf blade up to 2.5 mm wide)

SEDGES

Carex breviculmis

C. flagellifera

C. geminata s.s.

C. inversa

C. resectans (unc)

C. secta s.s.

C. virgata

Eleocharis acuta

Isolopis cernua

I. nodosa

Schoenoplectus pungens (unc)

Uncinia leptostachya

RUSHES

Juncus australis

J. distegus
J. graciflorus
J. pallidus (unc)
J. pusillus (unc)
Luzula migrata (unc)
L. picta s.s.
L. rufa s.s. (unc)

MONOCOT HERBS OTHER THAN
ORCHIDS, GRASSES, SEDGES, RUSHES

Artropodium candidum
Astelia fragrans (unc)
Hypoxis sp. (cf. *H. hookeri*)
Lemna sp. (*L. minor* auct. N.Z.)
Libertia ixioides
Phormium cookianum
P. tenax
Potamogeton cheesemanii (unc)
Triglochin striata (unc)
Typha orientalis (unc)

COMPOSITE HERBS

Anaphalis sp. (*Helichthysum bellidioides* s.s.)
Brachycome sinclairii s.s.
Brachyglottis lagopus var. *lagopus*
Celmisia montoi ssp. *montoi*
Cotula coronopifolia (unc)

Craspedia uniflora var. (lvs green, both surfaces densely covered in very short glandular hairs; fls white)
Gnaphalium audax
G. gymnocephalum
G. involucreatum
Helichthysum filicaule

Lagenifera pumila (unc)
Leptinella squalida s.s. (unc)

Microseris scapigera var.
Pseudognaphalium sp. (*P. luteoalbum* agg.)

Raoulia australis s.s. (unc)
R. glabra
R. montoi (unc)
R. parkii (unc)
Senecio glaucophyllus var. (unc)
S. hispidulus
S. quadridentatus
Vittadinia australis agg.

DICOT HERBS OTHER THAN COMPOSITES

Acaena anserinifolia
A. juvenca

Aciphylla squarrosa (unc)
Cardamine sp. (i) (aff. *C. corymbosa* (unc))
C. sp. (ii) (*C. debilis* agg.) ("Narrow Petal. of Pritchard 1957")
Centella uniflora (unc)
Colobanthus acicularis
C. strictus
Crassula tetramera
Dichondra repens agg.
D. sp. (i) (unnamed) (fls small, 4-5 mm diam.; sepals = or > corolla lobes)

D. sp. (ii) (unnamed) (fls large, 6-13 mm diam.; sepals < corolla lobes) (unc)

Einadia allanii
Epilobium attriplicifolium s.s.
E. cinereum
E. nertetoides
E. nummularifolium
E. pubens
E. sp. (unnamed; included in *E. brunnescens*, as ssp. *minutiflorum*, by Raven and Englehorn, 1971) (unc)
Galium propinquum
G. trilobum
Gentiana tenuifolia (unc)
Geranium ^{sp. (unnamed; aff. *G. microphyllum*)} *microphyllum*
G. sessiliflorum var. *novae-zeelandiae*
G. solanderi (unc)
Gingidia montana
Haloragis erecta ssp. *erecta*
Hydrocotyle heteromera (unc)
H. moschata
H. novae-zeelandiae s.s. (unc)
H. sp. (unnamed; included in *H. novae-zeelandiae*, as var. *montana*, by Kirk 1899)
Kellaria villosa (?) (unc)
Lilaeopsis ruthiana (unc)
Linum monogynum
Myosotis sp. (*M. australis* agg.)
 (fls yellow) (unc)
Oxalis exilis
Parietaria debilis
Plantago raoulii

Ranunculus glabrifolius (unc)
R. reflexus
Rumex flexuosus

Scandia geniculata
Schizaelema trifoliolatum
Scleranthus biflorus
Stellaria decipiens (incl. *S. parviflora*)
S. gracilentata (unc)
Urtica incisa (unc)
Viola cunninghamii (unc)
Wahlenbergia albomarginata
 var. *albomarginata* (incl. *W. brocklei*, *W. pygmaea* var. *laxa*, and *W. simpsonii*)
W. rupestris

REFERENCES

- Allan, H.H. 1961: "Flora of New Zealand". Government Printer, Wellington. Vol. 1. 1085 pp.
 Crookes, M. 1963: "New Zealand Ferns". Ed. 6. Whitcombe and Tombs. 405 pp.
 Kirk, T. 1899: "The Students' Flora of New Zealand". Government Printer, Wellington. 408 pp.
 Pritchard, G.G. 1957: Experimental taxonomic studies on species of *Cardamine* Linn. in New Zealand. Trans. R. Soc. N.Z. 85: 75-89.
 Raven, P.H.; Englehorn, T. 1971: New taxa and new combinations in Australasian *Epilobium* (Onagraceae). N.Z. J. Bot. 9: 345-50.

No. of species: 24