


INDIGENOUS HIGHER PLANTS (FERNS, GYMNOSPERMS,  
FLOWERING PLANTS) OF ANAURA BAY SCENIC RESERVE,  
65 KM S.S.W. OF EAST CAPE, S.L. TO 500 FT (150M)

+ Grid. ref. N 89/40 690890

A.P.Druce, Wellington, May 1983 (revised Apr. 1985,  
Aug. 1990,  
Based on visit Jan. 1983 Feb 1994)



**GYMNOSPERM TREES**

*Podocarpus totara* s.s.

**MONOCOT TREES**

*Cordyline australis*

**DICOT TREES**

*Alectryon excelsus* var. *excelsus*

*Aristotelia serrata*

*Betula schmidtii* *taua*

*Carpodetus serratus*

*Corynocarpus laevigatus*

*Diospyros spectabilis*

*Entelea arborescens*  
*Hedycarya arborea*  
*Holophaea populnea* var.  
*lanceolata*  
*Knightia excelsa*  
*Laurelia novae-zelandiae*  
*Mastophora excelsum* var.  
*excelsum*

*Melicope tetrandra*

*Melicytus ramiflorus* ssp.  
*ramiflorus*

*Myoporum laetum* var.  
*laetum*

*Myrsine australis*  
*Olearia paniculata*  
*Streblus banksii*  
*Pittosporum ralphii*  
*P. tenuifolium* ssp. *tenuifolium*  
*Planchonella costata*  
*Pseudopanax arboreus* var.  
arboreus  
*P. crassifolius*  
*Sophora tetaptera*  
*Vitex lucens*  
*Wainmannia racemosa* (sd only)

#### DICOT SHRUBS

*Brachyglottis perdicioides* var.  
perdicioides  
*B. tepeana* s.s.  
*Carmichaelia cunninghamii* var.  
(incl. *C. flagelliformis* and *C. hookeri*)  
*Cassinia leptophylla* var. *lepto-*  
*phylla*

*Coprosma rhamnoides* ssp.  
rhamnoides (incl. *C. polymorpha*)  
*C. robusta*  
*Cotinia arborea* var. *arborea*  
*Geniostoma luteum* var.  
*ligustrifolium*  
*Hebe stricta* var. *mactoura*  
*H. s.* var. *stricta*  
*H. sp.* (*Veronica arborea*)  
*Kunzea ericoides* agg.  
*Olearia furfuracea* var.

#### MONOCOT LIANES

*Ripogonum scandens*

#### DICOT LIANES

*Calystegia tuguriorum*  
*Clematis forsteri* (incl. *C. australis*  
*C. hookeriana*, and *C. petriei*)  
*Metrosideros perforata*  
*Muehlenbeckia australis*  
*Rubus squatrosus*

#### FERNS

*Adiantum cunninghamii*  
*Arthropteris tenella*  
*Asplenium gracillimum*  
*A. oblongifolium*  
*Blechnum chambersii*  
*B. sp. (unnamed)* (cliff sp.; lower  
pinnae not reduced in length)  
*Cyathea medullaris*  
*Lastreopsis glabella*  
*Pellaea rotundifolia*  
*Phymatosorus pustulatus*  
*P. scandens*  
*Pneumatopteris pennigera*  
*Polystichum richardii*  
*Pteridium esculentum*  
*Pteris tremula*  
*Ptychosca cleagnifolia*

#### GRASSES

*Dichelachne crinita*  
*Microloaena stipoides*  
*Oplismenus imbecillus*  
*Poa anceps* ssp. *anceps*

#### SEDGES

*Carex flagellifera*  
*C. taoulie*  
*C. solandri*  
*C. spinulosus*  
*C. sp. (unnamed; aff. *C. geminata*)*  
(much larger than *C. geminata*)

(Ivs up to 2.5 cm wide)  
*Cyperus ustulatus*  
*Gahnia lacera*  
*Uncinia uncinata*

**RUSHES:**

*Juncus gregiflorus*

**MONOCOT HERBS OTHER THAN GRASSES, SEDGES, RUSHES:**

*Collospermum hastatum*  
*Libertia grandiflora*  
*Phormium cookianum*

**COMPOSITE HERBS:**

*Senecio tufiglandulosus* var.  
*tufiglandulosus*

**DICOT HERBS OTHER THAN COMPOSITES**

*Epilobium nerteroides*  
*E. nummulatiiifolium*  
Hydrocotyle elongata  
*Jovellana sinclairii*  
*Oxalis exilis*  
*Piperomia urvilleana*  
*Ranunculus reflexus*  
*Galium propinquum*

No. of species: 87.

