

(251)  
INDIGENOUS HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS,  
FLOWERING PLANTS) OF WINTERSLOW RA., CANTERBURY,  
3300-5578 FT (1000 - 1700M)

<sup>†</sup>Highest point: Mt Winterslow, grid ref. S81 905508

A.P.Druce, Wellington, and B.P.J. Molloy, Botany  
Division, D.S.I.R., Christchurch


May 1983 (revised Sept. 1983, June 1985,  
July 1985,

Based on visit April 1983

Aug 1990,  
July 1991,  
Dec. 1992)

Rocks: graywacke

Vegetation: subalpine, mountain-beech forest  
and alpine snow-tussock land



**GYMNOSPERM TREES AND SHRUBS***Phyllocladus alpinus* s.s.*Podocarpus nivalis***DICOT TREES***Griselinia littoralis**Hohertia lyallii* var. *lyallii**Nothofagus solandri* var. *cliffortioides**Pseudopanax simplex* (incl. *P. s.* var. *sinclairii*)*P. sp.* (unnamed; included in *P. colensoi*, as var. *tenuatus* and as var. *fieidensis*, by Wardle 1968)**DICOT SHRUBS***Brachyglottis cassinioides* (unc)*Coprosma atropurpurea**C. ciliata* ssp.*C. depressa**C. parpusilla* ssp. *parpusilla**C. pseudocuneata* ssp.*Dracophyllum longifolium* var. *longifolium**D. pronum**D. uniflorum**Gaultheria crassa**G. depressa* s.s.*G. sp.* (unnamed; included in *G. depressa*, as var. *novae-zelandiae*, by Franklin 1962)*Hebe anomala**H. lycopodioides**H. pinguifolia* s.s.*H. tetrasticha**Leucopogon fraseri* s.s.*L. suaveolens* (incl. *Cyathodes colensoi*)*Melicrytus alpinus* s.s.*Myrsine divaricata* s.s.*M. nummularia**Olearia cymbifolia**Pentachondra pomila**Peraxilla tetrapetala* (unc)*Pimelea pseudolyallii***LYCOPODS***Lycopodium australiunum**L. fastigiatum***FERNS***Blechnum pennatum**Hymenophyllum multifidum**Hypolepis millefolium**Polystichum cystostegia**P. vestitum***ORCHIDS***Prasophyllum colensoi***GRASSES***Agrostis muelleriana**A. personata**A. sp.* (unnamed; aff. *A. dyeri*  
(panicle not contracted  
as in *A. dyeri*))*Chionochloa macrostachya**C. pallens* ssp. *pilosa**C. sp.* (unnamed) (*C. flavesans*  
avct. South Island, non *C. flavesans* Zottov)

- Deschampsia novae-zelandiae*  
*D.tenella*  
*Dayeuxia aucklandica*  
*D.avenoides* (incl. *D.a.* var. *brachyantha*)
- Elymus physii*  
*E.sp.* (aff. *E.rectisetus*)
- Festuca* sp.(i) (*F.matthewsii* sensu Connor 1968)  
*F.sp.*(ii) (unnamed; aff. *F.rubra*)  
*Koeleria cheesemanii*  
*K.sp.* (*K.novozelandica* agg.)  
 (plants tufted, lvs flat)  
*Microlaena colensoi* s.s.  
*Poa breviglumis*  
*P.buchananii*  
*P.colensoi*  
*P.dipsacea*  
*Rytidosperma australe*  
*R.gracile*  
*R.pumilum*  
*R.setifolium*  
*Trisetum youngii*  
*T.sp.* (unnamed) (plants slender;  
 lf sheath vs. glabrous)

### SEDGES

- Carex walkeri* s.s.  
*Isolepis aucklandica*  
*Oreobolus pectinatus*  
*Schoenus pauciflorus* s.s.  
*Uncinia astonii*  
*U.divaricata*  
*U.fuscovaginata* var. (plants glaucous)  
*U.lutescens*  
*U.silvestris* (incl. *U.affinis*)

### RUSHES

- Juncus novae-zelandiae*

- Luzula pumila*  
*L.rufula* s.s.  
*L.traversii*  
*L.sp.(i)* (unnamed; included in *L.picta*, as var. *limosa*, by Edgar 1966)  
*L.sp.(ii)* (unnamed; included in *L.chinata*, as var. *petriana*, by Edgar 1966)

### MONOCOT HERBS OTHER THAN ORCHIDS, GRASSES, SEDGES, RUSHES

*Astelia nervosa* s.s.

*A.petriei*

*Phormium cookianum*

### COMPOSITE HERBS

- Anaphalis* sp. (*Helichrysum bellidoides* s.s.)  
*Brachyglossis lagopus* var.  
*Brachyscome sinclairii* s.s.  
*Calmisia angustifolia*  
*C.gracilenta* ssp.  
*C.haastii* ssp. *haastii*  
*C.loricifolia*  
*C.lyallii*  
*C.sessiliflora*  
*C.spectabilis* ssp. *magnifica*  
*C.viscosa*  
*C.lyallii* x *C.spectabilis*  
*Leptinella atrata* ssp. *atrata*  
*L.pectinata* ssp. *pectinata*  
*L.pyræthifolia* agg.  
*L.sp.* (unnamed; included in *L.squalid* as ssp. *mediana*, by Lloyd & Webb, 1987)  
*Craspedia lanata* s.s.  
*Dolichoglottis lyallii*  
*Gnaphalium mackayi* s.s.  
*Leucogenes grandiceps*  
*L.g.* x *Raoulia eximia* (unc)  
*Micranthes scapigera* var.  
*R.eximia* var. *eximia*  
*R.grandiflora* var.  
*R.hectorii*

*Raoulia mammillaris*

*R. subsericea*

*Taraxacum magellanicum*

**DICOT HERBS**

*Acaena fissistipula*

*A. profunda incisa*

*Aciphylla aurea*

*A. colensoi* var. *maxima*

*A. montoi*

*Anisotome aromatica*

*A. flexuosa*

*Cardamine* sp. ("Scree Race" of Pritchard 1957)

*Chionohebe pulvinaris*

*Colobanthus acicularis*

*C. apetalus* (incl. *C. a.* var. *alpinus*)

*C.* sp. (undetermined)

*Epilobium atriplicifolium* s.s.

*E. chlorifolium*

*E. cockayneum*

*E. glabellum* s.s.

*E. macropus*

*E. pernitens*

*E. porphyrium*

*E. pycnostachyum*

*E. tasmanicum*

*E.* sp. (unnamed; included in *E. brunneum*, as esp. *minutiflorum*, by Raven and Engelhorn, 1971)

*Euphorbia laingii*

*Festuca tenella*

*F.* sp. (unnamed; aff. *F. sedifolia*)

*Gentiana bellidifolia*

*G. corymbifera* s.s.

*G. montana* s.s. (incl. *G. patula*)

and *G. bellidifolia* var. *pulchella*)

*Geranium* sp. (unnamed; aff. *G. microphyllum*)

*Geum leiospermum*

*G.* sp. (*G. parviflorum* agg.) (stock short, terminal leaflet about as long as broad; fls up to 13 mm diam.)

*Kallstroemia dieffenbachii*

*K. villosa* (?)

*Hydrocotyle* sp. (unnamed; included in *H. novae-zelandiae*, as var. *montana*, by Kirk 1899)

*Lignocarpa carnosula*

*Myosotis lyallii* (Moore 1961, as *M. eldeteri*)

*Neopaxia* sp. (incl. *Montia calycina* and *Claytonia australasica* var. *biflora*)

*Nertera balfouriana*

*N. ciliata*

*Oreomyrtis colensoi* s.s. (incl. *O.c.* var. *hispida*)

*O. ramosa* s.s.

*Oursinia caespitosa* ssp.

*Oxalis magellanica*

*Phyllachne colensoi* var.

*Plantago lanigera*

*P. uniflora*

*Pratia angulata* agg.

*P. macrodon* s.s.

*Psychrophila obtusa*

*Ranunculus erythmifolius* ssp.

*erythmifolius*

*R. foliosus*

*R. gracilipes*

*R. insignis*

*R.* sp. (cf. *R. cheesemanii*)

*R. erythmifolius* X *R. insignis*

*Schizolema hydrocotyloides*

*S. pallidum*

*Scleranthus uniflorus*

*Viola cunninghamii*

*Wahlenbergia albomarginata* var. *albomarginata*

No. of species: 170.