


HIGHER PLANTS (GYMNOSEPERMS, FERNS, FLOWERING PLANTS)
OF LIMESTONE AREAS[†], LEATHAM VALLEY, WAIRAU MTS,
MARLBOROUGH, 550-700 M.

[†] Grid refs: ① S34 535651, ② S27 55-70-, ③ S27 55-71-

A.P.Druce, Wellington, and P.A.Williams, Botany
 Division, Lincoln, May 1984 (revised June 1984, Aug 1986,
 June 1987, April 1990, Dec. 1990, May 1991, July 1992,
 (Based on visits 1976, 1983, 1984) Apr. 1993)

(Additions by S. Courtney, Dept. of Conservation,
 Nelson, and B.P.J. Molloy, Botany Institute,

D.S.I.R. Land Resources, Christchurch,
 Dec. 1990)



INDIGENOUS PLANTS

(unc) — uncommon

GYMNOSPERM TREES

Podocarpus hallii (2,3)

DICOT TREES

Carpodetus serratus (2,3)

Fuchsia excorticata (1,2,3)

Griselinia littoralis (1,2,3)

Pittosporum tenuifolium ssp.
tenuifolium (1,2,3)

Pseudopanax colensoi s.s. (2) (unc)

Sophora microphylla (1,2,3)

Hedychium intermedium var. (2,3)

Korthalsella clavata (on *Coprosma*
linariifolia, *C. propinqua*, and
Melicope simplex) (unc 2)

K.lindsayi (on *Melicope simplex*)
(2) (unc)

Kunzea ericoides agg. (1,2,3)

Leucopogon fraseri s.s. (1,2,3)

Melicope simplex (1,2,3)

Melicytus alpinus s.s. (1,2,3)

Myrsine divaricata s.s. (1,2,3)

Olearia avicenniifolia (2,3)

O. cymbifolia (3)

O. odorata (2) (unc)

Pimelea oreophila (1,3)

Traversia baccharoides (2) (unc)

Urtica ferox (2,3)

DICOT SHRUBS

Aristotelia fruticosa var. (1,2,3)

Carmichaelia sp. (subgenus *Carm-*
ichaelia) (2)

Cassinia vauvilliersii (2,3)

Coprosma crassifolia (2,3)

C. linariifolia (2,3)

C. propinqua ssp. *propinqua* (1,2,3)

C. rugosa ssp. *rugosa* (3)

Cotoneaster cotoneaster var. *cot-*
oneaster (1,2,3)

Cyathodes sp. (*C. juniperina*
agg.) (lvs small) (2,3)

Discaria toumatou (1,2,3)

Exocarpus bidwillii (2)

Hebe glaucophylla (3)

H. gracilimia (1,2,3)

H. venustula (incl. *H. brachy-*
siphon) (2,3)

H. sp. (unnamed; included in *H.*
paoulii, as var. *pentasepala*,
by Moore 1961) (2)

DICOT LIANES

Calystegia tuguriorum (2,3)

Clamatis forsteri (1,2,3)

Muehlenbeckia australis (1,2)

M. axillaris (3)

M. complexa (1,2,3)

Parsonsia capsularis var. (1,2,3)

P. heterophylla (2,3)

Rubus cissoides var. (leaflets
broader than in var. *cissoides*) (2,3)

R. schmidelioides var. *subpauper-*
atus (1,2,3)

LYCOPODS

Lycopodium fastigiatum (3)

SEDGES**FERNS**

- Asplenium flabellifolium* agg. (2,3)
A. hookerianum (2,3)
A. lyallii (2,3)
A. richardii (2,3)
A. terrestris ssp. *terrestris* (2,3)
A. sp. (unnamed; aff. A. trichomanes) (1,2,3)
Blechnum chambersii (2)
B. penna-marina (2,3)
Cystopteris tasmanica (1,2,3)
Pellaea rotundifolia (2,3)
Phymatosorus pustulatus (2,3)
Polystichum richardii (1,2,3)
P. vestitum (2,3)
Pteridium esculentum (2,3)
Pyrosia eleagnifolia (2,3)

RUSHES

- Luzula picta* (?) (2,3)

MONOCOT HERBS OTHER THAN GRASSES AND SEDGES**GRASSES AND SEDGES**

- Anthropodium candidum* (1,2,3)
Libertia ixioides (2,3)
Phormium cookianum (1,2,3)

COMPOSITE HERBS

- Celmisia monroi* ssp. *monroi* (2,3)
Craspedia sp. (unnamed) (Ivs pale green, both surfaces densely clad in short hairs up to 0.15mm long; lf margins white with cottony hairs; fls yellow) (1) (unc)
Helichrysum filicaule (3)
Lagenifera pumila (3)
Senecio glaucophyllum ssp. (aff. ssp. *tox*) (1,3)
S. quadridentatus (2,3)
Vittadinia australis agg. (2)

DICOT HERBS OTHER THAN COMPOSITES

- Australopyrum calcis* ssp. *calcis* (2)
Dichelachne crinita (2,3)
Echinopogon ovatus (2)
Elymus multiflorus (2,3)
E. hardyioides (2,3)
E. sp. (aff. E. rectisetus) (1,2,3)
Festuca novae-zelandiae (2,3)
Koeleria sp. (*K. novozelandica* agg. (Ivs flat)) (2) (unc)
Mictolaena stipoides (2,3)
Poa cita ssp. *cita* (1,2,3)
P. colensoi (1,2,3)
P. imbecilla (1,2,3)
Rytidosperma clavatum (2,3)
R. gracile (2,3)
Triticum sp. (unnamed) (plants slender; lf sheath glabrous or nearly so) (1,3)

Acaena dumicola (2,3).

A. juvenca (1,2,3)

Aciphylla sp. (juv. only) (2) (unc)

Cardamine sp. (*C. debilis* agg.) (cf. "Narrow Petal" of Pritchard 1957) (2,3)

Cissus tetramera (2)

Dichondra sp. (unnamed) (1,2,3)

Epilobium nummularifolium (1,2,3)

E. pubens (1,3)

E. vernicosum (1,2,3)

Galium trilobum (1,2,3)

Gentiana cotyledonifera (1,3)
Geranium microphyllum (1,2,3)
G. sessiliflorum var. n.z (2,3)
Gingidia montana (1,2,3)

Haloragis erecta ssp. *erecta* (1,2,3)
Myosotis tenericaulis (1)

M. sp. (*M. australis* agg) (fls yellow) (3)

Osteomyrtus ramosa agg. (1) (unc)

Parietaria diffusa (1)

Plantago spathulata ssp. *spath.* (2,3)

Ranunculus reflexus (2) (unc)

Schizolema toughii (1,3)

Scleranthus uniflorus (2,3)

Urtica incisa (1,2,3)

Viola cunninghamii (1,3)

Wahlenbergia albomarginata

var. *albomarginata* (incl. *W.*

pygmaea var. *laxa*, *W. brockiei*,

and *W. simpsonii*) (1,2,3)

B. willdenowii
Dactylis glomerata
Festuca nigrescens
Holcus lanatus
Hordeum murinum

Lolium perenne, **RUSHES**

Poa pratensis / *Juncus articulatus*

COMPOSITE HERBS

Carduus tanacetifolius

Cirsium vulgare

Crepis capillaris

Hieracium lepidulum

Lapsana communis

Mycelis muralis

Sonchus oleraceus

DICOT HERBS OTHER THAN COMPOSITES

COMPOSITES

Acaena novae-zelandiae

Anagallis arvensis

Aphanes arvensis

Arenaria serpyllifolia

Callitriches sp.

Cerastium fontanum ssp. *vulgare*

Dianthus armeria

Digitalis purpurea

Echium vulgare

Galium aparine

G. divaricatum

Geranium molle

Lemna sp.

Linum catharticum

Marrubium vulgare

Mimulus moschatus

Myosotis laxa ssp. *caespitosa*

ADVENTIVE PLANTS

DICOT SHRUBS

Ribes grossularia

Rosa micrantha

R. rubiginosa

GRASSES

Agrostis capillaris

Aira caryophyllea

Anthoxanthum odoratum

Athysanatherum elatius

Bromus hordeaceus

B. sterilis

Orobanche minor
Prunella vulgaris
Sisymbrium officinale
Stellaria media
Trifolium arvense
T. dubium
T. repens
Verbascum thapsus
V. virgatum
Veronica arvensis
Vicia angustifolia

No. of indigenous spp.: 117.

No. of adventive spp.: 52.

REFERENCES

- Moore, L.B. 1961: In "Flora of N.Z." Government Printer, Wellington.
Vol. I. 1085 pp.
- Pritchard, G.G. 1957: Experimental taxonomic studies on species
of Cardamine Linn. in New Zealand. Trans. R. Soc. N.Z. 85: 75-89.
-

