

(264)


INDIGENOUS HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS,
FLOWERING PLANTS) OF MOAWHANGO GREYWACKE GORGES,
S.W. KAIMANAWA MTS,
2000-2500 FT (610-760 M)

A.P. Druce, Wellington, June 1985

(revised July 1985, Sept. 1985, April 1986, Oct 1986, June 1987, July 1990)

(Based on visits Jan. 1950, Jan. 1974, Dec. 1984,
Feb. 1985, Jan. 1986)

(↙ parts investigated)
and dates



(unc) - uncommon

GYMNOSPERM TREES AND SHRUBS

Podocarpus hallii (unc)

Coprosma acetosa ssp.
(unc)

C. crassifolia (unc)

C. linariifolia

C. lucida ss.

C. rhamnoides ssp. *rhamnoides*
(incl. *C. polymorpha*)

C. robusta

C. rugosa ssp. *rugosa*

C. tenuifolia

Coriaria pteridoides

C. arborea × *C. pteridoides*

Corokia cotoneaster var. *cotoneaster*

Cyathodes sp. (*C. juniperina* agg.) (vs
small, vs. < 1cm × < 1mm)

Dracophyllum subulatum

Pseudopanax arboreus var. *arb-*
oreus (unc) *Epacris alpina* (unc)

P. crassifolius

Gaultheria antipoda

Sophora tetaptera

G. sp. (unnamed; included in *G.*

depressa, as var. *novae-zeland-*
iae, by Franklin 1962)

Pernettya macrostigma

G. antipoda × *Pernettya macro-*
stigma

Hebe colensoi (incl. *H. c.* var. *hillii*)

H. macrocarpa var. (*H. corriganii*) (unc)

H. stricta var. *stricta*

H. sp. (a) (*Veronica arborea*)

H. sp. (b) (*Veronica squilida*) var.

(low-growing shrub; lvs up to 1cm wide)

Helichrysum aggregatum var. *aggre-*
gatum

DICOT SHRUBS

Aristotelia fruticosa var. *micro-*
phylla (unc)

Hebe colensoi (incl. *H. c.* var. *hillii*)

Carmichaelia arborea var. (incl.
C. flagelliformis + *C. hookeri*)

H. macrocarpa var. (*H. corriganii*) (unc)

C. odorata var. *odorata* (incl. *C. o.*
var. var. *pilosa*)

H. stricta var. *stricta*

Cassinia leptophylla var. (*C. veauv-*
illietii)

H. sp. (a) (*Veronica arborea*)

H. sp. (b) (*Veronica squilida*) var.

(low-growing shrub; lvs up to 1cm wide)

Helichrysum aggregatum var. *aggre-*
gatum

Melicytus alpinus s.s. (unc)
Leptospermum scoparium var.
Leucopogon fraseri s.s.
Olearia arborescens
O. cheesemanii
O. furfuracea var.
O. nummularifolium var. *nummularifolium*
O. virgata var. (vs smaller than in
Pimelea axillaris var. *virgata*)
P. prostrata
Pseudopanax anomalous

DICOT LIANES AND RELATED

TRAILING PLANTS

Muehlenbeckia axillaris
Clematis foisteri

Parsonsia capsularis var. (unc)

FERNS

Adiantum cunninghamii
Asplenium flabellifolium agg. (unc)
A. flaccidum
A. hookerianum
A. terrestris ssp. *terrestris*
Blechnum chambersii
B. discolor (unc)
B. fluviatile agg.
B. minus (unc)

B. penna-marina
B. vulcanicum

B. sp. (i) (unnamed) (common lowland
sp; lower pinnae reduced in length)
(unc)
B. sp. (ii) (unnamed) (cliff sp.;
lower pinnae not reduced) ("The
Green Bay Species" of Crookes 1963)
Cladopteris heterophylla
Hymenophyllum cupressiforme (un-
determined)
H. multifidum
Leptopteris hymenophylloides
Phymatosorus diversifolius (unc)
Pneumatopteris pennigera
Polystichum richardii
P. vestitum
Pteridium esculentum
Pyrosia cleagnifolia

ORCHIDS

Corybas macranthus
Microtis oligantha (unc)
Orthoceras novae-zealandiae
Pterostylis patens
Thelymitra longifolia

GRASSES

Chionochloa rubra
Cortaderia fulvida
Deyeuxia avenoides (incl. *D. a.* var. *brachyantha*)
Dichelachne crinita

Elymus multiflorus (unc)
*E. sp. (aff. *E. rectisetus*)* (Group Waiohu
of Höve and Connor, 1982)

Festuca mollis (noais
F.novae-zelandiae

Hierochloe redolens

Lachnagrostis sp. (unnamed; included *Astelia fragrans*

in *L.filiformis*, as var. semi-glabra, *Bulbinella hookeri*

by Zotov 1965)

Microlepia stipoides

Poa anceps ssp. *anceps*

P.colansot

Rytidosperma buchananii

R.clavatum

R.gracile

R.setifolium

Thyssetum sp. (unnamed; aff. *T.antaret-*
icum) (plant robust; lf sheath
glabrous at least in upper part; lf

SEDGES blade margins scabrid)

Carex breviculmis

C.coriacea

C.secta s.s.

Isolepis sp. (undetermined) (unc)

Machaerina sinclairii

Schoenus pauciflorus s.s. (= "slender
form" of Edgar 1970, p. 194)

Uncinia rubra

U.scabra

U.silvestris (incl. *U.affinis*) (unc)

U.uncinata

MONOCOT HERBS OTHER THAN

ORCHIDS, GRASSES, SEDGES, RUSHES

Acaena sp. (unnamed)

Anisotome aromatica

Cardamine sp. (*C.dubilis* agg.)

(cf. "Long Style" of Pritchard 1957)

COMPOSITE HERBS

Brachyglottis lagopus var. *lagopus*

Celmisia gracilenta var.

Craspedia minor var. *minor*
(incl. *C. major*)

Gnaphalium limosum s.s.

Anaphalis sp. (i) (cf. *A.kerriensis*)

A. sp. (ii) (*Helichrysum bellidoides* s.s.)

Lagenifera pumila

Pseudognaphalium sp. (*P.luteo-*
album agg.) (unc)

Raoulia tenuicaulis (incl. *R.t.* var.
dimorpha and *R.t.* var. *pusilla*)

R. sp. (unnamed) (unc)

R.tenuicaulis × *R.sp.* (unnamed) (unc)

Senecio glaucophyllus ssp. *toa* (unc)

S.quadridentatus

S.rufiglandulosus var. *rufi-*
glandulosus

Vittadinia australis agg.

RUSHES

Juncus novae-zelandiae (unc)

Luzula migrata

DICOT HERBS OTHER THAN COMPOSITES

Acaena sp. (unnamed)

Anisotome aromatica

Cardamine sp. (*C.dubilis* agg.)

(cf. "Long Style" of Pritchard 1957)

Crassula sp. (*C. sieberiana* or
C. tetramera)
Dichondra repens var. (unc)
Dioscorea binata (unc)
Epilobium astonii
E. cinereum (unc)
E. heteroides
E. rotundifolium
E. sp. (unnamed; included in *E. brunnascens*, as *ssp. minutiflorum*, by Raven and Engelhorn, 1971)
Euphrasia cuneata
Galium propinquum
Gentiana grisebachii s.s.
Gingidia montana
Glossostigma elatinoides (unc)
Gunnera dentata var. *dentata*
G. prorepens (unc)
Haloragis erecta ssp. *erecta* (unc)
Hydrocotyle hydrophila
H. moschata
H. sp. (unnamed; included in *H. nz.*, as var. *montana*, by Kirk 1899)
Limosella lineata
Linum monogynum
Myosotis eximia (unc)
Netteria sp. (unnamed) (lvs small, glabrous; drupes globose)
Oxalis macrophylla ssp. *robusta*
Oxalis exilis
O. magellanica ass.
Parahelbe diffusa ssp. *diffusa*

Pratia angulata ass.

Ranunculus flexuosus
Rumex flexuosus (unc)
Schizolema colensoi
Stellaria decipiens (incl. *S. parviflora*)
Viola cunninghamii
Wahlenbergia albomarginata var. *pygmaea*
W. tupestis

No. of species: 164.

References

- 1) Edgar F. 1970: In "Flora of N.Z." Govt Printer, Wgtn. Vol. 2. 354 pp.
- 2) Franklin, D. A. 1962: The Ericaceae in N.Z. (*Gaultheria* + *Pernettya*). *Trans. R. Soc. N.Z. Bot. 1*: 155-73.
- 3) Pitchard, G.G. 1957: Experimental taxonomic studies on species of *Cardamine* Linn. in N.Z. *Trans. R. Soc. N.Z. 85*: 75-89.
- 4) Raven, P.H.; Englehorn, T. 1971: New taxa + new combinations in Australasian *Epilobium* (Onagraceae). *N.Z. Jl Bot.* 9: 345-50.
- 5) Zotov, V. D. 1965: Grasses of the subantarctic islands of the N.Z. region. *Rec. Dom. Mus. Wellington* 5: 101-46.
- 6) Kirk, T. 1899: "The Students Flora of N.Z." Govt. Printer, Wgtn. 408 pp.
- 7) Crookes, M. 1963: "N.Z. Ferns". 6th ed. Whitecombe and Tombs. 408 pp.
- 8) Löve, A.; Connor, H.E. 1982: Relationships and taxonomy of N.Z. wheat grasses. *N.Z. Jl Bot.* 20: 169-86.

