


HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS, FLOWERING PLANTS)
OF CLAYTON WETLANDS, NORTH OPUHA RIVER, SOUTH CANTERBURY

730-850 M (2400-2800 FT)

+ Grid ref. S90 43-18-

B.P.J. Molloy, Botany Division, D.S.I.R., Lincoln, and A.P.Druce,
Wellington, April 1985 (revised July 1985, May 1986,
Aug 1990)

Based on visits Sept 1983 (B.P.J.M) and
March 1985 (B.P.J.M. and A.P.D.)



(unc) - uncommon

INDIGENOUS SPECIES

GYMNOSPERMS

Halocarpus bidwillii (subfossil)

DICOT SHRUBS

Carmichaelia arborea var. (incl.
C. robusta and *C. violacea*) (unc)

Cassinia leptophylla var. (*C. vaughn-*
iansii) (unc)

Coprosma cheesemanii s.s.

C. propinquua ssp. *propinquua* (incl.
C. p. var. latiuscula) (unc)

Coriaria plumosa

Discaria toumatou

Dracophyllum acerosum (unc)

Gaultheria sp. (unnamed; included
in *G. depressa*, as var. *novae-*
zelandiae, by Franklin 1962)

Leucopogon fraseri s.s.

Melicytus alpinus s.s. (unc)

Olearia sp. (unnamed; included in
O. virgata, as var. *rugosa*, by Simp-
son 1945)

Pernettya nana

P. n. X Gaultheria crassa

P. n. X G. sp. (unnamed)

Pimelea pseudolyallii

P. suteri var. (*P. oreophila*)

DICOT LIANES AND RELATED

TRAILING PLANTS

Muehlenbeckia axillaris (unc)

Lycopods

Lycopodium fastigiatum

FERNS

Blechnum penna-martini

B. sp. (unnamed) (mountain
sp.; lower pinnae not reduced in
length) ("The Dunedin-Cass Variety"
of Crookes 1963)

ORCHIDS

Microtis oligantha

M. unifolia

Prasophyllum colensoi

Thelymitra longifolia

GRASSES

Chionochloa rigida

C. rubra ssp.

Deyeuxia avenoides (incl. *D. a.*
var. *brachyantha*)

Elymus sp. (aff. *E. rectisetus*)

Festuca novae-zelandiae

var. *novae-zelandiae*

Poa cita ssp. *cita*

P. colensoi

Rytidosperma buchananii

R. gracile

SEDGES

Carex breviculmis (unc)

C. coriacea

C. diandra

C. echinata var. (*C. stellulata*
var. *australis*)

C. gaudichaudiana

C. secta s.s.

C. sinclairii

Eleocharis acuta

E. gracilis

Oreobolus pectinatus

Schoenus pauciflorus s.s.

Uncinia rubra (unc)

RUSHES

Juncus antarcticus

J. gregiflorus

J. novae-zelandiae

Luzula sp.(i) (unnamed; included in
L. picta, as var. *linosa*, by Edgar
1966)

L. sp. (ii) (unnamed; aff. *L. rufa*) (plants
stoloniferous; infl. head smaller
than in *L. rufa*)

**MONOCOT HERBS OTHER THAN
ORCHIDS, GRASSES, SEDGES, RUSHES**

Bulbinella angustifolia

Potamogeton cheesemanii (unc)

COMPOSITE HERBS

Brachyglottis bellidioides s.s. (incl.
Sanecio bellidioides var. *setosus*) (unc)

Celmisia gracilenta var.

C. spectabilis ssp. *magnifica*

C. sp. (unnamed; aff. *C. gracilenta*)
(plants strongly rhizomatous)

Craspedia lanata s.s. (unc)

C. sp. (unnamed) (summer-green;
lvs green, with faint white margins
of cottony hairs; both surfaces clad in
hispida, non-glandular hairs; fls white)

Gnaphalium laterale

Anaphalis sp. (*Helichrysum bellidi-*
oides s.s.)

Helichrysum filicaule

Micoseris scapigera

Raoulia subsericea

DICOT HERBS OTHER THAN COMPOSITES

Acaena caesioglaucia (unc)

A. fissistipula (unc)

A. inermis

Anisotome aromatica

Drosera arcturi

Epilobium atriplicifolium s.s. (unc)

E. chionanthum

E. komarovianum

Etenvipes s.s.

E. sp. (unnamed; included in *E.*
brunnescens, as ssp. *minutiflorum*,
by Raven and Engelskorn, 1971)
Euphrasia zelandica var.

Gentiana gieseckiae ss. (unc)

Geranium microphyllum (unc)

G. sessiliflorum var. *nova-zelandiae*

Geum leiospermum (unc)

Gonocarpus aggregatus (unc)

G. micranthus ssp. *micranthus*

Gunnera monoica (unc)

Hydrocotyle sulcata (unc)

H. sp. (unnamed; included in *H. nova-*
zealandiae, as var. *montana*, by Kirk (1899))
Kelleria sp. (*Drapetes laxus*?) (unc)

Montia fontana ss. (unc)

Nertera balfouriana

Oreomythys colensoi ss. (incl.
O. c. var. hispida and *O. c. var.*
multifida)

O. ramosa

Pratia angulata agg.

Ranunculus brevis

R. foliosus

R. sp. (unnamed; included in *R.*
lappaceus, as var. *macrophyllus*,
by Kirk 1899)

Scleranthus brockiei (unc)

Viola cunninghamii

Wahlenbergia albomarginata
var. *albomarginata* (incl. *W. pyg-*
maea var. *laxa*, *W. brockiei*, and *W.*
simpsonii)

ADVENTIVE SPECIES

DICOT SHRUBS

Cytisus scoparius (unc)

Salix X reichardtii (unc)

GRASSES

Agrostis capillaris
Athoxanthum odoratum
Festuca nigrescens
Holcus lanatus

SEDGES

Carex ovalis

RUSHES

Juncus articulatus
J. conglomeratus

COMPOSITE HERBS

Crepis capillaris
Hieracium caespitosum
H. pilosella
H. prealtum
Hypochoeris radicata

DICOT HERBS OTHER THAN COMPOSITES

Cerastium fontanum ssp. *vulgare*
Epilobium obscurum (unc)
Linum catharticum (unc)
Lotus pedunculatus
Mimulus guttatus
M. moschatus
Myosotis laxa ssp. *caespitosa*
Potentilla viscosa (unc)
Plantago lanceolata
Prunella vulgaris
Ranunculus acer
Rumex acetosella
R. conglomeratus (unc)
Stellaria graminea
Trifolium repens

No. of indigenous spp.: 94.

No. of adventive spp.: 29.

REFERENCES

Crookes, M. 1963: "New Zealand Ferns". Ed.6. Whitcombe & Tombs. 408 pp.
 Edgar, E. 1966: Luzula in New Zealand. N.Z.J. Bot. 4: 159-84.

Franklin, D.A. 1962: The Ericaceae in New Zealand (Gaultheria and Baccharis). Trans R. Soc. N.Z. Bot. 1: 155-73.

Kirk, T. 1899: "The Students' Flora of New Zealand". Government Printer, Wellington. 408 pp.

Raven, P.H.; Engelmorn, T. 1971: New taxa and new combinations in Australasian Epilobium (Onagraceae). N.Z.J. Bot. 9: 345-50.

Simpson, G. 1945: Notes on some New Zealand plants and descriptions of new species. 4. Trans. R. Soc. N.Z. 75: 187-202.