


(215)

INDIGENOUS HIGHER PLANTS (FERNS, GYMNOSPERMS,
FLOWERING PLANTS) OF WETLANDS AND BEACH RIDGES
NEAR MOUTH OF WAIRAU V., MARLBOROUGH,
SEA-LEVEL TO 20FT/6M

A.P.Druce, Wellington, and W.D.Burke, Nelson
April 1986 (Revised July 1987, Oct. 1988,
Aug. 1990,

(Based on visits Nov. 1985 and Jan. 1986) |
(Note: no forest left) |
June 1991,
Aug 1992)

(boundary of area studied



(unc) - uncommon

GYMNOSPERM TREES

Dacrycarpus dacrydioides (juv,
unc)

Pimelea gunnii (incl. P.
prostrata var. quadrifaria)
Plagianthus divaricatus

MONOCOT TREES

Cordyline australis

DICOT TREES

Myoporum laetum var. *laetum* (unc) *M. complexa*

Olearia paniculata (unc)

DICOT LIANES AND RELATED PLANTS

Calystegia soldanella

C.s. X C. tuguriorum (unc)

Clematis matata (Martin 1932)

Muehlenbeckia australis (unc)

Pennantia corymbosa (unc)

FERNS

Blachnum minus

Pittosporum tenuifolium ssp.
tenuifolium (unc)

Chileanthes humilis (unc)

Pseudopanax arboreus var. *arbor-*
eus (unc)

Pteridium esculentum

Sophora microphylla (unc)

GRASSES

Cortaderia richardii (unc)

Dichelachne erinacea

Lachnagrostis filiformis s.s.

Microseris stipoides

Poa cita ssp.

C. robusta (unc)

P. pusilla (unc)

C. propinquua X *C. robusta* (unc)

Puccinellia stricta

Discaria toumatou

Rytidosperma claratum

{ *Malicytos alpinus* s.s.

Spinifex sericeus

M. crassifolius var. *crassifolius*
(unc)

Zoysia minima

Ileostylus micranthus

Kunzea ericoides agg.

Leptospermum scoparium

→ *Olearia solandri* (unc)

SEDGES

Baumea rubiginosa
B. tenax
Bolboschoenus caldwellii
Carex breviculmis
C. dipsacea var. *dipsacea*
C. fasciculata
C. flagellifera
C. lessoniana
C. pumila
C. resectans
C. virgata
Cyperus ustulatus
Eleocharis acuta
Isolepis cernua
I. inundata
I. nodosa
Lepidosperma australe
Schoenoplectus pungens
~~*S. validus* (unc)~~
Schoenus maschalinus

RUSHES

Juncus australis
J. gregiflorus
J. maritimus var. *australiensis*
J. pallidus

MONOCOT HERBS OTHER GRASSES

SEDGES, RUSHES

Lemna sp. (*L. minor* auct.)
Phormium tenax

Potamogeton cheesemanii (unc)
Ruppia megacarpa
Triglochin striata
Typha orientalis

COMPOSITE HERBS

Cotula coronopifolia
Leptinella dioica ssp. *dioica* (unc)
Gnaphalium involucratum
G. limosum s.s.
G. sphaericum
Raoulia australis s.s.
Senecio glomeratus (unc)
S. hispidulus (unc)
S. quadridentatus

DICOT HERBS OTHER THAN COMPOSITES

Apium sp. (slender)
Cardamine sp. (*C. debilis* agg.)
 ("Narrow Petal" of Pritchard 1957
 (unc))

Centella uniflora
Crassula tetramera

Dichondra sp. (unnamed)
 (slender; fls 4-5 mm diam.;
 sepals = or > corolla lobes)

Epilobium cinereum (unc)
E. pallidiflorum (unc)

Gratiola sexdentata (unc)
Hydrocotyle moschata
H. novae-zelandiae ss.
H. pterocarpa
Hypericum japonicum agg.(unc)
Lilaeopsis sp.
Mazus novaezealandiae
Mimulus repens
Myriophyllum propinquum(unc)
Nertera setulosa(unc)
Ranunculus glabrifolius
R. macropus
Samolus repens var.*repens*
Sarcocornia quinqueflora
Selliera radicans ags.
Viola lyallii (unc)

No. of species: 101.

REFERENCES

Pritchard, G.G. 1957: Experimental taxonomic studies on species of *Cardamine* Linn. in New Zealand. Trans. R. Soc. N.Z. 85: 75-89.

Martin, W. 1932: "The Vegetation of Marlborough". Marlborough Express. 46 pp.