

HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS, FLOWERING
PLANTS) OF MT POHOKURAT[†]


3500-4536 FT / 1070-1380 M

Grid ref. N104 150060, alt. 4536 ft/c. 1380 m

A.P. Druce, Wellington; B.D. Clarkson and G.Y. Walls,
Botany Division, D.S.I.R.; W.B. Shaw, F.R.I., Rotorua

April 1986 (revised Aug. 1990, July 1992)
(Based on visit January 1986)

(unc) - uncommon



INDIGENOUS PLANTS

GYMNOSPERM TREES AND SHRUBS

- Halocarpus biformis*
Lepidothamnus laxifolius
L. intermedius × *L. laxifolius*
 (unc)
Phyllocladus alpinus s.s.
Podocarpus hallii (juv. only) (unc)

P. nivalis (unc)
P. hallii × *P. nivalis* (unc)

Dracophyllum longifolium var.
 (lvs slightly recurved and
 somewhat glaucous)

Epacris alpina (unc)
Fuchsia excorticata (juv. only)
 (unc)

Gaultheria paniculata
G. sp. (unnamed; included in
G. depressa, as var. *nova-*
zelandiae, by Franklin 1962)

G. paniculata × *G.* sp. (unnamed)

Griselinia littoralis

Hebe macrocarpa var. (*H.*
corriganii)

Aristotelia serrata (juv. only) (unc) *Leptospermum scoparium* (unc)

Brachyglottis rotundifolia var.
 (*B. elaeagnifolia*) (unc)

Leucopogon fraseri s.s. (unc)

Cassinia vauvilliersii

Myrsine divaricata ss.

M. nummularia (unc)

Nothofagus fusca (juv. only)
 (unc)

N. menziesii (unc)

N. solandri var. *cliffortioides*

Olearia arborescens (unc)

O. colensoi var. *colensoi*

O. ilicifolia (unc)

Pentachondra pumila

Pittosporum rigidum var.

Pittosporum rigidum

Pimelea buxifolia

C. foetidissima
C. petiolaris ssp. *petiolaris*
C. pseudocuneata ssp. *pseudocuneata*
C. tenuifolia (unc)
C. sp. (i) (unnamed; aff. *C.*
cheesemanii) (lvs broader
 than in *C. cheesemanii*)
C. sp. (ii) (unnamed; included in *C.*
parviflora by Oliver, 1935, and others)
 (lf undersurface not minutely hairy
 as is usual in *C. parviflora*; drupes
 vs. unpigmented, occ. purplish red)

Pseudopanax colensoi s.s. (unc) B.sp.- (ii) (unnamed) (mountain sp.; lower pinnae not
(cliffs only) reduced in length) ("The Dunedin
P. simplex (incl. *P. s. var. sinclairii*) (Cass Variety" of Crookes 1963)
Pseudowintera colorata (juv. Cyathea colensoi (unc)
only) (unc) *Dicksonia lanata* s.s. (unc)
Grimmitis billardierei

DICOT LIANES AND RELATED/

PLANTS

Muehlenbeckia axillaris (unc)

Rubus cissoides var. (leaflets narrower than in var. *cissoides*) (unc)

G. givenii (unc)
G. magellanica esp. *nolthafageti*

G. patagonica (unc)

G. poeppigiana (unc)

Histiopteris incisa

Hymenophyllum multifidum

H. peltatum (unc)

H. latum

H. rufescens (unc)

H. villosum

Hypolepis millefolium (unc)

H. tufobarbata (unc)

Leptopteris superba (unc)

Poa scaberrula (unc)

Polystichum vestitum (unc)

FERNS

Asplenium flaccidum (unc)

A. hookerianum (unc)

A. terrestris ssp. *terrestris* (unc)

Blechnum discolor (unc)

B. fluviatile agg.

B. pennar-martina

B. procetum

B. sp.(i) (unnamed) (common lowland sp;

sp; lower pinnae reduced in length) (unc)

Aporostylis bifolia

Chiloglottis cornuta

Corybas rivularis s.s. (unc)

C. trilobus s.s.

Pterostylis patens

Thelymitra formosa (unc)

ORCHIDS

GRASSES

- Agrostis dyeri* s.s. (unc)
Chionochloa conspicua ssp.
cunninghamii
C. pallens ssp. *pallens*
- Cortaderia fulvida* (unc)
Deschampsia tenella
Doxauxia aucklandica
D. avenoides (incl. *D. a.* var.
brachyantha) (unc)
Hierochloe recurvata (unc)
Poa anceps ssp. *anceps* (unc)
P. breviglumis
P. colensoi
Rytidosperma gracile
R. viride (unc)

RUSHES

- Juncus novae-zelandiae*
Luzula migrata
L. picta (unc)
L. subclavata (unc)
L. sp. (unnamed; included in
L. picta, as var. *limosa*, by
Edgar (1966))

MONOCOT HERBS OTHER THAN

ORCHIDS, GRASSES, SEDGES, RUSHES

- Astelia* sp. (unnamed; aff. *A.*
nervosa) (lvs not conspicuously
white adaxially as in *A. nervosa*)
Luzuriaga parviflora
Phormium cookianum (unc)

COMPOSITE HERBS

- Brachyglottis lagopus* var.
lagopus
Celmisia gracilenta ssp.
Gnaphalium audax (unc)
G. limosum s.s. (unc)
G. tuwhinicum
Helichrysum filicaule

- Anaphalis* sp. (unnamed;
aff *Helichrysum bellidi-*
oides) ("*H. alpinum*" of Cochayne
1928) (lvs and capitula larger
than in *H. bellidioides*)

SEDGES

- Gahnia procera*
Isolepis habra
I. pottsii
Oreobolus pectinatus
Uncinia caespitosa
U. clavata (unc)
U. filiformis
U. rupestris (incl. *U. angusti-*
folia)
U. silvestris (incl. *U. affinis*)
U. vitidis

| | |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <i>Lagenifera pumila</i> (unc) | <i>Gentiana montana</i> s.s. (incl.) |
| <i>Pseudognaphalium</i> sp. (unnamed; aff. <i>G. patula</i> and <i>G. bellidifolia</i>) | |
| <i>P. luteoalbum</i> (lvs mostly linear-spathulate to linear, acute) (unc) | <i>var. pulchella</i> |
| | <i>Hydrocotyle dissecta</i> (unc) |
| | <i>H. heteromeria</i> |
| | <i>H. microphylla</i> |
| <i>Raoulia glabra</i> | <i>H. moschata</i> |
| <i>R. tenuicaulis</i> (incl. <i>R. t.</i> var. <i>dimorpha</i> and <i>R. t.</i> var. <i>pusilla</i>) (unc) | <i>Kelleria dieffenbachii</i> (unc) |
| | <i>Nertera ciliata</i> |

[DICOT HERBS OTHER THAN COMPOSITES]

| | |
|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Acaena anserinifolia</i> | <i>N. sp.</i> (unnamed; aff. <i>N. dichondrifolia</i>) (hairs present on both surfaces of lf, straight, not hooked as in <i>N. dichondrifolia</i>) |
| <i>Anisotome aromatica</i> | |
| <i>Cardamine</i> sp. (i) (<i>C. debilis</i> agg.) ("Narrow Petal" of Pritchard 1957) (unc) | <i>Oxalis lactea</i> ssp. <i>drucei</i> (unc) |
| <i>C. sp.</i> (ii) (<i>C. debilis</i> agg.) ("Glossy Leaf" of Pritchard 1957) | <i>O. macrophylla</i> ssp. <i>robusta</i> (unc) |
| <i>Epilobium alsinoides</i> s.s. | <i>Oxalis magellanica</i> |
| <i>E. astonii</i> (unc) | <i>Parahedys diffusa</i> ssp. <i>diffusa</i> |
| <i>E. brunnescens</i> s.s. (unc) | <i>P. Olsenii</i> |
| <i>E. cockayneum</i> | <i>Ranunculus membranifolius</i> |
| <i>E. linnaeoides</i> | |
| <i>E. nectaroides</i> | <i>R. reflexus</i> |
| <i>E. pubens</i> (unc) | |
| <i>E. tenuipes</i> s.s. (unc) | |
| <i>E. sp.</i> (unnamed; included in <i>E. brunnescens</i> , as ssp. <i>minutiflorum</i> , by Raven and Engelhorn 1971) (unc) | <i>Schizeilema allanii</i> |
| | <i>Stellaria decipiens</i> (incl. <i>S. parviflora</i>) |
| | <i>Urtica incisa</i> (unc) |
| <i>Euphrasia cuneata</i> | <i>Viola filicaulis</i> |
| <i>Forstera</i> sp. (cf. <i>F. bidwillii</i>) | <i>Wahlenbergia albomarginata</i> |
| | <i>var. pygmaea</i> |

ADVENTIVE PLANTS

TREES AND SHRUBS

Pinus contorta (juv. only) (unc)

Salix sp. (seedlings only) (unc)

GRASSES

Agrostis capillaris (unc)

COMPOSITE HERBS

Cirsium lanceolatum (seedlings only) (unc)

Gnaphalium coarctatum (unc)

Hieracium pilosella (unc)

Hypochoeris radicata

Mycelis muralis (unc)

Senecio jacobaea (unc)

S. sp. (*S. glomeratus*?) (unc)

No. of indigenous spp. : 155.

No. of adventive spp. : 11.

DICOT HERBS OTHER THAN COMPOSITES

Sagina procumbens

REFERENCES

Cockayne, L. 1928: "The Vegetation of N.Z." 2nd ed. Englemann, Leipzig. 456 pp.

Crookes, M. 1963: N.Z. Flora. Whitcombe & Tombs. 408 pp.

Derry, D.G. 1972: The cluster & solitary-headed cutweeds native to N.Z.: (*Gnaphalium* section *Eudotia* Compositae). N.Z.J. Bot. 10: 412-79.

Edgar, E. 1966: Huzula in N.Z. N.Z.J. Bot. 4: 159-84.

Franklin, D.A. 1962. The Ericaceae in N.Z. (*Gaultheria* & *Berberis*). Tans R. Soc. N.Z. Bot. 1: 155-73.

Kirk, F. 1899: "The Students' Flora of N.Z." Govt. Printer, Wellington. 408 pp.

Oliver, W.R.B. 1935: The genus *Copromela*. Bishop Mus. Bull. 132. 207 pp.

Pritchard, G.G. 1957: Experimental taxonomic studies on species of *Cardamine* Linn. in N.Z. Trans. R. Soc. N.Z. 85: 75-89.

Raven, P.H.; Engelhorn, T. 1971: New taxa & new combinations in Australasian *Epilobium* (Onagraceae). N.Z.J. Bot. 9: 345-50.