

INDIGENOUS HIGHER PLANTS (FERNS, GYMNOSPERMS, FLOWERING PLANTS) IN VICINITY OF NAPENAPE SCENIC RESERVE,  
NORTH CANTERBURY, SEA-LEVEL TO 300 M.

+ Grid ref S62 55-26-

B.P.J. Molloy, Botany Division, D.S.I.R.  
and  
A.P.Druce, Wellington

Sept. 1986 (revised Dec. 1987, June 1988, Aug. 1990, April 1993)

(Based on visits 1972, 1973, 1974, 1975, 1986, 1987, 1991, 1993)

Rocks: predominantly Tertiary limestone

Forest dominated by:

*Dodonaea viscosa*

*Griselinia littoralis*

*G. lucida*


*Melicytus ramiflorus*

*Myoporum laetum*

*Myrsine australis*

*Olearia paniculata*

*Pseudopanax arboreus*



(unc) - uncommon or local

**GYMNOSPERM TREES**

*Podocarpus totara* s.s. (unc)

**MONOCOT TREES**

*Cordyline australis*

**DICOT TREES**

*Alectryon excelsus* var. *excelsus* (unc)

*Aristotelia serrata* (unc)

*Carpodetus serratus* (unc)

*Dodonaea viscosa* var.

*Griselinia littoralis*

*G. lucida*

*Macropiper excelsum* ssp.  
*excelsum*

*Melicytus ramiflorus* ssp.  
*ramiflorus*

*Myoporum laetum* var. *laetum*

*Myrsine australis*

*Olearia avicinifolia*

*O. paniculata*

*Pennantia corymbosa* (unc)

*Pittosporum eugenioides* (unc)

*P. tenuifolium* ssp. *tenuifolium*

*Pseudopanax arboreus* var.  
*arboreus*

*Schefflera digitata* (unc)

*Sophora microphylla*

**DICOT SHRUBS**

*Brachyglossis monroi* var.  
*monroi*

*Carmichaelia* sp. (subgenus  
*Carmichaelia*)

*Cassinia leptophylla* (unc)

*Coprosma acerosa* ssp. (var.  
*brunnea*) (unc)

*C. crassifolia*

*C. lucida* s.s. (unc)

*C. propinqua* ssp. *propinqua* (unc)  
*C. thamnooides* (incl. *C. poly-*  
*morpha*) (unc)

*C. robusta*

*C. propinqua* X *C. robusta*

*Coriaria arborea*

*Cyathodes* sp. (*C. juniperina*  
agg.) (Ivs small, usually  
 $< 1\text{cm} \times < 1\text{mm}$ ) (unc)

*Discaria toumatou*

*Fuchsia excorticata* X *F.*  
*petscandens* (unc)

*Hebe salicifolia* var. *salici-*  
*folia*

*H. stricta* var. *atkinsonii*

*H. salicifolia* X *H. stricta*

*Kunzea ericoides* agg. (unc)

*Leptospermum scoparium*

*Leucopogon fasciculatus* var.  
(juvenile Ivs not much  
wider than adult Ivs)

*Solanum aviculare* var.  
*aviculare* (unc)

**DICOT LIANES AND RELATED/  
TRAILING PLANTS**

*Calystegia soldanella*

*C. tuguriorum*

*Clematis afoliata*

*C. paniculata* (unc)

*Fuchsia perscandens* (unc)

*Muehlenbeckia australis*

*M. complexa*

*M. australis* X *M. complexa* (unc)

*Parsonsia capsularis* (unc)

*Passiflora tetrandra* (unc)

*Rubus squatrosus*

*Tetragonia trigyna* (unc)

## FERNS

*Adiantum cunninghamii*  
*Asplenium colensoi* (unc)  
*A. flabellifolium* agg. (unc)  
*A. flaccidum*  
*A. gracillimum* (unc)  
*A. hookerianum* (unc)  
*A. lyallii*  
*A. oblongifolium* (unc)  
*A. terrestris* ssp. *terrestris*  
*A. colensoi* X *A. gracillimum* (unc)  
*A. flaccidum* X *A. hookerianum* (unc)  
*A. flaccidum* X *A. lyallii* (unc)  
*A. flaccidum* X *A. terrestris* (unc)  
*A. gracillimum* X *A. hookerianum*  
 (unc)  
*A. gracillimum* X *A. lyallii* (unc)  
*A. lyallii* X *A. terrestris* (unc)  
*Azolla filiculoides* (unc)  
*Blechnum chambersii* (unc)  
*B. minus* (unc)  
*B. penna-martini* (unc)  
*B. sp.* (unnamed) (cliff sp.; lower  
 pinnae not reduced in length) ("The  
 Green Bay Species" of Crookes 1963) (unc)  
*Hypolepis ambigua*  
*Lastreopsis glaballa* (unc)  
*Pellaea rotundifolia*  
*Phymatosorus pustulatus*  
*Pneumatopteris pennigera* (unc)  
*Polystichum richardii*  
*Pteridium esculentum*  
*Pyrrhosia eleagnifolia*

## ORCHIDS

*Corybas mactanthus*  
*Microtis unifolia* (unc)  
*Pterostylis banksii*

## GRASSES

*Cortaderia fulvida*  
*C. richardii* (unc)

*Dayouxia billardierei*  
*Dichelachne crinita*  
*Elymus multiflorus*  
*E. sp.* (unnamed; aff. *E. rectisetus*)  
 (Ivs flat to channelled)  
*Festuca multinodis*  
*F. novae-zelandiae*  
*Hierochloe redolens* (unc)  
*Microlaena stipoides*  
*Poa cita*  
*Rytidosperma clavatum*  
*R. unarede*  
*Trisetum* sp. (unnamed) (culms  
 slender; lf sheath usually  
 glabrous; lf blade flat, up to 2.5  
 mm wide, margins smooth,  
 usually with a few hairs near  
 ligule)

## SEDGES

*Carex breviculmis* (unc)  
*C. flagellifera*  
*C. geminata* (unc)  
*C. pumila*  
*C. secta* s.s.  
*C. solandri* (unc)  
*C. virgata* (unc)  
*Eleocharis acuta* (unc)  
*Isolepis nodosa*  
*Uncinia laxiflora*  
*U. leptostachya*  
*U. uncinata*

## RUSHES

*Juncus distegus* (unc)  
*J. gregiflorus*

## MONOCOT HERBS OTHER THAN ORCHIDS, GRASSES, SEDGES, RUSHES

*Althropodium candidum*  
*Astelia fragrans* (unc)  
*Libertia ixoides*

*Photinia cookianum*

*P. tanax*

*P. cookianum* X *P. tanax*

*Typha orientalis*

#### COMPOSITE HERBS

*Craspedia* sp. (unc)

*Gnaphalium* audax

*G. gymnocephalum* (unc)

*Lagenifera pumila*

*Leptinella* sp. (unnamed)

*Pseudognaphalium* sp. (un-  
named; aff. *P. luteoalbum*)

*Racoulia glabra* (unc)

*R. montroi* (unc)

*Sonecio glaucophyllus* agg.

*S. glomeratus* (unc)

*S. minimus* (unc)

*S. quadridentatus*

*Vittadinia australis* agg.

*Geranium sessiliflorum* var.

*novae-zelandiae* (unc)

*G. sp.* (unnamed; aff. *G. microphyllum*)  
(unc)

*Gingidia montana*

*Haloragis erecta* ssp. *erecta*

*Hydrocotyle moschata*

*H. novae-zelandiae* s.s. (unc)

*Linum monogynum*

*Lobelia anceps* (unc)

*Oxalis exilis*

*Parietaria debilis*

*Plantago raoulii*

*Pratia angulata* agg. (unc)

*Ranunculus reflexus*

*Samolus repens* var. *repens*

*Schizoclema trifoliolatum* (unc)

*Scleranthus biflorus* (unc)

*Stellaria decipiens* (incl. *S. parviflora*)

*Urtica incisa* (unc)

#### DICOT HERBS OTHER COMPOSITES

*Acaena anserinifolia*

*Wahlenbergia rupestris* (unc)

*Aciphylla subflabellata* (unc)

*Apium prostratum* esp.

sp. (unnamed) (plants with slender stams; fls 1-1.5 mm long) (unc)

*Cardamine* sp. (*C. debilis* agg.)  
("Narrow Petal" of Pritchard 1957)

*Crassula tetramera* (unc)

*Dichondra repens* agg.

*Disphyma australe* ssp. *australe*

*Epilobium heteroides* (unc)

*E. nummulariifolium*

*E. rotundifolium* (unc)

*E. wilsonii*

*Galium propinquum* (unc)

*G. trilobum* (unc)

No. of species: 153.