

HIGHER PLANTS (LYCOPEDS, FERNS, GYMNOSPERMS, FLOWERING PLANTS) OF UPPER HOPE V. (INCLUDING LITTLE HOPE V., LAMB V., TEAL V., AND CCW V.) AT FCCT OF S. HOPE RA, N.W. NELSON,
400-600M

A.P.Druce, Wellington, May 1988 (revised Sept. 1990)

Based on visit Dec. 1987-Jen 1988

(area covered by list redefined & list rewritten May 1991,
 following field observations by S. Courtney, D.C.C.;
 Nov. 1990) (revised July 1992, Sept. 1992)

Grid ref. of Hope/Little Hope forks (Glenhope)
M28 809508

Rocks: mainly alluvium, derived from granite
 and Tertiary (Pliocene-Lower Pleistocene)
 deposits

References

Allan, H.H. 1961: Flora of N.Z. "Vol. 1."

Edgar, E. 1966: NZ J. Bot. 4: 159-84.

— 1970: In "Flora of N.Z." Vol. 2.


Lloyd, D.G.; Webb, C.J. 1987: NZ J. Bot. 25: 99-105.

Oliver, W.R.B. 1935. The genus Cephaelis. Bishop Mus. Bull. 132

Pattie, D. 1926: Trans. N.Z. I. 52: 17-9.

Pritchard, G.G. 1957: Trans. R.S.N.Z. 85: 75-89

← SOUTHERN HOPE RANGE →
(See List 22)



0 1 2 3 4 5 6 7 Km

* not seen in Hope V. above Little Hope junction
(unc) - uncommon

<u>GYMNOSPERM TREES AND SHRUBS</u>	B. bidwillii X B. rotundifolia (unc)
Dacrycarpus dacrydioides	* Carmichaelia sp. (subgenus Carmichaelia)
Dacrydium cupressinum	Cassinia vauvilliersii
Halocarpus bidwillii	Coprosma colensoi s.s.
Lagarostrobus colensoi	C. foetidissima
Lepidothamnus intermedius	C. microcarpa
Libocedrus bidwillii	* C. obconica ssp. obconica
Phyllocladus sp. (aff. P. alpinus)	C. propinqua ssp. propinqua
Podocarpus acutifolius	
P. hallii	C. pseudocuneata ssp. (vs narrower than in ssp. pseudocuneata) (unc)
P. acutifolius x P. hallii	C. rhhamnoides (incl. C. polymorpha)
	C. rigida
	C. sp.(i)(unnamed; included in C. parviflora by Olivet, 1935, and others)(lf undersurface not minutely hairy as is usual in C. parviflora; drupes vs. unpigmented, occ. purplish red)
	C. sp.(ii)(unnamed) (C. parviflora dumosa sensu Allan 1961, non C. p. var. dumosa Cheeseman)
	C. propinqua X C. robusta
	Coriaria arborea
	C. sarmentosa
	Corokia cotoneaster var. cestonaster
Archeria traversii (incl. A. f. var. australis) (unc)	Cyathodes empetrifolia
Aristotelia fruticosa var.	C. sp. (C. juniperina agg.) (lf vs small, vs. <1cm X <1mm)
Brachyglottis rotundifolia var.	Dracophyllum longifolium var.
(incl. B. buchananii and B. cochaynei) (unc)	(incl. D. filifolium & D. oliveri)

DICOT TREES

* Aristotelia serrata	
Elaeocarpus hookerianus	
Fuchsia excorticata	
Griselinia littoralis	
Nothofagus menziesii	
N. solandri var. solandri	
N. truncata	
N. solandri x N. truncata	
Pseudopanax colensoi s.s.	
P. crassifolius	
Wainmannia racemosa var.	
racemosa	

DICOT SHRUBS

Archeria traversii (incl. A. f. var. australis) (unc)	
Aristotelia fruticosa var.	
Brachyglottis rotundifolia var.	
(incl. B. buchananii and B. cochaynei) (unc)	

Gaultheria antipoda

G. macrostigma

G. antipoda X *G. macrostigma*

Hebe gracillima

* *H. odora* s.s.

H. salicifolia var. *salicifolia*

Kunzea ericoides ags.

Leptospermum scoparium

Leucopogon fasciculatus var.

L. fraseri s.s.

Myrsine divaricata s.s.

Neomyrtus pedunculata

Olearia arborescens

O. avicinnaefolia

O. polita

O. virgata var. *implicata*

Pittosporum divaricatum

P. rigidum var. (*P. crassicaule*)

Pseudopanax anomalus

Pseudowintera colorata

LYCOPODS

Lycopodium fastigiatum

L. scariosum

L. volubile

FERNS

Asplenium flaccidum

Blechnum chambersii

B. colensoi

B. fluviatile ags.

B. minus

B. penna-martini

* *B. procerum*

B. vulcanicum

B. sp. (unnamed) (common lowland
sp.; lower pinnae reduced in
length)

Cyathea colensoi

Gleichenia dicarpa

Grammitis billardierei

Histiopteris incisa

Hymenophyllum multifidum

Hypolepis rufobarbata

Leptopteris superba

Paesia scaberrula

Polystichum vestitum

DICOT LIANES AND RELATED

TRAILING PLANTS

Clematis quadibracteolata (unc)

* *Muehlenbeckia australis*

M. axillaris

Parsonsia capsularis

Rubus schmideloides

ORCHIDS

Chiloglottis cornuta

Corybas rivulatus s.s.

Gastrophis cunninghamii

- Gnypodium nudum*
Microlis unifolia
Orthoceras novae-zelandiae
Prasophyllum colensoi
Pterostylis australis
P. irsoniana
 * *P. sp. (unnamed; aff. P. montana)*
Thelymitra cyanea
T. formosa
- Eleocharis acuta*
E. gracilis
Gahnia procera
Isolepis habra
I. subtilissima
Oreobolus strictus
*Schoenus pauciflorus s.s. (= "slender
form" of Edgar 1970, p. 194)*
Uncinia egmontiana
U. rupestris (incl. U. angustifolia)

GRASSES

- Chionochloa conspicua* ssp.
 conspicua
C. rubra ssp. *occulta*
Cottaderia richardii
Microlaena avenacea
Rytidosperma gracile

RUSHES AND ALLIED PLANTS

- Empodisma minus*
Juncus gregiflorus
J. novae-zelandiae
J. planifolius
Luzula picta s.s.
L. subclavata
 L. sp. (unnamed; included in *L.
picta*, as var. *limosa*, by Edgar
1966)

SEDGES

- Carex capillacea*
C. cochayneana (unc)
C. dissita s.s.
C. echinata var. (*C. stellulata*
 var. *australis*)
C. gardichaudiana
C. maorica
C. secta s.s.
C. sinclairii
C. sp.(i) (cf. *C. geminata* and *C. cor
iacea*)
C. sp.(ii) (unnamed; included in
C. secta, as var. *tonniculmis*,
 by Petrie 1920)
Carpha alpina s.s.

MONOCOT HERBS OTHER THAN

ORCHIDS, GRASSES, SEDGES, RUSHES

AND ALLIED PLANTS

- Astelia grandis*
A. nervosa s.s.
 A. sp. (unnamed; aff. *A. nervosa*)
 (lvs broad, not conspicuously
 white on adaxial surface)
A. grandis X *A. nervosa* (?)
Libertia pulchella
Luzula fraga paniflora
Phormium cookianum
Potamogeton suboblongus

COMPOSITE HERBS

<i>Anaphalis keriensis</i> s.s.	* <i>Galium parpusillum</i> ss.
<i>A. sp. (Helichrysum bellidioides</i> ss.)	<i>Gonocarpus aggregatus</i> <i>G. micranthus</i> ssp. <i>micranthus</i>
<i>A. Keriensis</i> X <i>A. sp. (Helichrysum bellidioides</i> ss.)	<i>Gratiola nana</i> (unc) <i>Gunnera monoica</i>
<i>Celmisia alpina</i> ss.	<i>Hydrocotyle microphylla</i> <i>Kelleria laxa</i>
<i>Gnaphalium delicatum</i> (unc)	* <i>Mazus radicans</i>
<i>G. limosum</i> s.s.	* <i>Myosotis forsteri</i> <i>Myriophyllum pedunculatum</i> ssp. <i>novae-zealandicum</i>
<i>G. sp. (unnamed; aff. <i>G. paludosum</i>)</i> (lvs linear, green on upper surface)	<i>Nertera ciliata</i> <i>N. scapanioides</i>
<i>Lagenifera montana</i>	* <i>Oreomythis colensoi</i> (incl. <i>O.c.</i> var. <i>hispida</i> and <i>O.c.</i> var. <i>multifida</i>)
<i>L. pectiolata</i>	<i>Oreostylidium subulatum</i>
<i>L. pumila</i>	<i>Oritzia colensoi</i> (unc)
<i>L. strangulata</i>	<i>O. lactea</i> ssp. <i>lactea</i>
<i>Leptinella</i> sp. (unnamed; included in <i>L. squalida</i> , as ssp. <i>mediana</i> , by Lloyd and Webb, 1987)	<i>O. modesta</i> (unc) <i>Oxalis magellanica</i>
<i>Rauvilia glabra</i>	* <i>Pratia angulata</i> agg.
<i>R. tanicaulis</i> (incl. <i>R.t.</i> var. <i>dimorpha</i> and <i>R.t.</i> var. <i>pusilla</i>)	<i>Ranunculus amphitrichus</i> * <i>R. reflexus</i>

DICOT HERBS OTHER THAN COMPOSITES

<i>Acaena anastomifolia</i>
<i>A. emarginata</i> (unc)
<i>Cardamine</i> sp.(i) (<i>C. debilis</i>) ("Narrow Petal" of Pritchard 1957)
<i>C. sp.(i)</i> (<i>C. debilis</i> agg.)
<i>Centella uniflora</i>
<i>Drosera binata</i>
<i>D. spathulata</i>
<i>Epilobium brunnescens</i> ss.
<i>E. nerteroides</i>

No. of species: 185.