

(64)

INDIGENOUS HIGHER PLANTS OF MT. PUKEOKAHU, EAST OF
TAIHAPE, 2300-3224 FT.

† Grid ref. N133 484220 ✓

A.P. Druce, Botany Division, D.S.I.R., 1972 (revised
(Based on visits 1960 and 1975)

April 1974
July 1975, June 1976

GYMNOSPERMS

Dactyidium cupressinum
Libocedrus bidwillii (all or most, dead)
Podocarpus hallii
Prumnopitys ferruginea
P. taxifolia

Schefflera digitata
Sophora tetraptera

May 1977
June 1979
June 1980
June 1983
Jan 1990
July 1990

DICOT SHRUBS

Brachyglottis repanda ss.

MONOCOT TREES

Cordyline australis

DICOT TREES

Aristotelia serrata
Carpodetus serratus
Elaeocarpus hookerianus
Fuchsia excorticata
Griselinia littoralis
Hohemia populnea var. *lanceolata*
Meliccytus lanceolatus (incl. *M.l.*
var. *latier*)
M. ramiflorus ssp. *ramiflorus*
Nestegis cunninghamii
Nothofagus solandri var. *cliffortioides*
Pennantia corymbosa
Pittosporum tenuifolium ssp. *tenuifolium*
Plagianthus regius var. *regius* (3000ft max)
Pseudopanax arboreus var. *arboreus*
P. simplex (incl. *P.s.* var. *sinclairii*)

Carmichaelia arborea var. (incl.
C. flagelliformis and *C. hookeri*)

Coprosma foetidissima

C. grandifolia

C. linariifolia

C. propinqua ssp. *prop.* (incl. *C.p.* var. *latifolia*) uscula)

C. rhamnoides ssp. *rhamnoides* (incl. *C. polymorpha*)

C. robusta

C. tenuifolia

C. sp. (unnamed; included in *C. parviflora* by Oliver, 1935, and others)

C. propinqua x *C. robusta*

Coriaria arborea var. *arborea*

C. kingiana

Lycopogon fasciculatus var.

L. fraseri s.s.

Gaultheria antipoda

Hebe stricta var. *stricta*

H. sp. (*Veronica squalida*)

Leptospermium scoparium

Myrsine divaricata ss.

Neomyrtus pedunculata
Olearia arborescens
Pimelea prostrata
Pseudopanax anomalus
Pseudowintera colorata
Urtica ferox

DICOT LIANES

Clematis foetida
C. forsteri
Metrosideros colensoi (incl. *M. c.*
var. *pendens*)
Muehlenbeckia australis
M. complexa
Parsonsia capsularis var.
Rubus cissoides
R. schmidtioides var. *schmideli-*
oides

FERNS

Adiantum cunninghamii
Asplenium bulbiferum agg.
A. flaccidum
A. hookerianum
A. lyallii
A. terrestre ssp. *terrestre*
Blechnum chambersii
B. fluviatile agg.
B. penna-marina
B. sp.(i) (common lowland sp.;
lower pinnae reduced in length)
B. sp.(ii) (cliff sp.;
lower pinnae not reduced)
Ctenopteris heterophylla

Dicksonia fibrosa
Paesia scaberula
Phymatosorus diversifolius
Pneumatopteris pennigera
Polystichum richardii
P. vestitum

ORCHIDS

Corybas hivularis s.s.

GRASSES

Elymus sp. (*Erectisetus* agg;
Series 2, Group *Waiouru* of Löve
and Connor, 1982)
Cortaderia fulvida
Deyeuxia avenoides (incl. *D. a.*
var. *brachyantha*)
Dichelachne cuneata
Lachnagrostis sp. (unnamed;
included in *L. filiformis*, as
var. *semi-glabra*, by Zotov 1965)
Rytidosperma buchanauii
R. clavatum
R. gracile
Poa anceps ssp. *anceps*
P. imbecilla
P. matthewsii
Trisetum sp. (unnamed; aff. *T.*
antarcticum) (plants robust)

SEDGES

Carex breviculmis
C. flagellifera
C. secta s.s.
Machaetina sindaitii
Uncinia clavata
U. rupestris
U. scabra
U. uncinata

RUSHES

Juncus gregiflorus

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

- Atthopodium candidum*
- Astelia fragrans*
- Collospetrum microspermum*
- Libertia ixioides*
- Phormium cockianum*

COMPOSITE HERBS

- Anaphalis keriensis*
- A. subrigida*
- A. sp. (a) (Helichrysum ballidioides s.s.)*
- A. sp. (b) (unnamed) ("H. alpinum" of Cockayne 1928) (lvs and capitula larger than in H. ballidioides)*
- Celmisia gracilentata var.*
- Craspedia viscosa*
- Gnaphalium audax*
- Helichrysum filicaule*
- Lagenifera pumila*
- Pseudognaphalium sp. (P. luteoalbum agg.)*
- Senecio minimus*
- S. rufiglandulosus var.*
- Vittadinia australis agg.*

DICOT HERBS (OTHER THAN COMPOSITES)

- Acacna ansetini folia*
- Aciphylla sp. (unnamed; aff. A. squarrosa)*
- Australina pusilla*
- Cardamine sp. (C. debilis agg.) ("Narrow Petal" of Pritchard 1957)*
- Epilobium alsinoides s.s.*
- E. cinereum*
- E. nummularifolium*
- E. pubens*
- E. rotundifolium*
- E. tenuipes s.s.*
- Euphrasia cuneata*

- Galium propinquum*
- Gentiana grisebachii s.s.*
- Geranium microphyllum*
- G. sessiliflorum var. novae-zelandiae*
- Haloragis erecta ssp. erecta.*
- Hydrocotyle elongata*
- H. moschata*
- Linum monogynum*
- Nertera depressa (incl. N. cunninghamii)*
- N. sp. (unnamed; aff. N. dichondrifolia) (hair's present on both surfaces of lf, straight, not hooked as in N. dichondrifolia)*
- Oreomyrthis tamosa*
- Ourisia macrophylla var. robusta*
- Oxalis exilis*
- Parakebe diffusa ssp. diffusa*
- Plantago raoullii var. (lvs narrowly elliptic)*
- Pratia angulata agg.*
- Ranunculus reflexus*
- Scandia sp. (S. rosifolia agg.) (in-land sp. with ovate-lanceolate lf/lvs)*
- Schizellaema trifoliolatum*
- Scleranthus biflorus*
- Stellaria decipiens (incl. S. parviflora)*
- Urtica incisa*
- Wahlenbergia albo-marginata var. pygmaea*

No. of species: 148.

