

INDIGENOUS VASCULAR PLANTS IN VICINITY OF NGARURORO R.

KURIPAPANGO, KAWEKA RANGE, 1600 FT

Grid ref. N 123 78-53-

A.P. Druce, Botany Division, D.S.I.R., Feb 1975 (revised June 1976,

May 1977,
May 1980,
July 1985,
June 1990,
July 1992)

(Based on visit Jan. 1975)

MONOCOT TREES*Cordyline australis**Coprosma acetosa* var.*C. crassifolia**C. grandifolia***DICOT TREES***Aristotelia serrata**C. propinquua* ssp. *propinquua**Carpodetus serratus**C. robusta**Fuchsia excorticata**C. rugosa* ssp. *rugosa**Griselinia littoralis**C. sp. (unnamed; included in *C. parviflora* by Oliver, 1935, and others) (lf undersurface not minutely hairy as is usual in *C. parviflora*; cl. rupas vs. unpigmented, occ. purplish red)**Melicytus ramiflorus* ssp. *ramiflorus**C. robusta* × *C. rugosa**Nothofagus fusca**Cotinia arborea**Pittosporum ralphii**C. kingiana**P. tenuifolium* ssp. *colensoi**C. pteridoides**P. t. ssp. *tenuifolium***C. arborea* × *C. kingiana**Pseudopanax arboreus* var. *arboreus**C. a. × C. pteridoides**Sophora tetaptera**C. kingiana* × *C. pteridoides***DICOT SHRUBS***Brachyglottis repanda* s.s.*Corokia cotoneaster* var.*Carmichaelia arborea* var. (*C. odorata*)*cotoneaster**C. sp. (subgenus Carmichaelia)**Cyathodes* sp. (*C. juniperina* agg.) (lf. small, us. < 1cm × < 1mm)*Gaultheria antipoda**Habe colensoi* (incl. *H. c. v. hillii*)

H. macrocarpa var. (*H. corriganii*)
H. stricta var. *stricta*
H. sp.(i) (*Veronica squalida*)
H. sp.(ii) (unnamed; included in *H. stricta*, as var. *lata*, by Moore 1961)
Helichrysum aggregatum var. *aggregatum*
Kunzea ericoides agg.
Leptospermum scoparium
Leucopogon fraseri s.s.

Blechnum chambersii
B. fluitatile agg.
B. penn-matina
B. procerum
B. vulcanicum
B. sp(i) (unnamed) (common sp.; lower pinnae reduced in length)
B. sp(ii) (unnamed) (cliff sp.; lower pinnae not reduced)
Cheilanthes humilis

Olearia arborescens
O. furfuracea var.

O. nummularifolia var. *nummularifolia*
Pimelea longifolia var. *longifolia*
P. prostrata

Ctenopteris heterophylla
Dicksonia squarrosa.
Histiopteris incisa
Hymenophyllum multifidum
H. peltatum
H. sanguinolentum agg.

DICOT LIANES AND REL. TRAILING PLANTS

Clematis forsteri
Mitchella axillaris
Parsonsia capsulata var.

Hypolepis ambigua
Phymatosorus pustulatus
Pleurosorus rotifolius (Given 1972)
Polystichum richardii
Pteridium esculentum
Pyrosia eleagnifolia
Pneumatopteris pennigera

FERNS

Adiantum cunninghamii
Asplenium flabellifolium
A. flaccidum
A. hookerianum
A. terrestre ssp. *terrestre*

ORCHIDS

Corybas macranthus
C. trilobus s.s.
Microtis unifolia
Thelymitra longifolia

GRASSES

Cortaderia fulvida
Deyeuxia avenoides (incl. *D. a.* var.
brachyantha)
Dichelachne crinita
Echinopogon cratus

Elymus multiflorus
E. sp. (aff. *E. rectisetus*)
E. multiflorus × *E. sp.*
Lachnagrostis sp. (unnamed; included
 in *L. filiformis*, as var. *semiglabra*,
 by Zотов 1965)
Microlaena stipoides
Rytidosperma buchananii
R. clavatum
R. gracile

R. setifolium
Poa anceps ssp. *anceps*

P. cita ssp.
P. colensoi
P. linbecilla

Tritetrum sp. (unnamed; aff. *T. antarct-*
icum) (lf blade flat, up to 7 mm wide;
 margins scabrid, with some long hairs
 near ligule)

SEDGES

Carex buchananii
C. comans
C. coriacea
C. forsteri

C. secta s.s.

C. solandri

↗ *Machaerina sinclairii*

Morelotia affinis

Schoenus pauciflorus s.s.

Isolepis pottsii

Uncinia scabra

U. uncinata

RUSHES

Juncus novae-zelandiae

Luzula migrata

L. picta s.s.

L. sp. (unnamed; included in
L. picta, as var. *limosa*, by
 Edgar 1966)

MONOCOT HERBS (OTHER THAN**ORCHIDS, GRASSES, SEDGES, RUSHES)**

Athriopodium candidum
Astelia fragrans
Libertia grandiflora
Phormium cookianum

COMPOSITE HERBS

Anaphalis kirkensis s.s.
Brachyscome radicata
Calmisia gracilenta ssp.
C. spectabilis ssp. *spectabilis*

Chaspedia minor var. *minor*
 (incl. *C. major*)

<i>Gnaphalium audax</i>	<i>Euphrasia cuneata</i>
<i>G. sphaericum</i>	<i>Galium propinquum</i>
<i>Lagenifera pumila</i>	<i>Geranium micropeltatum</i>
<i>Leptinella sp. (L. squalida agg.)</i>	<i>G. potentilloides</i> var. <i>potentilloides</i>
<i>Pseudognaphalium sp. (P. luteoalbum agg.)</i>	<i>G. sessiliflorum</i> var. <i>novae-zelandiae</i>
<i>Raoulia glabra</i>	
<i>R. tenuicaulis</i> (incl. <i>R. t. var. dimorpha</i> and <i>R. t. var. pusilla</i>)	<i>Gratiola sexdentata</i>
<i>Senecio glaucophyllus</i> ssp. <i>foa</i>	<i>Gunnera dentata</i> var. <i>dentata</i>
<i>S. quadridentatus</i>	<i>Gonocarpus aggregatus</i> ssp. <i>aggregatus</i>
<i>S. rufiglandulosus</i> var. <i>rufiglandulosus</i>	<i>Haloragis erecta</i> ssp. <i>erecta</i>
<i>Vittadinia australis</i> agg.	<i>Hydrocotyle elongata</i>
	<i>H. moschata</i>
	<i>H. novae-zelandiae</i> , s.s.
	<i>H. sulcata</i>

DICOT HERBS (OTHER THAN COMPOSITES)

<i>Acaena anserinifolia</i>	<i>Linum monogynum</i>
<i>A. sp. (A. emittans or A. juvenca)</i>	<i>Nertera depressa</i> (incl. <i>N. cunninghamii</i>)
<i>Anisotome aromatica</i>	<i>Oxalis exilis</i>
<i>Cardamine sp. (C. debilis agg.)</i> ("Narrow Petal" of Pitchard 1957)	<i>O. magellanica</i>
<i>Crassula sp. (C. sibiriana or C. tetramera)</i>	
<i>Dichondra repens</i> agg.	<i>Plantago raoulii</i>
<i>Epilobium melanocaulon</i>	<i>Ptatis angulata</i> agg.
<i>E. micropeltatum</i>	<i>Ranunculus reflexus</i>
<i>E. heteroides</i>	<i>Scandia sp. (S. rosifolia agg.)</i> (leaflets ovate-lanceolate)
<i>E. pubens</i>	<i>Schizolema trifoliolatum</i>
<i>E. sp. (unnamed; included in E. brunneascens, as ssp. <i>minutiflorum</i>, by Raven and Engelhardt 1971)</i>	<i>Stellaria decipiens</i> (incl. <i>S. parviflora</i>)
	<i>Viola cunninghamii</i>
	<i>Wahlenbergia colensoi</i>
	<i>W. rupestris</i>

No. of species: 164.