

INDIGENOUS VASCULAR PLANTS OF WASHBOURN SCENIC RESERVE,†

ONEKAKA, N.W. NELSON

A.P. Druce, Botany Division, D.S.I.R., June 1980

(revised June 1981, Sept 1982, June 1983

(Based on visit November 1979)
(and on notes supplied by J. Walls)

† Grid ref. S1+3 11-91-; alt. 100ft.

May 1984
Nov 1984
May 1985
April 1986
Aug. 1986
June 1988
Oct. 1988
Aug. 1990

GYMNOSPERM TREES

- Dacrycarpus dactydioides*
- Daemidium cupressinum*
- Libocedrus bidwillii* (1 small tree)
- Podocarpus hallii* (juvenile)
- Prumnopitys ferruginea*
- P. taxifolia*

- M. salicina*
- Nothofagus menziesii* Aug. 1992)
- N. solandri* var. *solandri*
- N. truncata*
- N. solandri* X *N. truncata*
- Olearia rani* var. *colorata*
- Pittosporum eugenioides*
- P. tenuifolium*
- Pseudopanax arboreus* var. *arboreus*
- P. crassifolius*
- Schefflera digitata*
- Styphlus heterophyllus*
- Waimannia racemosa* var. *racemosa*

MONOCOT TREES

- Cordyline australis*
- C. banksii*
- Rhopalostylis sapida*

DICOT TREES

- Aristotelia serrata*
- Ascarina lucida*
- Carpodetus serratus*
- Elaeocarpus dentatus* (2 trees + sds)
- E. hookerianus*
- Fuchsia excorticata*
- Gniseinia littoralis*
- G. lucida*
- Hedycarya arborea*
- Hohemia populnea* var. (*H. ovata*)
- Laurelia novae-zelandiae*
- Lophomyrtus obcordata*
- Macropiper excelsum* var. *excelsum*
- Meliccytus ramiflorus* ssp. *ramiflorus*
- Metrosideros robusta*
- Myrsine australis*

DICOT SHRUBS

- Brachyglottis repanda* s.s.
- Coprosma foetidissima*
- C. grandifolia*
- C. lucida* s.s.
- C. thamnoides* (incl. *C. polymorpha*)
- C. robusta*
- C. rotundifolia*
- C. tenuicaulis*
- Cotiaria arborea*
- Hebe salicifolia* var. *salicifolia*
- Kunzea ericoides* agg.
- Leptospermum scoparium*
- Leucopogon fasciculatus* var.

Melicope simplex
Neomyrtus pedunculata
Pittosporum cornifolium
Pseudopanax anomalus
Pseudowintera axillaris

MONOCOT LIANES

Freycinetia baueriana ssp.
banksii
Ripogonum scandens

DICOT LIANES

Clamatis paniculata
Metrosideros diffusa
M. fulgens
M. perforata
Muehlenbeckia australis
Parsonsia capsularis var.
P. heterophylla
Rubus australis
R. cissoides var. (flts wider than
in var. cissoides)

PSILOPSIDS AND LYCOPODS

Tmesipteris elongata (incl. T. e.
ssp. robusta)
T. tannensis
Lycopodium varium (incl. L. billardieri
and L. novae-zelandicum)
L. volubile

FERNS

Adiantum cunninghamii
Asplenium bulbiferum
A. flaccidum
A. oblongifolium
A. polyodon
Blechnum discolor

2
B. Flouviatile agg.
B. fraseri
B. membranaceum
B. minus
B. procerum
B. sp. (unnamed) (common lowland sp.)
Botrychium biforme

Cyathea dealbata
C. medullaris
C. smithii
Dicksonia squarrosa
Gleichenia dicarpa

G. microphylla
Grammitis billardieri
Histiopteris incisa

Hymenophyllum flabellatum
H. latum
H. sanguinolentum agg.
H. scabrum

Hypolepis distans

Lindsaea linearis

L. trichomanoides

Paesia scaberula

Pellaea rotundifolia

Phymatosorus pustulatus

P. scandens

Pteridium esculentum

Pyrrhosia eleagnifolia

Sticherus cunninghamii

Trichomanes teniforme

ORCHIDS

Caladenia carnea agg.

Chiloglottis cornuta

Corybas cheesemanii

Dendrobium cunninghamii

Drymoanthus adversus

Eatonia mucronata s.s.

Gastrodia cunninghamii

Pterostylis banksii

P. graminea

Thelymitra longifolia

GRASSES

Cortaderia richardii
Microlaena avenacea
M. stipoides
Rytidosperma gracile

SEDGES

Baumea tenax
Carex geminata ss.
C. solandri
C. virgata
Eleocharis gracilis
Gahnia setifolia
G. xanthocarpa
Lepidosperma australis
Uncinia banksii
U. rupestris (incl. *U. angustifolia*)
U. uncinata
U. zotovii

RUSHES

Juncus planifolius
Luzula picta ss.

MONOCOT HERBS (OTHER THAN ORCHIDS)**GRASSES, SEDGES, RUSHES**

Astelica solandri
CollospERMUM hastatum
Dianella nigra
Phormium tenax

COMPOSITE HERBS

Graphalium limosum ss.
Senecio minimus

DICOT HERBS (OTHER THAN COMPOSITES)

Acaena anserini folia
Centella uniflora
Dichandra sp.
Hypericum japonicum agg.
Lobelia anceps
Nertera depressa (incl. *N. cunninghami*)
N. setulosa
Oxalis exilis
Urtica incisa

No. of species: 149.

