













## 9. PROVISIONAL LIST OF INTRODUCED PLANTS

*Gramineæ.*

- Anthoxanthum odoratum*, L. (sweet-vernal grass).  
*Holcus lanatus*, L. (Yorkshire fog).  
*Dactylis glomerata*, L. (cocksfoot).  
*Poa annua*, L. (annual meadow-grass).  
 „ *pratensis*, L. (common meadow-grass).  
*Hordeum murinum*, L. (barley-grass).

*Amaryllidaceæ.*

- Narcissus biflorus*, Curt. (twin-flowered narcissus).

*Urticaceæ.*

- Urtica urens*, L. (small nettle).

*Polygonaceæ.*

- Polygonum aviculare*, L. (knotweed).  
*Rumex obtusifolius*, L. (common dock).  
 „ *crispus*, L. (curled dock).  
 „ *acetosella*, L. (sorrel).

*Caryophyllaceæ.*

- Silene gallica*, L., var. *quinquivulnera* (spotted catchfly).  
*Cerastium glomeratum*, Thuill. (mouse-ear).  
*Stellaria media*, Cyr. (chickweed).  
*Polycarpon tetraphyllum*, L. (allseed).

*Ranunculaceæ.*

- Ranunculus sardous*, Crantz (hairy buttercup).  
 „ *parviflorus*, L. (small-flowered buttercup).

*Cruciferæ.*

- Capsella bursa-pastoris*, Medic. (shepherd's-purse).  
 \**Coronopus procumbens* (Gilib.) Poir. (wart-cress).  
 \**Radicula nasturtium-aquaticum* (L.), Britt. and Rend. (common watercress)

*Rosaceæ.*

- Rubus fruticosus*, L. (common blackberry).

*Leguminosæ.*

- Medicago maculata*, Willd. (spotted medick).  
*Trifolium repens*, L. (white clover).  
*Vicia sativa*, L. (common vetch).

*Geraniaceæ.*

- Geranium molle*, L. (dove's-foot, crane's-bill).

*Euphorbiaceæ.*

- Euphorbia peplus*, L. (milkweed).

*Primulaceæ.*

- Anagallis arvensis*, L. (pimpernel).

*Apocynaceæ.*

- Vinca major*, L. (periwinkle).

*Labiatæ.*

- Mentha viridis*, L. (spearmint).  
*Marrubium vulgare*, L. (horehound).

\**C. procumbens* = *Senebiera coronopus*, Poir.; and *Radicula nasturtium-aquaticum* = *Nasturtium officinale*, R. Br. These changes are taken from "List of British Seed Plants and Ferns," Department of Botany, British Museum, London, 1907, and they have been made in accordance with the "International Rules for Botanical Nomenclature," as adopted by the Vienna Congress of 1905.

*Scrophulariaceæ.*

*Veronica arvensis*, L. (corn-speedwell).

*Plantaginaceæ.*

*Plantago major*, L. (greater plantain).

„ *lanceolata*, L. (ribgrass).

*Compositæ.*

*Erigeron canadensis*, L. (Canadian fleabane).

*Senecio sylvaticus*, L. (wood-groundsel).

„ *mikanoides*, Otto. (climbing-groundsel).

*Carduus lanceolatus*, L. (common thistle).

*Silybum marianum*, Gaetn. (milk-thistle).

*Hypochaeris radicata*, L. (cat's-ear).

*Taraxacum officinale*, Weber. (dandelion).

*Sonchus arvensis*, L. (sow-thistle).

*Approximate Cost of Paper*.--Preparation, not given; printing (1,850 copies). £24 4s.

---

By Authority : JOHN MACKAY, Government Printer, Wellington.--1907.

[Price 1s.]



THOS. HUM  
Surveyor-G

MAP TO AC

REPORT ON BOTA  
OF  
**KAPITI**

SCALE OF

