

NOTES ON THE BOTANY  
OF KOROKORO STREAM  
P. HUGHES 7/7/82

1 VALLEY BELOW "THE FORKS"

Scattered karaka and ngaio, the odd titoki, and whawangi.  
Hebe parviflora var. arborea is common in the middle section  
particularly on the right bank. There is a deep gut full of  
nikau just below the forks on the right bank up a side stream.

2 ABOVE "THE FORKS" PARTICULARLY ~~THE~~ LEFT BANK

Pukatea in damp areas throughout

Lophomyces bullata on stream banks

Bush Cabbage tree scattered.

Large Metrosideros robusta below track from Korokoro down to dam

Lots of Rimu and Matai up to 1m dia.

Todara varea, saw one dead and one half dead up to 1m dia.

Kahi Katea. Two where the upper end of bush meets fern la

One large (1m) 20 mins above lake.

Native passionfruit scattered in clear areas.

Earina autumnalis present

Lycopodioides present

Hinan common

# Forest Structure - original?

## Canopy dominant

Rimu common  
Miro common  
Tōtara scattered  
Kahikatea scattered on valley  
Akatea common  
Northern Redwood scattered  
Kauri scattered

## Canopy

Tawa common  
Hinewaiata common

## Sub canopy

Pigeonwood  
Otearia vari  
Ranguranga  
Supplejack  
Angaanga - stream side

ferns etc don't know these