


List of Plants from Little Brother Island, Cook Strait

B. H. Macmillan

LITTLE Brother is the easternmost island of a group off Arapawa Island (22 miles N.W. of Wellington). It is exposed to the full force of spray-bearing winds. While serving as relieving lighthouse keeper on the island during 1963 and 1965, Mr. G. I. Collett collected specimens of the following plants, which he has deposited in the Botany Division herbarium at Lincoln.



Two prominent plants on Little Brother Island: *Senecio stoechadiformis* (above) and *Kirkianella novae-zelandiae* forma glauca (below).




Photo: G. I. Collett

- | | |
|---|---|
| <i>LOW-IRRING PLANTS</i>
<i>*Agropyron scabrum</i>
<i>*Anagallis arvensis</i>
<i>Apium australe</i>
<i>*Atriplex buchananii</i>
<i>A. novae-zelandiae</i>
<i>*Carpobrotus edulis</i>
<i>Cerastium glomeratum</i>
<i>Cirsium vulgare</i>
<i>Coprosma repens</i>
<i>Dishymia austrole</i>
<i>Gnaphalium luteo-album</i>
<i>Hebe elliptica</i>
<i>Hymenanthera obovata</i>
<i>Kirkianella novae-zelandiae</i>
(forma glauca)
<i>Lepidium olereaceum</i>
<i>Limon monogynum</i>
<i>Luzula banksiana</i>
<i>Microseris scapigera</i>
<i>Muehlenbeckia complexa</i>
<i>Myoporum laetum</i>
<i>*Plantago coronopus</i>
<i>Poa annua</i>
<i>P. caespitosa</i>
<i>*Polycarpon tetraphyllum</i>
<i>Puccinellia novae-zelandiae</i>
<i>Rhagodia trinervia</i>
<i>Sagina procumbens</i> | <i>Salicornia australis</i>
<i>Senecio sterquilinus</i>
<i>*Silene gallica</i>
<i>*Sinechus heteroceras</i>
<i>Spergularia marginata</i>
<i>Stellaria parviflora</i>
<i>Suaeda novae-zelandiae</i>
<i>Tillaea moschata</i>
<i>Wahlenbergia gracilis</i> |
| <i>FERNS</i>
<i>Asplenium flaccidum</i>
<i>A. lucidum</i> | <i>TORTULA muralis</i>
<i>Asplenium flaccidum</i>
<i>A. lucidum</i> |
| <i>LIVERWORT</i>
<i>Lophocolea semiteres</i> | <i>BRYUM</i> sp. (possibly <i>B. dichotomum</i>)
<i>Bryum</i> sp.
<i>Tortula muralis</i> |
| <i>MOSSES</i>
<i>*Tortula muralis</i> | <i>LICHENS</i>
<i>Catopatra etesiae</i>
<i>Catopatra</i> sp.
<i>Coccocarpia</i> sp.
<i>Graphis</i> sp.
<i>Perissaria graphicula</i>
<i>Perissaria</i> sp.
<i>Physcia caesia</i>
<i>Ramalina ecklonii</i>
<i>Teloschistes chrysophthalmus</i> |

* adventive species

Mrs. E. A. Hodgson identified the liverwort, Mr. K. W. Allison the mosses, and Mr. T. W. Rawson the lichens. The vegetation of the island is described by Dr. M. E. Gillham in *Trans. Roy. Soc. N.Z.* 88, 405-424, 1960.