

Orchids
on base

LOWES BUSH (704)
Topomap S26 285195 Alt 110m

Indigenous Vascular Plants.

w. P

Aalbert Rebergen, Tony Silbery 01/08/99 Olaf John, Pat Enright
09/08/99(3hrs),25/9/99(3hrs),2/10/99,18/12/99(2hrs)Tony Silbery, Pat Enright 6/11/99
(3hrs)

unc = uncommon

Site description:

The site is bounded by water races on the north and the south with the western end of the bush being slightly elevated with a slight bank where the bush drops down to the swampy area fringing the water race. Numerous waterways criss-cross and drain the area from north to south but would dry out in the summer months. There are a number of swampy areas within the site covered in the main by raupo (*Typha orientalis*) and fringed with *Olearia virgata*. The olearia is also found along a good part of the southern boundary along with swamp maire (*Syzygium maire*) and a number of sedges including *Baumea tenax*, *Carex lessoniana*, *C. dissita* and *Uncinia uncinata* which would indicate that browsing levels must have been low. Also present here was a species of spider orchid (*Corybas rivularis* {'waiouru'}).

Blechnum filiforme forms extensive mats under the main bush usually on mounds that are above the winter water level where ponding takes place. *Ranunculus amphitrichus* fills some of the water hollows and its smaller look alike species, *Ranunculus glabrifolius* prefers the boggy meadowland around the water races. Pukatea (*Laurelia novae zelandiae*) and kahikatea (*Dacrycarpus dacrydioides*) form the emergent species in the wetter hollows with matai (*Prumnopitys taxifolia*) and tawa (*Beilschmiedia tawa*) where the ground is a little drier. Titoki (*Alectryon excelsus*) and mahoe (*Melicytus ramiflorus*) form the main subcanopy with a shrubby understory, where light permits, of coprosma species.

Jerusalem cherry (*Pseudocapsicum*), wandering willie (*Tradescantia flumenensis*) and onion weed (*Allium triquetrum*) are the main weed species in this area.

The notable plants found in this site would be:

Dwarf musk (*Mazus novae zelandiae*) which forms some extensive mats in areas where it is seasonally wet but where water does not lie for any great period..

The sedge (*Carex maorica*) which although common nationally is uncommon in the Wellington conservancy.

The small mistletoe (*Korthosella lindsayi*) which is found on coprosma species and *Melicope simplex* where light and shelter conditions suit.

The willowherb *Epilobium pallidiflorum* which is patchily distributed around the conservancy.

Gymnosperm trees and shrubs

<i>Dacrycarpus dacrydioides</i>	kahikatea
<i>Dacrydium cupressinum</i> (unc)	rimu
<i>Podocarpus totara</i>	totara
<i>Prumnopitys ferruginea</i> (unc)	miro
<i>Prumnopitys taxifolia</i>	matai

Monocotyledonous trees and shrubs

<i>Cordyline australis</i>	ti kouka, cabbage tree
----------------------------	------------------------

Dicotyledonous trees and shrubs

<i>Alectryon excelsus</i> subsp. <i>excelsus</i>	titoki
<i>Aristotelia serrata</i>	makomako, wineberry
<i>Beilschmiedia tawa</i>	tawa
<i>Brachyglottis repanda</i>	rangiora
<i>Carmichaelia australis</i>	native broom
<i>Carpodetus serratus</i>	putaputaweta
<i>Coprosma areolata</i>	
<i>Coprosma crassifolia</i>	
<i>Coprosma grandifolia</i> (unc)	mingimingi
<i>Coprosma propinqua</i> subsp. <i>propinqua</i>	
<i>Coprosma rhamnoides</i>	
<i>Coprosma rigida</i>	
<i>Coprosma robusta</i>	karamu
<i>Coprosma rotundifolia</i>	
<i>Coprosma tenuicaulis</i>	
<i>Coprosma propinqua</i> x <i>C. robusta</i>	
<i>Elaeocarpus hookerianus</i> (unc)	pokaka
<i>Fuchsia excorticata</i> (unc)	kotukutuku
<i>Geniostoma rupestre</i> var. <i>lingustrifolium</i>	hangehange
<i>Griselinia lucida</i>	puka, broadleaf
<i>Hebe stricta</i> var. <i>atkinsonii</i>	koromiko
<i>Hedycarya arborea</i>	porokaiwhiri,
pigeonwood	
<i>Hoheria sexstylosa</i>	houhi
narrow leaved lacebark	ongaonga,
<i>Korthosella lindsayi</i> (on <i>Coprosma rigida</i> , <i>C. crassifolia</i> , <i>Melicope simplex</i>)	mistletoe
<i>Knightia excelsa</i>	rewarewa
<i>Kunzea ericoides</i> (unc)	kanuka
<i>Laurelia novae-zelandiae</i>	pukatea

<i>Leptospermum scoparium</i>	manuka
<i>Lophomyrtus obcordata</i>	rohutu
<i>Lophomyrtus obcordata</i> x <i>L. bullata</i> (unc)	
<i>Melicope simplex</i>	poataniwha
<i>Melicytus micranthus</i>	small leaved mahoe
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	mahoe, whitey wood
<i>Myrsine australis</i>	red matipo
<i>Myrsine salicina</i>	
<i>Neomyrtus pedunculata</i>	
<i>Nestegis cunninghamii</i>	black maire
<i>Nestegis lanceolata</i>	white maire
<i>Olearia virgata</i>	
<i>Ozothamnus leptophylla</i>	tauhinu
<i>Pennantia corymbosa</i>	kaikomako
<i>Pittosporum eugenioides</i>	tarata, lemonwood
<i>Pittosporum tenuifolium</i>	kohuhu
<i>Plagianthus regius</i>	lowland ribbonwood
<i>Pseudopanax arboreus</i>	
<i>Pseudopanax crassifolius</i>	horoeka, lancewood
<i>Schefflera digitata</i>	pate
<i>Solanum laciniatum</i>	poroporo
<i>Streblus heterophyllus</i>	turepo, milk tree
<i>Syzygium maire</i>	swamp maire
<i>Weinmannia racemosa</i>	kamahi

Monocotyledonous lianes

<i>Freycinetia banksii</i>	kiekie
<i>Ripogonum scandens</i>	rareao, supplejack

Dicotyledonous lianes and related trailing plants

<i>Clematis foetida</i> (unc)	
<i>Clematis paniculata</i>	puawhananga
<i>Metrosideros colensoi</i>	
<i>Metrosideros diffusa</i>	akatea
<i>Metrosideros fulgens</i>	
<i>Metrosideros perforata</i>	akatea
<i>Muehlenbeckia australis</i>	pohuehue
<i>Parsonsia heterophylla</i>	kaihua
<i>Passiflora tetrandra</i>	kohia, passionvine
<i>Rubus australis</i>	tataramoa, bush lawyer
<i>Rubus cissoides</i> (very narrow leaf)	tataramoa, bushlawyer
<i>Rubus schmidelioides</i>	tataramoa, bush lawyer

Psilotops, Lycopods and Quillworts

Ferns

<i>Asplenium flabellifolium</i> (unc)	necklace fern
<i>Asplenium bulbiferum</i>	manamana
<i>Asplenium flaccidum</i>	makawe, hanging
spleenwort	
<i>Asplenium gracillimum</i>	manamana
<i>Asplenium hookerianum</i>	
<i>Asplenium oblongifolium</i>	huruhuru whenua
<i>Asplenium polyodon</i>	petako
<i>Asplenium gracillimum</i> x <i>A. hookerianum</i> (unc)	
<i>Azolla filiculoides</i>	
<i>Blechnum chambersii</i>	
<i>Blechnum filiforme</i>	panako
<i>Blechnum membranaceum</i> (unc)	
<i>Blechnum novae zelandiae</i> (both forms)	kiokio
<i>Blechnum pennamarina</i> (unc)	
<i>Cyathea dealbata</i> (unc)	ponga
<i>Dicksonia squarrosa</i>	wheki
<i>Histiopteris incisa</i> (unc)	
<i>Hymenophyllum demissum</i>	
<i>Hymenophyllum rarum</i> (unc)	
<i>Hymenophyllum sanguinolentum</i> (unc)	
<i>Hypolepis ambigua</i>	
<i>Hypolepis lactea</i> (unc)	
<i>Lastreopsis glabella</i>	
<i>Lastreopsis hispida</i>	
<i>Lastreopsis microsora</i>	
<i>Paesia scaberula</i>	
<i>Pellaea rotundifolia</i>	tarawera
<i>Phymatosorus pustulatus</i>	kowaowao
<i>Phymatosorus scandens</i>	
<i>Pneumatopteris pennigera</i>	pakauroharoha, gully
fern	
<i>Pteridium esculentum</i>	rauaruhe, bracken
<i>Pteris macilenta</i>	
<i>Pteris tremula</i>	turawera, shaking
brake	
<i>Pyrrosia eleagnifolia</i>	leather-leaf fern
<i>Tmesipteris elongata</i>	

Orchids

<i>Caladenia</i> sp. (unc)	
<i>Chiloglottis cornuta</i> (unc) ✓	duck orchid
<i>Corybas trilobus</i> ✓	
<i>Corybas "waiouru"</i>	spider orchid
<i>Earina mucronata</i> (unc) ✓	
<i>Microtis unifolia</i> ✓	
<i>Pterostylis banksii</i> ✓	tutukiwi, greenhood
orchid	

Pterostylis graminea ✓
Pterostylis montana ✓
Pterostylis aff. montana

Grasses

Cortaderia fulvida	toetoe
Echinopogon ovatus	bush rice grass
Microlaena avenacea	
Microlaena stipoides	
Rytidosperma gracile	

Sedges

Baumea rubignosa (unc)	
Baumea tenax	
Carex dissita	
Carex forsteri	
Carex geminata	
Carex lambertiana	
Carex lessoniana	
Carex maorica (unc)	
Carex secta	purei
Carex testacea	
Carex virgata	
Eleocharis acuta	
Eleocharis gracilis	
Isolepis prolifer	
Isolepis reticularis	
Schoenus maschalinus	
Uncinia uncinata	matau a Maui

Rushes and allied plants

Juncus australis	
Juncus distegus	
Juncus gregiflorus	
Juncus pallidus	
Juncus planifolius	
Juncus sarophorus	wiwi

Remaining Monocotyledonous plants

Astelia fragrans	
Lemna minor	karearea
Phormium tenax	harakeke
Typha orientalis	raupo

Daisy-like herbs (Composites)

<i>Cotula coronopifolia</i>	bachelors buttons
<i>Gnaphalium gymnocephalum</i>	
<i>Gnaphalium involucratum</i>	
<i>Gnaphalium limosum</i> (unc)	
<i>Senecio biserratus</i>	

Dicotyledonous herbs other than Composites

<i>Acaena anserinifolia</i>	piripiri, bidibidi
<i>Callitriche muelleri</i>	
<i>Cardamine sp.</i> (<i>C. debilis</i> agg.) ("Glossy Leaf" of Pritchard 1957)	
<i>Cardamine sp.</i> (<i>C. debilis</i> agg.) ("Long Style" of Pritchard 1957)	
<i>Cardamine sp.</i> (<i>C. debilis</i> agg.) ("Narrow Petal" of Pritchard 1957)	
<i>Cardamine sp.</i> (aff. <i>C. corymbosa</i>)	
<i>Centella uniflora</i>	
<i>Epilobium insulare</i>	
<i>Epilobium nummulariifolium</i>	
<i>Epilobium pallidiflorum</i>	
<i>Epilobium pedunculare</i>	
<i>Geranium microphyllum</i>	
<i>Hydrocotyle elongata</i> (unc)	
<i>Hydrocotyle heteromeria</i>	waxweed
<i>Hydrocotyle microphylla</i>	
<i>Hydrocotyle moschata</i>	
<i>Hydrocotyle novae zelandiae</i> (2 different entities that key here)	
<i>Mazus novae zelandiae</i> subsp. <i>novae zelandiae</i>	
<i>Nertera depressa</i>	
<i>Oxalis exilis</i>	
<i>Plantago raoulii</i>	tukorehu
<i>Ranunculus amphitrichus</i>	waoriki
<i>Ranunculus glabrifolius</i>	
<i>Ranunculus reflexus</i>	maruru
<i>Ranunculus sp.</i>	
<i>Stellaria decipiens</i>	
<i>Urtica incisa</i>	

Birds:

Blue heron
Eastern rosella
Fantail
Goldfinch
Grey warbler
Kingfisher
Magpie
Marsh harrier
Pukeko
Shining cuckoo
Starling
Tui