

On b.b.l.o

Orchids

on dbase



Preliminary plant checklist for Middle Spur

TOPOMAP S27 335137

Eastern Wairarapa Protected Natural Area site number 2214.

Indigenous Vascular Plants

Aalbert Rebergen, Tony Silbery, Monica McKay, Olaf John, Pat Enright 17/10/98

unc = uncommon

Site description:

This site lies either side of a branch of the Whangaiotekapinga Stream on the McKay property at Middle Spur. The stream runs West to East and hence the vegetation on the true right facing north reflects the hotter and sunnier aspect. A large part of the bush is fenced off from stock although there are a number of deer roaming the area and selectively grazing. The understorey in the fenced area shows dramatically what affect stock exclusion can have.

The streambed lies in grey marl, which is very prone to slumping and the true right, in particular where there is no bush cover reflects this. There are pine plantings on these slopes.

The vegetation on the drier north facing slopes is mainly tall kanuka (*Kunzea ericoides*) and occasional totara (*Podocarpus totara*) with an understorey of *Coprosma rigida*, *C. rhamnoides*, native broom (*Carmichaelia australis*) and bush lawyer (*Rubus* spp.). One notable find here was in a saddle above the junction with the main stream where *Mazus novae-zelandiae* was found. (map ref. 340938). Below this on a grassy flat area there were a few specimens of the small leaved lacebark (*Hoheria angustifolia*) and pokaka (*Elaeocarpus hookerianus*) reminiscent of the coprosma "v" site at Ahi Paku

The south facing side of the area was mainly tall kanuka with some matai (*Prumnopitys taxifolia*), totara, mahoe (*Melicytus ramiflorus*), black maire (*Nestegis cunninghamii*) Kahikatea (*Dacrycarpus dacrydioides*), lemonwood (*Pittosporum eugeniooides*) and narrow leaved lacebark (*Hoheria sexstylosa*) with an understorey of coprosma spp. and rangiora (*Brachyglottis repanda*). Grasses and sedges were only common in the fenced area. There were 20 or so plants of the regionally scarce wind grass (*Anemanthele lessoniana*) growing above the stream banks in two places in this area.

Gymnosperm trees and shrubs

<i>Dacrycarpus dacrydioides</i>	<i>Kahikatea</i>
<i>Podocarpus totara</i>	<i>Totara</i>
<i>Prumnopitys taxifolia</i>	<i>Matai</i>

Dicotyledonous trees and shrubs

<i>Brachyglottis repanda</i>	Rangiora
<i>Carmichaelia australis</i>	
<i>Carpodetus serratus</i>	Putaputaweta, marbleleaf
<i>Coprosma linariifolia</i>	
<i>Coprosma propinqua</i> subsp. <i>propinqua</i>	
<i>Coprosma rhamnoides</i>	
<i>Coprosma rigidula</i>	Coprosma robusta
Karamu	
<i>Coprosma rotundifolia</i>	
<i>Coprosma propinqua</i> x <i>C. robusta</i>	
<i>Elaeocarpus hookerianus</i> (unc)	Pokaka
<i>Fuchsia excorticata</i> (unc)	Fuchsia, kotukutuku
<i>Hoheria angustifolia</i> (unc)	
<i>Hoheria sexstylosa</i>	
<i>Hebe stricta</i> var. <i>atkinsonii</i>	
<i>Kunzea ericoides</i>	Kanuka
<i>Lophomyrtus obcordata</i>	
<i>Melicope simplex</i>	
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	Mahoe
<i>Melicytus micranthus</i>	
<i>Myrsine divaricata</i>	Weeping Matipo
<i>Nestegis cunninghamii</i>	Black Maire
<i>Nestegis lanceolata</i>	White maire
<i>Nestegis montana</i>	Narrow leaved maire
<i>Ozomanthus leptophyllus</i>	Tauhinu
<i>Pennantia corymbosa</i>	Kaikomako
<i>Pittosporum eugenoides</i>	Tarata, lemonwood
<i>Pittosporum tenuifolium</i>	Kohuhu
<i>Pseudopanax arboreus</i>	
<i>Pseudopanax crassifolius</i>	horoeka, lancewood
<i>Raukawa anomala</i>	Whauwhaupaku
<i>Pseudopanax crassifolius</i>	Horoeka, lancewood
<i>Sophora microphylla</i>	Kowhai
<i>Streblus heterophyllus</i> (unc)	

Monocotyledonous trees and shrubs

<i>Cordyline australis</i>	cabbage tree
----------------------------	--------------

Monocotyledonous lianes

Dicotyledonous lianes and related trailing plants

Calystegia tuguriorum
Clematis foetida
Clematis paniculata
Muehlenbeckia australis
Parsonsia capsularis
Parsonsia heterophylla Akakiore
Rubus cissoides
Rubus schmidelioides

Psilotops, Lycopods and Quillworts

Ferns

Adiantum cunninghamii	Maidenhair fern
Asplenium bulbiferum	Manamana, Hen and Chicken fern
Asplenium flabellifolium	Necklace fern
Asplenium flaccidum ss	Makawe, Hanging spleenwort
Asplenium gracillimum	
Asplenium hookerianum	
Blechnum chambersii	
Blechnum fluviatile	Kiwakiwa
Hypolepis ambigua	
Lastreopsis glabella	
Leptopteris hymenophylloides	
Pellaea rotundifolia	Tarawera
Pneumatopteris pennigera	
Polystichum richardii	Pikopiko
Phymatosorus pustulatus	
Pyrrosia eleagnifolia	

Orchids

Earina autumnalis /
Earina mucronata /

Grasses

Anemanthele lessoniana (unc)
Echinopogon ovatus Hedgehog grass
Microlaena avenacea Patiti, Bush rice grass
Poa anceps subsp. anceps
Poa imbecilla

Sedges

Carex dissita

Preliminary plant checklist for Middle Spur

TOPOMAP S27 335137

Eastern Wairarapa Protected Natural Area site number 2214.

Indigenous Vascular Plants

Aalbert Rebergen, Tony Silbery, Monica McKay, Olaf John, Pat Enright 17/10/98

unc = uncommon

Site description:

This site lies either side of a branch of the Whangaiotekapinga Stream on the McKay property at Middle Spur. The stream runs West to East and hence the vegetation on the true right facing north reflects the hotter and sunnier aspect. A large part of the bush is fenced off from stock although there are a number of deer roaming the area and selectively grazing. The understorey in the fenced area shows dramatically what affect stock exclusion can have.

The streambed lies in grey marl, which is very prone to slumping and the true right, in particular where there is no bush cover reflects this. There are pine plantings on these slopes.

The vegetation on the drier north facing slopes is mainly tall kanuka (*Kunzea ericoides*) and occasional totara (*Podocarpus totara*) with an understorey of *Coprosma rigida*, *C. rhamnoides*, native broom (*Carmichaelia australis*) and bush lawyer (*Rubus* spp.). One notable find here was in a saddle above the junction with the main stream where *Mazus novae-zelandiae* was found. (map ref. 340938). Below this on a grassy flat area there were a few specimens of the small leaved lacebark (*Hoheria angustifolia*) and pokaka (*Elaeocarpus hookerianus*) reminiscent of the coprosma "v" site at Ahi Paku

The south facing side of the area was mainly tall kanuka with some matai (*Prumnopitys taxifolia*), totara, mahoe (*Melicytus ramiflorus*), black maire (*Nestegis cunninghamii*) Kahikatea (*Dacrycarpus dacrydioides*), lemonwood (*Pittosporum eugenioides*) and narrow leaved lacebark (*Hoheria sexstylosa*) with an understorey of coprosma spp. and rangiora (*Brachyglottis repanda*). Grasses and sedges were only common in the fenced area. There were 20 or so plants of the regionally scarce wind grass (*Anemanthele lessoniana*) growing above the stream banks in two places in this area.

Gymnosperm trees and shrubs

<i>Dacrycarpus dacrydioides</i>	Kahikatea
<i>Podocarpus totara</i>	Totara
<i>Prumnopitys taxifolia</i>	Matai

Dicotyledonous trees and shrubs

<i>Brachyglottis repanda</i>	Rangiora
<i>Carmichaelia australis</i>	
<i>Carpodetus serratus</i>	Putaputaweta, marbleleaf
<i>Coprosma linariifolia</i>	
<i>Coprosma propinqua</i> subsp. <i>propinqua</i>	
<i>Coprosma rhamnoides</i>	
<i>Coprosma rigida</i>	Coprosma robusta
Karamu	
<i>Coprosma rotundifolia</i>	
<i>Coprosma propinqua</i> x <i>C. robusta</i>	
<i>Elaeocarpus hookerianus</i> (unc)	Pokaka
<i>Fuchsia excorticata</i> (unc)	Fuchsia, kotukutuku
<i>Hoheria angustifolia</i> (unc)	
<i>Hoheria sexstylosa</i>	
<i>Hebe stricta</i> var. <i>atkinsonii</i>	
<i>Kunzea ericoides</i>	Kanuka
<i>Lophomyrtus obcordata</i>	
<i>Melicope simplex</i>	
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	Mahoe
<i>Melicytus micranthus</i>	
<i>Myrsine divaricata</i>	Weeping Matipo
<i>Nestegis cunninghamii</i>	Black Maire
<i>Nestegis lanceolata</i>	White maire
<i>Nestegis montana</i>	Narrow leaved maire
<i>Ozomanthos leptophyllus</i>	Tauhinu
<i>Pennantia corymbosa</i>	Kaikomako
<i>Pittosporum eugenoides</i>	Tarata, lemonwood
<i>Pittosporum tenuifolium</i>	Kohuhu
<i>Pseudopanax arboreus</i>	
<i>Pseudopanax crassifolius</i>	horoeka, lancewood
<i>Raukaua anomala</i>	Whauwhaupaku
<i>Pseudopanax crassifolius</i>	Horoeka, lancewood
<i>Sophora microphylla</i>	Kowhai
<i>Streblus heterophyllus</i> (unc)	

Monocotyledonous trees and shrubs

<i>Cordyline australis</i>	cabbage tree
----------------------------	--------------

Monocotyledonous lianes

Dicotyledonous lianes and related trailing plants

Calystegia tuguriorum
Clematis foetida
Clematis paniculata
Muehlenbeckia australis
Parsonsia capsularis
Parsonsia heterophylla Akakiore
Rubus cissoides
Rubus schmidelioides

Psilotops, Lycopods and Quillworts

Ferns

Adiantum cunninghamii Maidenhair fern
Asplenium bulbiferum Manamana, Hen and Chicken fern
Asplenium flabellifolium Necklace fern
Asplenium flaccidum ss Makawe, Hanging spleenwort
Asplenium gracillimum
Asplenium hookerianum
Blechnum chambersii
Blechnum fluviatile Kiwakiwa
Hypolepis ambigua
Lastreopsis glabella
Leptopteris hymenophylloides
Pellaea rotundifolia Tarawera
Pneumatopteris pennigera
Polystichum richardii Pikopiko
Phymatosorus pustulatus
Pyrrosia eleagnifolia

Orchids

Earina autumnalis
Earina mucronata

Grasses

Anemanthele lessoniana (unc)
Echinopogon ovatus Hedgehog grass
Microlaena avenacea Patiti, Bush rice grass
Poa anceps subsp. *anceps*
Poa imbecilla

Sedges

Carex dissita

Carex forsteri
Carex geminata ss
Carex lambertiana (unc)
 Carex solandri
 Carex virgata
 Uncinia laxiflora
 Uncinia uncinata Watu, Hook grass

Rushes and allied plants

Juncus gregiflorus
Juncus pallidus (unc)
Juncus sarophorus

Remaining Monocotyledonous plants

Arthropodium candidum
Astelia fragrans (unc)
Phormium cookianum

Daisy-like herbs (Composites)

Craspedia uniflora var grandis
Gnaphalium gymnocephalum
Lagenifera pumila
Lagenifera strangulata (unc)
Leptinella squalida
Senecio biserratus
Senecio quadridentatus

Dicotyledonous herbs other than Composites

Acaena anserinifolia Bidibidi
Australina pusilla
Cardamine sp. (C. debilis agg.) ("Narrow Petal" of Pritchard 1957)
~~Daucus glochidiatus~~ Native carrot
Dichondra brevifolia
Epilobium insulare
Epilobium nummulariifolium
Gallium propinquum
Hydrocotyle elongata
Hydrocotyle heteromeria
Mazus novae zelandiae
Oxalis exilis Yellow oxalis
Oxalis magellanica (unc)
Parietaria debilis
Plantago raoulia
Pratia angulata

Ranunculus reflexus Maruru, hairy buttercup
Urtica incisa
Wahlenbergia violacea

Birds:

Fantail
Grey Warbler
Morepork
Native pigeon
Waxeye