

R:1230:JH

PLANT SPECIES PRESENT AT MT BRUCE RESERVE.

Exotic Species = •

(Some introduced species may not be included.)

Gymnosperms

- Cupressus lawsoniana (lawson's cypress - self-seeding?)
Dacrycarpus (Podocarpus)
Dacrydioides (kahikatea)
Dacrydium cupressinum (rimu)
- Picea sitchensis (sitka spruce - self-seeding?)
Podocarpus ferrugineus (miro)
P.hallii (Halls totara)
P.spicatus (matai)
P.totara (totara)
- Psuedotsuga menziesii (Douglas fir)
- Sequoia sempervirens (redwood)

Dicotyledon trees and shrubs

- Alseuosmia pusilla
Aristotelia serrata (wineberry)
Beilschmiedia tawa (tawa)
Brachyglottis rependa (rangiora)
Carpodetus serratus
(putaputaweta)
- Chamaecytisus palmersis (tree)
Coprosma grandifolia/raurekau
C.lucida (shining karamu)
C.rhamnoides
C.rigida
C.robusta (karamu)
C.rotundifolia
C.rubra
C.propinqua x C.robusta

- *Cytisus scoparius* (broom)
Elaeocarpus dentatus (hinau)
Fuchsia excorticata (kotukutuku)
Gaultheria antipoda (snowberry)
Geniostoma rupestre var
(hangehange)
Griselinia littoralis (broadleaf)
Hebe stricta var (koromiko)
Hedycarya arborea (pigeon wood)
Hoheria ovata var (Tatarua
lacecark)
- *Ilex aquifolium* (holly)
Knightia excelsa (rewarewa)
Leptospermum scoparium
(manuka)
- *Leycesteria formosa* (Himalayan
honey suckle)
Melicytus lanceolatus (narrow-
leaved mahoe)
M.ramiflorus (mahoe)
Metrosideros robusta (northern
rata)
Myrsine australis (mapou)
M.salicina (toro)
Neomyrtus pedunculata
Nestegis cunninghamii (black
maire)
N.lanceolata (white maire)
Nothofagus fusca (red beech)
Paratrophis microphylla (small
leaved milk tree)
Pennantia corymbosa (kaikomako)
Pittosporum eugenioides (tarata,
lemonwood)
P.tenuifolium (matipo) [planted
only??]
Plagianthus regius [syn
P.betulinus (ribbon wood)
Psuedopanax anomalus
P.arboreus (5 finger)
P.crassifolius (lance wood)
P.edgerleyi (raukawa)
Psuedowintera axillaris (horopito)
- *Sambucus nigra* (elderberry)
Schefflera digitata (pate)

Weinmannia racemosa (kamahi)

Dicot lianes

Clematis paniculata

- C.vitalba (traveler's joy)-all gone
1988?
- Lonicera japonica (Japanese
honeysuckle)
Metrosideros colensoi
M.diffusa
Muehlenbeckia australis
(pohuehue)
Parsonsia heterophylla (NZ
jasmine)
Rubus cissoides (lawyer)
- R.fruticosus agg (blackberry)
- R.laciniatus (cut-leaved
blackberry)
R.schmidelioides (lawyer)

Dicot herbs

Acaena anserinifolia (bidibidi)

- Achillea millefolium (yarrow)
Australina pusilla
- Bellis perennis (daisy)
- Cardamine hirsuta (bittercress)
C.sp (C.debilis agg)
- Cedronella canariensis (Balm of
Gilead)
- Cerastium glomeratum (mouse-
eared chickwood)
- Chrysanthemum leucanthum (ox-
eye daisy)
- Cirsium palustre (marsh thistle)

- *C. vulgare* (Scotch thistle)
- *Crepis capillaris* (hawkbeard)
- *Digitalis purpurea* (foxglove)
Epilobium alsinoides
- *E. ciliatum*
E. nerteroides
- *Galium aparine* (cleavers)
- *Geranium robertianum* (herb Robert)
- *Gnaphalium americanum* (cudweed)
G. gymnocephalum
Haloragis erecta
Hydrocotyle
H. elongata
- *Hypochoeris radicata* (cat's ear)
- *Lotus pedunculatus* (lotus major)
- *Mimulus guttatus* (monkey musk)
- *Plantago lanceolata* (narrow-leaved plantain)
- *P. major* (broad-leaved plantain)
- *Prunella vulgaris* (self-heal)
- *Ranunculus repens* (creeping buttercup)
- *Senecio jacobaea* (ragwort)
- *Sonchus oleraceus* (sowthistle, puiha)
Stellaria decipiens (NZ chickweed)
- *Trifolium repens* (white clover)

Monocotyledons

- Agrostis capillaris (brown top)
Astelia fragrans
A. solandri (perching lily)
Carex solandri
C. virgata
Collospermum microspermum
(perching lily)
Cortaderia fulvida (toetoe)
- Crocosmia x crocosmifolia
(montbretia)
- Cyperus eragiostis
- Dactylis glomerata (cock's foot)
Dendrobium cunninghamii
(bamboo orchid)
Earina autumnalis (Easter orchid)
E. mucronata
- Festuca arundinacea (tall fescue)
- Holcus lanatus (yorkshire fog)
- Juncus effusus
J. gregiflorus
J. planifolius
J. sarophorus
- Lolium perenne (perennial rye)
Microlaena avenacea (bush rice-
grass)
Phormium cookianum (mtn flax)
(planted only?)
P. tenax (NZ flax) [planted only?]
Ripogonum scandens (supplejack)
Uncinia ferruginea (hooked
sedges)
U. uncinata (hooked sedges)

Ferns

- Asplenium bulbiferum ssp.
bulbiferum (hen and chicken fern)
- A. flaccidum ssp. flaccidum
(hanging spokenwort)
- A. polyodon

A.bulbiferum x A flaccidum
 Blechnum chambersii
 B.colensoi
 B.discolor (crown fern)
 B.fluviatile
 B.membranaceum
 B.minus
 B.sp [B capense agg .. large
 lowland species] (kiokio)
 Ctenopteris heterophylla
 Cyathea dealbata (ponga)
 C.smithii (smith's tree fern)
 Dicksonia fibrosa (wheki-ponga)
 D.squarrosa (wheki)
 Grammitis billardiera
 Histiopteris incisa (water fern)
 Hymenophyllum bivalve (filmy
 fern)
 H.demissum (filmy fern)
 H.dilatatum (filmy fern)
 H.flabellatum (filmy fern)
 H.multifidum (filmy fern)
 H.rarum (filmy fern)
 H.revolutum (filmy fern)
 H.sanguinolentum (filmy fern)
 Hypolepis tenuifolia Auct NZ
 Lastreopsis glabella
 Leptopteris hymenophylloides
 Paesia scaberula (ring fern)
 Pellaea rotundifolia s.s
 Phymatosorus diversifolius (round
 tongue fern)
 Pneumatopteris pennigera
 Polystichum richardii
 P.silvaticum
 P.vestitum
 Pteridium esculentum (bracken)
 Pyrrosia serpens
 Rumohra adiantiformis
 Sticherus (Gleichenia)
 cunninghamii (umbrella fern)
 Trichomanes venosum (filmy
 bristle fern)

Fern Allies

Lycopodium varium (clubmoss)
 Tmesipteris elongata

Planted native spp include:

Cordyline australis (cabbage tree)

Pittosporum crassifolium (karo) ✕

Phormium cookianum (NZ Flaxes
- see list above)

P. tenax (NZ Flaxes - see list
above)

Pittosporum tenuifolium (kohuhu
- list above)

Hebe spp and hybrids

Olearia albida

O. moschata