

SOME INDIGENOUS VASCULAR PLANTS IN PARSONS GLEN AREA OF LANDSDOWNE BLOCK, CENTRED ON NZMS 260 MAP R27 WELLINGTON, G.R. 547891; LIST COMPILED ON 1-10-96 BY B.J. MITCALFE AND J.C. HORNE.

BOTANICAL NAME	MAAORI NAME	COMMON NAME
GYMNOSPERM TREES		
<i>Prumnopitys ferruginea</i>	miro	miro
DICOT TREES		
<i>Alectryon excelsus</i>	tiitoki	titoki
<i>Aristotelia serrata</i>	makomako	wineberry
<i>Brachyglottis repanda</i>	rangiora	rangiora
<i>Beilschmiedia tawa</i>	tawa	tawa
<i>Carpodetus serratus</i>	putaputawetaa	marbleleaf
<i>Coprosma grandifolia</i>	kaanono	kanono
<i>Elaeocarpus dentatus</i>	hiinau	hinau
<i>Fuchsia excorticata</i>	kootukutuku	tree fuchsia
<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>	hangehange	hangehange
<i>Hedycarya arborea</i>	porokaiwhiri	pigeonwood
<i>Knightia excelsa</i>	rewarewa	rewarewa
<i>Lophomyrtus bullata</i>	ramarama	ramarama
<i>Macropiper excelsum</i>	kawakawa	kawakawa
<i>Melicytus ramiflorus</i>	maahoe	whiteywood
<i>Myrsine australis</i>	maapou	mapou
<i>Olearia rani</i>	heketara	heketara
<i>Pseudopanax arboreus</i>	whauwhaupaku	five-finger
<i>Pseudopanax crassifolius</i>	horoeka	lancewood
<i>Pseudowintera axillaris</i>	horopito	horopito
<i>Schefflera digitata</i>	patee	seven-finger
MONOCOT LIANES		
<i>Ripogonum scandens</i>	kareao	supplejack
DICOT LIANES		
<i>Metrosideros diffusa</i>	raataa	white climbing rata
<i>Metrosideros fulgens</i>	akakura	scarlet rata
<i>Metrosideros perforata</i>	akatea	clinging rata
<i>Parsonsia heterophylla</i>	kaihua	parsonisia
<i>Rubus cissoides</i>	taataraamoa	bush lawyer
FERNS		
<i>Anarthropteris lanceolata</i>	whare ngangara	
<i>Asplenium bulbiferum</i>	manamana	hen & chicken
<i>Asplenium flaccidum</i>	makawe	hanging spleenwort
<i>Asplenium oblongifolium</i>	huruhuruwhenua	shining spleenwort
<i>Asplenium polyodon</i>	petako	sickle spleenwort
<i>Blechnum chambersii</i>	nini	lance fern

<i>Blechnum discolor</i>	piupiu	crown fern
<i>Blechnum filiforme</i>	paanako	thread fern
<i>Blechnum fluviatile</i>	kiwakiwa	
<i>Blechnum minus</i>	kiokio	swamp kiokio
<i>Cyathea dealbata</i>	ponga	silver fern
<i>Cyathea medullaris</i>	mamaku	black tree fern
<i>Cyathea smithii</i>	kaatote	soft tree fern
<i>Histiopteris incisa</i>	maataataa	water fern
<i>Hymenophyllum demissum</i>	mauku	filmy fern
<i>Leptopteris hymenophylloides</i>	heruheru	crepe fern
<i>Pellaea rotundifolia</i>	tarawera	
<i>Phymatosorus pustulatus</i>	koowaowao	hound's tongue
<i>Phymatosorus scandens</i> ?	mokimoki	fragrant fern
<i>Polystichum richardii</i>	pikopiko	shield fern
<i>Polystichum vestitum</i>	puuniu	prickly shield fern
<i>Pyrrosia eleagnifolia</i>	ota	leatherleaf fern
<i>Rumohra adiantiformis</i>	karuwhai	
<i>Trichomanes endlicherianum</i>		

MONOCOT HERBS

Astelia solandri koowharawhara

DESCRIPTION OF PARSONS GLEN AREA OF LANDSDOWNE WEST BLOCK, KARORI.

ASPECT

SLOPE varies from moderately steep at the bottom, to gentle

PHYSIOGRAPHY spurs, shallow gullies and basins

MEAN CANOPY HEIGHT 4 metres
