

VASCULAR PLANTS OF PUKERUA BAY WILDLIFE
MANAGEMENT RESERVE¹

1. List for entire area fenced in 1985, including patch of forest in private ownership on cliff-top. Also includes the coastal part of Raroa Reserve to the west of Beach Road carpark.

C. C. Ogle, July 1985
(revised 12 Oct. 1987)

Abbreviations: (a) = abundant
 (f) = frequent
 (o) = occasional
 (r) = rare (or number of individual plants, if very few present).
 * denotes exotic species

DICOT TREES AND SHRUBS

<u>Brachyglottis repanda</u> (o)	rangiora
<u>Carmichaelia arborea</u> var. (r)	NZ broom
<u>Cassinia leptophylla</u> (o)	tauhinu
* <u>Chrysanthemooides monilifera</u> (o)	bone seed
* <u>Coprosma propinqua</u> (a)	
<u>C. repens</u> (o)	taupata
<u>C. rhamnoides</u> (l.)	
<u>Coriaria sarmentosa</u> (r)	shrub tutu
<u>Corynocarpus laevigatus</u> (o)	karako
<u>Cyathodes juniperina</u> (lo)	prickly mingimingi
<u>Dodonaea viscosa</u> (l.)	akeake
<u>Dysoxylum spectabile</u> (r)	kohekohe
<u>Geniostoma rupestre</u> var. (l.)	hangehange
<u>Griselinia lucida</u> (o)	broadleaf
<u>Hebe stricta</u> var. <u>macroura</u> (o)	koromiko
<u>Hedycarya arborea</u> (r)	pigeonwood
<u>Knightia excelsa</u> (l)	rewarewa

<u>Kunzea ericoides</u> (o)	kanuka
<u>Macropiper excelsum</u> (r)	kawakawa
<u>Melicope ternata</u> (r)	wharangi
<u>Melicytus ramiflorus</u> (r)	mahoe
<u>Myoporum laetum</u> (r)	ngaio
<u>Myrsine australis</u> (l.)	mapou
<u>Olearia paniculata</u> (f)	akeraho
<u>Pennantia corymbosa</u> (r)	kaikomako
<u>Pimelea prostrata</u> s.s. (o)	pinatoro
<u>Pseudopanax arboreus</u> (o)	five finger
* <u>Sambucus nigra</u> (r)	elderberry
<u>Solanum aviculare</u> (r)	poroporo
<u>Urtica ferox</u> (r)	shrub nettle

DICOT LIANES

<u>Calystegia tuguriorum</u> (o)	
<u>C. soldanella</u> (o)	sand convolvulus
<u>Clematis forsteri</u> ssp. (= <u>C. hookeriana</u>) (o)	
<u>Metrosideros perforata</u> (r)	white rata vine
<u>Muehlenbeckia complexa</u> (a)	pohuehue
<u>Parsonsia capsularis</u> x <u>P. heterophylla</u> (o)	NZ jasmine
<u>Passiflora</u> (<u>Tetrapathaea</u>) <u>tetrandra</u> (2)	NZ passionflower
<u>Tetragonia trigyna</u> (o)	NZ spinach

DICOT HERBS

* <u>Brassica</u> sp. (o)	wild turnip
<u>Cardamine</u> sp. (<u>C. debilis</u> agg. ?) (r)	bittercress
* <u>Carduus tenuiflorus</u> (a)	wing thistle
* <u>Cerastium glomeratum</u> (o)	mouse-eared chickweed
* <u>Cirsium vulgare</u> (o)	scotch thistle
<u>Colobanthus muelleri</u> (o)	
* <u>Cotula australis</u>	
<u>Crassula sieberiana</u>	
<u>Dichondra repens</u> (f)	Mercury Bay weed

<u>Disphyma australe</u> (o)	NZ iceplant
* <u>Fumaria muralis</u> (o)	fumitory
* <u>Galium aparine</u> (o)	cleavers
<u>G. propinquum</u> (o)	NZ bedstraw
* <u>Geranium molle</u> (o)	dovesfoot
* <u>G. robertianum</u> (o)	herb Robert
<u>G. sessiliflorum</u> (r)	
<u>Gnaphalium audax</u> (o)	
<u>G.</u> sp. (<u>G. luteoalbum</u> agg.) (o)	cudweed
<u>Haloragis erecta</u> (o)	
* <u>Hypochaeris glabra</u> (o)	smooth catsear
* <u>H. radicata</u> (o)	catsear
* <u>Leontodon taraxacoides</u> (o)	
* <u>Lepidium bonariense</u> (f)	
<u>Lilaeopsis</u> sp. (r)	
<u>Linum monogynum</u> (o)	NZ linen flax
<u>Lobelia anceps</u> (o)	
* <u>Lobularia maritima</u> (o)	sweet alyssum
* <u>Marrubium vulgare</u>	horehound
* <u>Medicago arabica</u> (f)	spotted bur medick
* <u>M. lupulina</u> (o)	
<u>Oxalis exilis</u> (o)	
<u>O. perennans</u> (o)	
(*?) <u>Pelargonium inodorum</u> (r)	
<u>Peperomia urvilleana</u> (o)	
* <u>Physalis peruviana</u> (r)	Cape gooseberry
* <u>Polycarpon tetraphyllum</u> (o)	allseed
<u>Ranunculus acaulis</u> (r)	sand buttercup
* <u>Raphanus raphanistrum</u> (f)	wild radish
<u>Rhagodia</u> (<u>Einadia</u>) <u>triandra</u> (o)	
* <u>Rumex brownii</u> (r)	hooked dock
<u>Sarcocornia quinqueflora</u> (o)	glasswort
<u>Samolus repens</u> (o)	sea primrose
<u>Scleranthus biflorus</u> (o)	
<u>Selliera radicans</u> (r)	half star
* <u>Senecio glastifolius</u> (r)	
<u>S. hispidulus</u> (r)	NZ fireweed
<u>S. laetus</u> (f)	

<u>S. minimus</u> (r)	NZ fireweed
* <u>Sherardia arvensis</u> (r)	bedstraw
* <u>Sisymbrium officinale</u> (o)	wireweed
* <u>Sonchus oleraceus</u> (o)	puwha, sow thistle
* <u>Torilis nodosa</u> (f)	hedgehog parsley
* <u>Trifolium dubium</u> (o)	suckling clover
* <u>T. repens</u> (r)	white clover
* <u>Vicia disperma</u> (a)	small French tare
* <u>V. hirsuta</u> (o)	hairy vetch
* <u>V. sativa</u>	vetch
<u>Vittadinia australis</u> (o)	
<u>Wahlenbergia gracilis</u> (f)	harebell
* <u>W. marginata</u> (o)	blue harebell

GRASSES

* <u>Anthoxanthum odoratum</u> (o)	sweet vernal
* <u>Bromus diandrus</u> (f)	ripgut brome
* <u>Dactylis glomerata</u> (o)	cocksfoot
<u>Dichelachne crinita</u> (o)	plume grass
<u>Echinopogon ovatus</u> (r)	hedgehog grass
* <u>Ehrharta erecta</u> (f)	veldt grass
<u>Elymus multiflorus</u> agg. (o)	blue wheat grass
* <u>Hordeum murinum</u> (o)	barley grass
<u>Microlaena stipoides</u> (a)	meadow rice grass
<u>Poa anceps</u> (o)	
<u>P. cita</u> (f)	silver tussock
* <u>P. pratensis</u> (o)	Kentucky bluegrass
* <u>Rytidosperma racemosum</u> (f)	danthonia
<u>R. unarede</u> (r)	danthonia
* <u>Sporobolus africanus</u> (f)	ratstail
<u>Trisetum antarcticum</u> (o)	

SEDGES

<u>Carex breviculmis</u> (r)	
<u>C. flagellifera</u> (r)	
<u>Cyperus ustulatus</u> (r)	
<u>Isolepis (Scirpus) cernua</u> (o)	
<u>I. (S.) nodosa</u> (f)	club sedge

RUSHES

<u>Juncus maritimus</u> ssp. <u>australiensis</u> (r)	sea rush
<u>Leptocarpus similis</u> (r)	jointed rush
<u>Luzula banksiana</u> var. <u>banksiana</u> (o)	wood rush

ORCHID

<u>Thelymitra longifolia</u> (r)	sun orchid
----------------------------------	------------

OTHER MONOCOT HERBS

<u>Phormium cookianum</u> (f)	coastal flax
<u>Triglochin striata</u> (r)	

FERNS

<u>Asplenium flabellifolium</u> (o)	
<u>A. hookerianum</u> (o)	
<u>A. oblongifolium</u> (o)	shining spleenwort
<u>A. terrestre</u> ssp. <u>maritimum</u> (o)	
<u>Cheilanthes distans</u> (o)	woolly cloak fern
<u>C. sieberi</u> (o)	cloak fern
<u>Hypolepis ambigua</u> (r)	
<u>Pellaea rotundifolia</u> s.s. (o)	
<u>P. sp.</u> (unnamed) (o)	
<u>Phymatosorus diversifolius</u> (r)	hounds tongue fern
<u>Polystichum richardii</u> (o)	
<u>Pteridium esculentum</u> (o)	bracken
<u>Pyrrosia serpens</u> (f)	

PLANTED (1986-87)

Hymenanthera crassifolia (ex-Titahi Bay)

H. obovata var. (ex-Pukerua Bay)

Sophora microphylla (ex-Kapiti Island)