

Check List Of Indigenous Vascular Plants Of North Taranaki Ecological District

Wanganui Plant List No.107

This list is modified and updated from Appendix 5 in “North Taranaki Ecological District - survey report for the Protected Natural Areas Programme” (Bayfield, Courtney & Wiessing 1991)

Last update: 14 Feb. 2000, by C C Ogle

The species are arranged in groups: gymnosperms, dicot trees and shrubs, monocot trees and shrubs, dicot lianes, monocot lianes, dicot herbs, monocot herbs (orchids, grasses, sedges, rushes, others), ferns, fern allies.

U = Uncommon in district

GYMNOSPERMS

<i>Dacrydium cupressinum</i>	<i>Podocarpus hallii</i>
<i>Dacrycarpus dacrydioides</i>	<i>P. totara</i>
<i>Phyllocladus toatoa</i> U	<i>Prumopitys ferruginea</i>
<i>P. trichomanoides</i>	<i>P. taxifolia</i>

DICOT TREES AND SHRUBS

<i>Alectryon excelsus</i>	<i>Elaeocarpus dentatus</i>
<i>Alseuosmia macrophylla</i>	<i>E. hookerianus</i>
<i>Aristotelia serrata</i>	<i>Entelea arborescens</i> U
<i>Beilschmiedia tawa</i>	<i>Fuchsia excorticata</i>
<i>Brachyglottis kirkii</i>	<i>Gaultheria antipoda</i>
<i>B.repanda</i>	<i>G. oppositifolia</i> U
<i>B. repanda</i> x <i>B. rotundifolia</i> ssp. <i>elaeagnifolia</i> (RO Green) U	<i>G. paniculata</i>
<i>Carmichaelia australis</i> (including <i>C. aligera</i>)	<i>G. antipoda</i> x <i>G. paniculata</i>
<i>Carpodetus serratus</i>	<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>
<i>Coprosma acerosa</i> U	<i>Griselinia littoralis</i>
<i>C. areolata</i>	<i>G. lucida</i>
<i>C. colensoi</i>	<i>Hebe macrocarpa</i> var. (<i>H. corriganii</i>)
<i>C. foetidissima</i>	<i>H. speciosa</i> U
<i>C. grandifolia</i>	<i>H. stricta</i> var. <i>macroura</i>
<i>C. lucida</i>	<i>H. stricta</i> var. <i>stricta</i>
<i>C. propinqua</i> ssp. <i>propinqua</i>	<i>H. speciosa</i> x <i>H. stricta</i>
<i>C. repens</i>	<i>Hedycarya arborea</i>
<i>C. rhamnoides</i>	<i>Helichrysum aggregatum</i> U
<i>C. robusta</i>	<i>Hoheria populnea</i> var. <i>lanceolata</i>
<i>C. rotundifolia</i>	<i>Knightia excelsa</i>
<i>C. tenuicaulis</i>	<i>Kunzea ericoides</i>
<i>C. tenuifolia</i> U	<i>Laurelia novae-zelandiae</i>
<i>C. propinqua</i> x <i>C. robusta</i>	<i>Leptospermum scoparium</i>
<i>C. tenuifolia</i> x <i>C. sp.</i> (Waitaanga)	<i>Leucopogon fasciculatus</i>
<i>Coriaria arborea</i>	<i>L. fraseri</i>
<i>Corokia cotoneaster</i> U	<i>Litsea calicaris</i>
<i>Corynocarpus laevigata</i>	<i>Lophomyrtus bullata</i>
<i>Cyathodes juniperina</i>	<i>L. obcordata</i> U
<i>Dodonaea viscosa</i>	<i>L. bullata</i> x <i>L. obcordata</i> U
<i>Dracophyllum latifolium</i>	<i>Macropiper excelsum</i>
<i>D. strictum</i>	<i>Melicope simplex</i> U
<i>Dysoxylum spectabile</i>	<i>M. ternata</i>
	<i>Melicytus lanceolatus</i>

<i>M. ramiflorus</i>	<i>P. crassifolium</i> U
<i>Metrosideros excelsa</i> (U, in natural stands)	<i>P. eugenoides</i> U
<i>M. robusta</i>	<i>P. kirkii</i> U
<i>Mida salicifolia</i> U	<i>P. tenuifolium</i> ssp. <i>colensoi</i>
<i>Myoporum laetum</i>	<i>P. tenuifolium</i> ssp. <i>tenuifolium</i>
<i>Myrsine australis</i>	<i>Plagianthus divaricatus</i>
<i>M. salicina</i>	<i>Pomaderris apetala</i> U
<i>Neomyrtus pedunculata</i>	<i>Pseudopanax anomalus</i>
<i>Nestegis cunninghamii</i>	<i>P. arboreus</i>
<i>N. lanceolata</i>	<i>P. crassifolius</i>
<i>N. montana</i>	<i>P. edgerleyi</i>
<i>Nothofagus solandri</i> var. <i>solandri</i>	<i>P. laetus</i>
<i>N. truncata</i>	<i>P. lessonii</i> U
<i>N. menziesii</i>	<i>Pseudowintera axillaris</i>
<i>N. solandri</i> x <i>N. truncata</i>	<i>P. colorata</i>
<i>Olearia albida</i>	<i>Quintinia serrata</i> (incl. <i>Q. acutifolia</i> , <i>Q. elliptica</i>)
<i>O. rani</i>	<i>Rhabdothamnus solandri</i>
<i>O. solandri</i>	<i>Schefflera digitata</i>
<i>O. townsonii</i> (including <i>O. thompsonii</i>)	<i>Solanum aviculare</i> var. <i>aviculare</i>
<i>Ozothamnus (Cassinia) leptophylla</i>	<i>Sophora microphylla</i>
<i>Pennantia corymbosa</i>	<i>Streblus heterophyllum</i>
<i>Peraxilla colensoi</i> U	<i>Syzygium maire</i>
<i>P. tetrapetala</i> U	<i>Urtica ferox</i>
<i>Pimelea prostrata</i> U	<i>Vitex lucens</i>
<i>Pimelea urvilleana</i> U	<i>Weinmannia racemosa</i>
<i>Pittosporum cornifolium</i> U	

MONOCOT TREES AND SHRUBS

<i>Cordyline australis</i>	<i>C. indivisa</i> U
<i>C. banksii</i>	<i>Rhopalostylis sapida</i>

DICOT LIANES

<i>Calystegia sepium</i> agg.	<i>M. perforata</i>
<i>C. tuguriorum</i>	<i>Muehlenbeckia australis</i>
<i>C. soldanella</i>	<i>M. complexa</i>
<i>Clematis cunninghamii</i> U	<i>Parsonsia capsularis</i>
<i>C. foetida</i>	<i>P. heterophylla</i>
<i>C. forsteri</i>	<i>Passiflora tetrandra</i>
<i>C. paniculata</i>	<i>Rubus australis</i>
<i>Fuchsia perscandens</i> U	<i>R. cissoides</i>
<i>Metrosideros carminea</i> U	<i>R. schmideliooides</i>
<i>M. colensoi</i>	<i>Tetragonia tetragonoides</i> U
<i>M. diffusa</i>	<i>T. trigyna</i>
<i>M. fulgens</i>	

MONOCOT LIANES

<i>Freycinetia baueriana</i> ssp. <i>banksii</i>	<i>Ripogonum scandens</i>
--	---------------------------

DICOT HERBS

- Acaena anserinifolia
Anaphalioides subrigida
A. trinervis (incl. Anaphalis keriensis)
Apium prostratum spp. prostratum
Brachyglottis turneri U
Callitrichie petriei ssp. petriei U
C. muelleri
Cardmine sp. (C. debilis agg. C. "Narrow Petal" of Pritchard 1957)
C. sp. (C. debilis agg. C. "Glossy Leaf" of Pritchard 1957)
Centella uniflora
Chenopodium glaucum var. ambiguum U
Craspedia minor U
Cotula coronopifolia
Dactylanthus taylorii
Dichondra repens
Disphyma australe
Drosera peltata ssp. auriculata
D. binata U
Elatostema rugosum
Epilobium alsinoides U
E. billardiereanum s.s.
E. brunnescens s.s.U
E. insulare U
E. minutiflorum U
E. nerteroides
E. nummulariifolium
E. pallidiflorum U
E. rotundifolium
Euchiton (Gnaphalium) audax
E. gymnocephalus
E. involucratus
E. limosus U
E. sphaericus
E. sp (cf E. limosus) U
Euphorbia glauca (Druce and Ogle 1972) U
Euphrasia cuneata
Galium propinquum
G. sp. (Waitaanga) U
Gonocarpus micranthus ssp micranthus U
Gunnera monoica
Haloragis erecta ssp. erecta
Hydrocotyle dissecta
H. elongata
H. heteromeria
H. microphylla
H. moschata
H. novae-zelandiae U
Hypericum japonicum
Jovellana repens U
Lagenifera pumila
Leptinella squalida ssp. squalida
L. sp. (L.dispersa or L.tenella)
Leptostigma setulosum U
Lilaeopsis novae-zelandiae
L. ruthiana
Linum monogynum
Lobelia anceps
Myosotis sp. (unnamed: M. petiolata var. pansa) U
Nertera depressa
N. villosa
Oxalis exilis
O. magellanica
O. rubens
Ourisia macrophylla ssp. robusta
Parahebe diffusa ssp. diffusa U
Peperomia urvilleana U
Plantago raoulii (coastal form with broad sub-fleshy leaves)
Polygonum decipiens U
Pratia angulata
Pseudognaphalium luteo-album agg (leaves linear-acute)
P. luteo-album agg. (leaves oblong-rounded)
Ranunculus acaulis
R. amphitrichus U
R. reflexus
Rorippa divaricata (Druce and Ogle 1972) U
Samolus repens
Sarcocornia quinqueflora
Selliera radicans
Senecio lautus ssp. lautus
S. minimus
S. rufiglandulosus U
Sonchus kirkii U
Solanum americanum U
Stellaria decipiens
Urtica incisa
Viola filicaulis
Wahlenbergia albomarginata (?)
W. sp. (flowers white) (Druce & Ogle 1972) – prob. W. rupestris (CCO 2/00)

MONOCOT HERBS

(a) ORCHIDS

- Acianthus sinclairii
Bulbophyllum pygmaeum
Caladenia catenata
Chiloglottis cornuta
Corybas acuminatus
C. iridescens
C. macranthus
C. oblongus
C. orbiculatus
C. papa

<i>C. trilobus</i> agg.	<i>Pterostylis banksii</i>
<i>Drymoanthus adversus</i>	<i>P. trullifolia</i>
<i>Earina autumnalis</i>	<i>P. sp. (aff. P. graminea and P montana)</i>
<i>E. mucronata</i>	<i>Thelymitra longifolia</i>
<i>Microritis unifolia</i>	<i>T. sp. (unidentified)</i>
<i>Orthoceras strictum</i>	<i>Winika (= Dendrobium) cunninghamii</i>
<i>Prasophyllum colensoi</i>	

(b) GRASSES

<i>Cortaderia fulvida</i>	<i>L. littoralis</i> ssp. <i>littoralis</i> U
<i>C. toetoe</i>	<i>Microlaena avenacea</i>
<i>Dichelachne crinita</i>	<i>M. stipoides</i>
<i>Echinopogon ovatus</i>	<i>Oplismenus imbecillis</i>
<i>Elymus multiflorus</i>	<i>Poa anceps</i> var. <i>anceps</i>
<i>E. solandri</i>	<i>Rytidosperma gracile</i>
<i>Isachne globosa</i>	<i>R. unarede</i>
<i>Lachnagrostis billardierei</i>	<i>R. viride</i>
	<i>Spinifex sericeus</i>

(c) SEDGES

<i>Baumea articulata</i>	<i>Gahnia lacera</i>
<i>B. juncea</i>	<i>G. pauciflora</i>
<i>B. rubiginosa</i>	<i>G. setifolia</i>
<i>B. tenax</i> U	<i>G. xanthocarpa</i>
<i>Bolboschoenus caldwellii</i>	<i>Isolepis cernua</i>
<i>B. medianus</i>	<i>I. habra</i>
<i>Carex dissita</i>	<i>I. inundata</i>
<i>C. flagellifera</i> (coastal form)	<i>I. nodosa</i>
<i>C. forsteri</i>	<i>I. prolifer</i>
<i>C. lessoniana</i>	<i>I. reticularis</i>
<i>C. maorica</i>	<i>Lepidosperma australe</i> U
<i>C. pumila</i> U	<i>Machaerina sinclairii</i>
<i>C. raoulii</i> s.s. U	<i>Schoenoplectus pungens</i> U
<i>C. secta</i>	<i>S. tabernaemontani</i> (<i>S. validus</i> of NZ authors) U
<i>C. solandri</i>	<i>Schoenus apogon</i> U
<i>C. subdola</i> U	<i>S. maschalinus</i> U
<i>C. virgata</i>	<i>S. tendo</i>
<i>C. sp. (unnamed; cf <i>C. raoulii</i> and <i>C. testacea</i>)</i>	<i>Uncinia banksii</i>
<i>C. sp. (c.f. <i>C. geminata</i>, wide leaves)</i>	<i>U. clavata</i>
<i>Cyperus ustulatus</i>	<i>U. ferruginea</i>
<i>Desmoschoenus spiralis</i> U	<i>U. gracilenta</i>
<i>Eleocharis acuta</i>	<i>U. rupestris</i>
<i>E. gracilis</i>	<i>U. uncinata</i>
<i>E. sphacelata</i>	<i>U. zotovii</i>

(d) RUSHES

<i>Juncus australis</i> (Druce & Ogle 1972)	<i>J. planifolius</i>
<i>J. caespiticius</i> U	<i>J. prismatocarpus</i>
<i>J. gregiflorus</i>	<i>J. sarophorus</i>
<i>J. maritimus</i> ssp. <i>australiensis</i>	<i>Leptocarpus similis</i>
<i>J. pallidus</i>	<i>Luzula picta</i> s.s.

(e) MONOCOT HERBS, OTHER THAN ORCHIDS, GRASSES, SEDGES & RUSHES

<i>Arthropodium candidum</i> (Druce and Ogle 1972) U	<i>L. ixoides</i>
<i>A. cirratum</i>	<i>L. pulchella</i>
<i>Astelia fragrans</i>	<i>Phormium cookianum</i>
<i>A. grandis</i>	<i>P. tenax</i>
<i>A. solandri</i>	<i>P. cookianum x P. tenax</i>
<i>A. trinervia</i>	<i>Potamogeton cheesemanii</i>
<i>Collospermum hastatum</i>	<i>P. suboblongus</i> U
<i>C. microspermum</i>	<i>Sparganium subglobosum</i>
<i>Dianella nigra</i>	<i>Triglochin striata</i>
<i>Lemna minor</i> U	<i>Typha orientalis</i>
<i>Libertia grandiflora</i>	<i>Zostera muelleri</i>

FERNS

<i>Adiantum cunninghamii</i>	<i>Gleichenia microphylla</i> U
<i>A. fulvum</i> U	<i>Grammitis billardierei</i>
<i>A. hispidulum</i> U	<i>G. ciliata</i>
<i>A. viridescens</i> U	<i>Histiopteris incisa</i>
<i>Anarthropteris lanceolata</i>	<i>Hymenophyllum bivalve</i> U
<i>Arthopteris tenella</i> U	<i>H. demissum</i>
<i>Asplenium bulbiferum</i>	<i>H. dilatatum</i>
<i>A. gracillimum</i>	<i>H. ferrugineum</i>
<i>A. flaccidum</i>	<i>H. flabellatum</i>
<i>A. hookerianum</i>	<i>H. flexuosum</i>
<i>A. lyallii</i> U	<i>H. lyallii</i> U
<i>A. oblongifolium</i>	<i>H. multifidum</i>
<i>A. polyodon</i>	<i>H. rarum</i>
<i>A. terrestre</i> ssp. <i>maritimum</i> U	<i>H. revolutum</i>
<i>Azolla filiculoides</i> ssp. <i>rubra</i> U	<i>H. sanguinolentum</i>
<i>Blechnum blechnoides</i>	<i>H. scabrum</i>
<i>B. chambersii</i>	<i>Hypolepis ambiguum</i>
<i>B. colensoi</i>	<i>H. dicksonioides</i> U
<i>B. discolor</i>	<i>H. distans</i>
<i>B. filiforme</i>	<i>H. lactea</i> (Druce & Ogle 1972) U
<i>B. fluviatile</i>	<i>H. rufobarbata</i>
<i>B. fraseri</i> U	<i>Lastreopsis glabella</i>
<i>B. membranaceum</i>	<i>L. hispida</i>
<i>B. minus</i>	<i>L. velutina</i> U
<i>B. nigrum</i> U	<i>Leptolepia novae-zelandiae</i>
<i>B. novae-zelandiae</i>	<i>Leptopteris hymenophylloides</i>
<i>B. penna-marina</i>	<i>L. superba</i> U
<i>B. triangularifolium</i>	<i>L. hymenophylloides x L. superba</i> U
<i>B. vulcanicum</i> U	<i>Lindsaea trichomanoides</i>
<i>B. chambersii</i> x <i>membranaceum</i>	<i>L. viridis</i> U
<i>Botrychium bifforme</i> U	<i>Marattia salicina</i>
<i>Cardiomanes reniforme</i>	<i>Microsorum pustulatum</i>
<i>Ctenopteris heterophylla</i>	<i>M. novae-zelandiae</i> U
<i>Cyathea cunninghamii</i> U	<i>M. scandens</i>
<i>C. dealbata</i>	<i>Paesia scaberula</i>
<i>C. medullaris</i>	<i>Pellaea rotundifolia</i> U
<i>C. smithii</i>	<i>Pneumatopteris pennigera</i>
<i>Deparia petersenii</i> U	<i>Polystichum richardii</i>
<i>Dicksonia fibrosa</i>	<i>P. silvaticum</i>
<i>D. squarrosa</i>	<i>P. vestitum</i>
<i>Diplazium austrole</i>	<i>Pteridium esculentum</i>
<i>Doodia media</i> ssp. <i>australis</i> U	<i>Pteris macilenta</i> (P. saxatilis of NZ authors)

P. pendula (P. macilenta, of NZ authors)	Trichomanes elongatum U
P. tremula	T. endlicherianum U
Pyrrosia eleagnifolia	T. strictum
Rumohra adiantiformis	T. venosum
Sticherus cunninghamii	

FERN ALLIES

Huperzia varia (Lycopodium varium)	L. volubile
Lycopodiella cernua (= Lycopodium cernuum)	Tmesipteris elongata
Lycopodium deuterodensum	T. lanceolata U
L. scariosum	T. tannensis

Records not accepted

Name used	Probable identity
C. testacea	Carex sp. (unnamed, cf. C. raoulii & C. testacea)
Hebe townsonii (Allan 1961)	Garden specimen of same
Peraxilla [Alepis] flava (Thompson 1979)	Peraxilla colensoi
Peraxilla flava x P. tetrapetala (Thompson 1979)	Peraxilla colensoi