

WHANGANUI PLANT LIST 20

DEPARTMENT OF CONSERVATION, WANGANUI

Vascular plants of Patterson Estate Bush remnants, Moumahaki Road and Farm Road, Waverley compiled by C Ogle, J Barkla 10.8.90; additions C. Bibby Dec. 1997

(List last amended 4 Feb. 1998)

- c = common
o = occasional
u = uncommon
* = adventive species (NB: herbaceous adventives were mostly not recorded)
= seen in Farm Road revegetation area, Grid ref NZMS 260/Map R22/566585. Those not so-marked were in one or more of the three other forest patches examined.

Gymnosperms

Dacrycarpus dacrydioides	(kahikatea)	o
Prumnopitys taxifolia	(matai)	u
* Pinus pinaster	(maritime pine)	u
* P. radiata		o

Dicot trees and shrubs

Acacia verticillata	(prickly Moses)	u
Alectryon excelsus	(titoki)	o
Beilschmiedia tawa	(tawa)	o
* Berberis darwinii	(Darwin's barberry)	c
Brachyglottis repanda	(rangiora)	o
Coprosma areolata		o
C. rigida		u
C. robusta	(karamu)	u
Elaeocarpus dentatus	(hinau)	o
* Escallonia rubra	(escallonia)	u
Geniostoma rupestre var. ligustrifolium	(hangehange)	o
Griselinia lucida	(broadleaf)	u
Hebe stricta var. stricta	(koromiko)	u
Hedycarya arborea	(pigeonwood)	u
Hoheria populnea var. [= H. sexstylosa]	(lacebark)	o
Knightia excelsa	(rewarewa)	u
Kunzea ericoides	(kanuka)	u
Laurelia novae-zelandiae	(pukatea)	u
Leptospermum scoparium	(manuka)	c
Macropiper excelsum	(kawakawa)	o
Melicytus ramiflorus	(mahoe)	c

Myrsine australis	(mapou)	o
Pittosporum eugenioides	(lemonwood)	u
Pseudopanax crassifolius	(lancewood)	o
* Solanum mauritianum	(woolly nightshade)	u
* S. pseudocapsicum	(Jerusalem cherry)	o
Streblus heterophyllus	(small-leaved milk tree, turepo)	o
* Ulex europaeus	(gorse)	c

Dicot lianes

Metrosideros perforata	(white climbing rata)	c
Muehlenbeckia australis	(pohuehue)	o
Parsonsia heterophylla	(NZ jasmine)	o
Passiflora tetrandra	(NZ passionflower)	o
Rubus cissoides	(bush lawyer)	o

Monocot trees

Cordyline australis	(cabbage tree)	u
Rhopalostylis sapida	(nikau)	u

Monocot lianes

Freycinetia baueriana ssp. banksii	(kiekie)	u
Ripogonum scandens	(supplejack)	o

Dicot herbs

Hydrocotyle heteromeria	(pennywort)	c
* Phytolacca octandra	(inkweed)	o

Monocot herbs

Astelia solandri	(perching lily)	o
Carex sp. (unnamed; C. geminata agg. "large species")		o
Collospermum hastatum	(perching lily)	o
Cortaderia toetoe	(toetoe)	o
Corybastrilobus (Bibby 1997)	(spider orchid)	
Cyperus ustulatus		o
Pterostylis sp. (unidentified; Bibby 1997)	(hood orchid)	
Uncinia uncinata	(hook grass)	c

Ferns

<i>Adiantum cunninghamii</i>	(maidenhair fern)	u
<i>Asplenium flaccidum</i>	(hanging spleenwort)	u
<i>Blechnum chambersii</i>		u
<i>B. filiforme</i>	(climbing blechnum)	o
<i>B. fluviatile</i>		o
<i>B. sp.</i> [<i>B. capense</i> agg. "Black spot"]	(kiokio)	o
<i>Cyathea dealbata</i>	(ponga)	u
<i>C. medullaris</i>	(mamaku)	o
<i>Dicksonia fibrosa</i>	(wheki-ponga)	u
<i>D. squarrosa</i>	(wheki)	o
<i>Lastreopsis glabella</i>		u
<i>Paesia scaberula</i>	(ring fern)	c
<i>Pteridium esculentum</i>	(bracken fern)	c
<i>Pteris pendula</i> [<i>P. macilenta</i> of NZ authors]		
<i>P. tremula</i>	(shaking brake)	o
<i>Pyrrhosia eleagnifolia</i>	(leather-leaf fern)	u

Total = 58 indigenous species