

**Vascular plants of forest remnant on private land, Wairepu East Road
on tributary of Mangaone Stream, north-west of Mangaweka**
(Grid Ref NZMS 260/Map T21)

C C Ogle
16 April 1991.

Wanganui Plant List 30
Department Of Conservation, Wanganui

a = abundant; o = occasional; u = uncommon

* denotes adventive species

Gymnosperms

Dacrycarpus dacrydioides	(kahikatea)	o
Dacrydium cupressinum	(rimu)	u
Podocarpus totara	(totara)	o
Prumnopitys taxifolia	(matai)	o

Dicto Trees and Shrubs

Carmichaelia arborea var. (C. flagelliformis)	(NZ broom)	u
Carpodetus serratus	(putaputaweta)	o
Beilschmiedia tawa	(tawa)	a
Brachyglottis repanda	(rangiora)	o
Coprosma crassifolia		o
C. grandifolia	(raurekau)	u
C. rhamnoides		o
C. robusta	(karamu)	o
C. rotundifolia		a
Geniostoma rupestre var. ligustrifolium	(hangehange)	o
Griselinia littoralis	(broadleaf)	u
Hebe stricta var. stricta	(koromiko)	o
Hoheria populnea var. (= H sexstylosa)	(lacebark)	o
Knightia excelsa	(rewarewa)	u
Leptospermum scoparium	(manuka)	o
Lophomyrtus obcordata	(rohutu)	a
Melicope simplex		a
Melicytus micranthus	(small-leaved mahoe)	u
M. ramiflorus	(mahoe)	a
Myrsine australis	(mapou)	o
M. divaricata	(weeping mapou)	o
Nestegis cunninghamii	(black maire)	o
N. lanceolata	(white maire)	o

Olearia rani	(heketara)	u
Pennantia corymbosa	(kaikomako)	o
Pittosporum eugenioides	(lemonwood, tarata)	o
P. tenuifolium	(kohuhu)	o
*Prunus sp.	(cherry plum)	u
Pseudopanax anomalus		u
P. arboreus	(5 finger)	u
P. crassifolius	(lancewood)	o
Pseudowintera colorata	(horopito)	u
*Sambucus nigra	(elderberry)	u
Schefflera digitata	(pate)	o
Solanum sp.	(poroporo)	u
Sophora microphylla	(kowhai)	o
Streblus heterophyllus (= Paratrophis microphylla)	(milk tree)	o
Urtica ferox	(ongaonga)	o

Monocot Trees and Shrubs

Cordyline australis	(cabbage tree)	u
C. banksii		o

Dicot lianes

Clematis forsteri		u
C. paniculata		u
Metrosideros colensoi	(white climbing rata)	o
M. diffusa	(white climbing rata)	u
Muehlenbeckia australis	(pohuehue)	o
Parsonsia capsularis	(NZ jasmine)	o
P. heterophylla	(NZ jasmine)	u
Rubus cissoides var. cissoides	(bush lawyer)	u
R. schmidelioides	(bush lawyer)	o

Dicot herbs

Acaena anserinifolia	(bidibidi)	o
*Cirsium vulgare	(Scotch thistle)	o
*Digitalis purpurea	(foxglove)	o
Epilobium nummulariifolium	(willowherb)	u
Hydrocotyle elongata		a
H. moschata	(hairy pennywort)	u
Oxalis exilis		
Plantago raoulii		
Ranunculus reflexus	(bush buttercup)	o
*R. repens	(creeping buttercup)	o
*Senecio bipinnatisectus	(fireweed)	u
*S. jacobaea	(ragwort)	o
S. minimus		u

Monocot herbs

* <i>Agrostis capillaris</i>	(browntop)	a
<i>Astelia fragrans</i>		u
<i>Carex flagellifera</i>		o
<i>C. secta</i> s.s.		u
<i>Collospermum microspermum</i>	(perching lily)	o
* <i>Cynodon dactylon</i>	(crested dogstail)	o
<i>Cortaderia fulvida</i>	(toetoe)	u
<i>Earina autumnalis</i>	(autumn orchid)	u
<i>E. mucronata</i>		o
<i>Juncus distegus</i>		o
<i>J. gregiflorus</i>		o
<i>Uncinia uncinata</i>	(hook grass)	o

Ferns

<i>Asplenium flaccidum</i>	(hanging spleenwort)	o
<i>A. gracillimum</i>		o
<i>A. hookerianum</i> var. <i>colensoi</i>		u
<i>A polyodon</i>		o
<i>Blechnum chambersii</i>		o
<i>B. filiforme</i>	(climbing blechnum)	u
<i>B. discolor</i>	(crown fern)	o
<i>B. fluviatile</i>		o
<i>B. sp.</i> (<i>B. capense</i> agg. "Black spot")	(kiokio)	o
<i>Cyathea dealbata</i>	(ponga)	o
<i>C. medullaris</i>	(mamaku)	u
<i>Dicksonia fibrosa</i>	(wheki-ponga)	o
<i>D. squarrosa</i>	(wheki)	u
<i>Histiopteris incisa</i>	(water fern)	o
<i>Hymenophyllum demissum</i>	(filmy fern)	u
<i>Hypolepis ambigua</i>		o
<i>Leptopteris hymenophylloides</i>	(heruheru)	u
<i>Paesia scaberula</i>	(ring fern)	u
<i>Pellaea rotundifolia</i>	(button fern)	o
<i>Phymatosorus diversifolius</i>	(hounds tongue)	o
<i>Polystichum richardii</i>	(shield fern)	o
<i>Pteridium esculentum</i>	(bracken)	o
<i>Pteris tremula</i>		u
<i>Pyrrosia eleagnifolia</i>		o

Total = 93 indigenous species, 9 adventive species
= 102 species