

	1	2	3	4	5	6	7	8	9	10	11	12
B. repanda (rangiora)	x	x	x	x	x	x	x	x	d	x	x	x
Carmichaelia australis (incl C. cunninghamii) (NZ broom)	x	x		x			x	x	d		x	
Carpodetus serratus (putaputaweta)	x	x	x	x	x	x	x	x	w	x	x	x
Coprosma areolata	x	x	x	x	x		x	x				
C. colensoi		x										
C. grandifolia (raurekau, kanono)	x	x	x			x					x	
C. lucida (shining karamu)	x	x	x	x	x	x	x		d	x	x	x
C. propinqua												
C. propinqua x C. robusta									d			
C. rhamnoides	x	x	x	x	x	x	x	x	w	x	x	
C. robusta (karamu)					x		x		w	x	x	
C. rotundifolia					x		x		w	x		
C. tenuicaulis				x								
C. tenuifolia												
C. "sp. t." of Eagle (1986)												
Coriaria arborea (tutu)	x	x			x	x	x				x	x
Corynocarpus laevigatus (karaka)		x		x			x					
Cyathodes juniperina (prickly mingimingi)	x		x		x		x	x		x		
Dodonaea viscosa (akeake)												
Dracophyllum strictum	x	x	x		x				d	x		
D. traversii			x									
Dysoxylum spectabile (kohekohe)												
Elaeocarpus dentatus (hinau)	x	x	x	x	x	x	x	x	d	x	x	x
E. hookerianus (pokaka)		x		x						?		
Fuchsia excorticata (tree fuchsia, kotukutuku)	x	x	x	x	x	x	x	x		x		
F. perscandens (climbing fuchsia)												
Gaultheria antipoda (snowberry)	x	x	x		x			x	d	x		x
G. oppositifolia	x	x	x						d			
G. paniculata	x	x	x		x					x		
G. antipoda x G. oppositifolia												
G. antipoda x G. paniculata										x		
Geniostoma rupestre (hangehange)	x	x	x	x	x		x	x	d	x	x	x
Griselinia littoralis (broadleaf)	x		x		x					x		
G. lucida (perching broadleaf)	x	x	x	x	x		x	x	d	x	x	x
Hebe macrocarpa var. (H. corriganii)	x				x					?		
Hebe stricta var. stricta (koromiko)	x	x	x	x	x	x	x	x	d	x	x	
Hedycarya arborea												

	1	2	3	4	5	6	7	8	9	10	11	12
(pigeonwood)	x	x	x	x	x	x	x	x	w	x	x	x
<i>Helichrysum aggregatum</i>	x		x							x	x	
<i>Hoheria populnea</i> var. (<i>H. sexstylosa</i>) (lacebark)			x	x	x	x	x	x	d	x	x	
<i>Knightia excelsa</i> (rewarewa)	x	x	x	x	x	x	x	x	d	x	x	x
<i>Kunzea ericoides</i> (kanuka)	x	x	x	x		x				x		x
<i>Laurelia novae-zelandiae</i> (pukatea)	x	x	x	x	x		x	x	w	x	x	x
<i>Leptospermum scoparium</i> (manuka)	x	x	x	x	x	x	x	x	w	x	x	x
<i>Leucopogon fasciculatus</i> (mingimingi)	x					x			w	x	x	x
<i>L. fraseri</i> (patotara)			x		x		x	x				
<i>Lophomyrtus bullata</i> (ramarama)		x		x			x	x	d	x	x	x
<i>Macropiper excelsum</i> (kawakawa)	x	x		x			x		w			
<i>Melicope simplex</i> (poataniwha)						x						
<i>Melicytus lanceolatus</i> (mahoe-wao)	x				x	x				x		
<i>M. ramiflorus</i> (mahoe)	x	x	x	x	x	x	x	x	d	x	x	x
<i>Metrosideros robusta</i> (northern rata)	x	x	x	x	x		x	x		x	x	x
<i>Mida salicifolia</i> (NZ sandalwood)												
<i>Myoporum laetum</i> (ngaio)		x										
<i>Myrsine australis</i> (mapou)	x	x	x	x	x		x	x	d	x	x	x
<i>M. salicina</i> (toro)	x	x										
<i>Nestegis cunninghamii</i> (black maire)	x	x	x		x			x	d	x		x
<i>N. lanceolata</i> (white maire)	x	x	x	x	x	x	x	x	d	x		x
<i>N. montana</i> (narrow-leaved maire)					x							
<i>Nothofagus menziesii</i> (silver beech)			x									
<i>N. solandri</i> var. <i>solandri</i> (black beech)	x	x	x		x	x	x	x	w	x	x	x
<i>N. truncata</i> (hard beech)			x		x					x		x
<i>Olearia furfuracea</i>												
<i>O. rani</i> (heketara)	x	x	x	x	x	x	x	x	d	x	x	
<i>O. townsonii</i>	x		x						d			x
<i>Pennantia corymbosa</i> (kaikomako)	x	x	x	x	x	x				x		x
<i>Pimelea prostrata</i> (pinatoro)												
<i>Pittosporum cornifolium</i>					x							
<i>P. eugenioides</i> (lemonwood, tarata)							x					
<i>P. t. subsp. tenuifolium</i> (kohuhu)												x
<i>P. tenuifolium</i> subsp. <i>colensoi</i> (kohuhu)					x							
<i>Plagianthus regius</i> (ribbonwood)												
<i>Pseudopanax anomalus</i>									d	x		
<i>P. arboreus</i> (5 finger)	x	x	x			x	x		d	x	x	x
<i>P. crassifolius</i> (lancewood, horoeka)	x	x	x	x	x	x	x		d	x	x	x
<i>P. edgerleyi</i> (raukawa)		x										
<i>P. laetus</i>	x		x			x						
<i>Pseudowintera axillaris</i> (horopito)	x		x	x	x							
<i>P. colorata</i> (horopito)												x
<i>Quintinia serrata</i> (tawheowheo)	x		x		x							
<i>Rhabdothamnus solandri</i> (taurepo)	x	x	x	x	x	x	x	x	d	x	x	x

	1	2	3	4	5	6	7	8	9	10	11	12
Rhopalostylis sapida (nikau)	x	x		x			x		d		x	
Schefflera digitata (pate)	x	x	x	x	x	x	x	x	d		x	x
Solanum aviculare (poroporo)	x			x							?	
Sophora sp. (aff. microphylla)												
(kowhai)	x	x				x			d			
Streblus heterophyllus (taurepo, milk tree)	x	x			x	x	x	x	d		x	
Syzygium maire (swamp maire)				x								
Urtica ferox (ongaonga)					x		x		d		x	
Weinmannia racemosa (kamahi)	x	x	x	x	x	x	x	x	w	x	x	x
<u>Monocot trees & Shrubs</u>												
Cordyline australis (cabbage tree)	x	x		x			x		w			
C. banksii (Banks' cabbage tree)	x	x			x	x		x			x	
C. indivisa (mountain cabbage tree)	x											
<u>Dicot lianes</u>												
Calystegia sepium agg. (convolvulus)									w			
C tuguriorum	x	x		x		x	x				x	
Clematis foetida	x	x		x	x	x	x			x	x	
C. forsteri	x	x				x				x	x	
C. paniculata (puawhangana)	x	x	x	x	x		x	x	d	x	x	x
Metrosideros colensoi (white rata vine)	x	x	x	x	x	x	x	x		x	x	x
M. diffusa (white rata vine)	x	x	x	x	x	x	x	x	w	x	x	x
M. fulgens (scarlet rata vine)	x	x	x	x	x		x	x	d	x	x	x
M. perforata (white rata vine)	x	x	x	x	x	x	x	x	w	x	x	x
Muehlenbeckia australis (pohuehue)	x	x	x	x	x	x	x	x	d	x	x	
Parsonsia capsularis (NZ jasmine)	x	x	x	x	x		x	x				
P. heterophylla (NZ jasmine)	x		x	x	x	x						
Passiflora tetrandra (kohia, NZ passionfruit)	x	x	x	x	x	x	x	x	w	x	x	x
Rubus australis (lawyer)	x		x									x
R. cissoides var. cissoides and/or unnamed var. with narrow leaflets (lawyer)	x	x	x	x	x	x	x	x	d	x	x	
R. schmidelioides var. schmidelioides (lawyer)	x	x			x	x			d			x
<u>Monocot Lianes</u>												
Freycinetia banksii (kiekie)	x	x	x	x	x	x	x	x	w	x	x	x
Ripogonum scandens (supplejack)	x	x	x	x	x	x	x	x	w	x	x	x
<u>Dicot herbs</u>												
Acaena anserinifolia (piripiri)	x		x		x	x	x	x	w	x	x	x
Anaphalioides trinervis (everlasting daisy)	x	x	x		x	x		x		x	x	
A. subrigida (everlasting daisy)	x	x					x				x	
Australina pusilla												

	1	2	3	4	5	6	7	8	9	10	11	12
Brachyglottis turneri												
Callitriche petriei (NZ starwort)									w		?	
C. muelleri (NZ Starwort)				x								
Cardamine sp. (C. debilis agg.) (bittercress)	x	x		x	x	x	x	x	d	x	x ¹	
Centella uniflora									d			
Cotula coronopifolia (batchelor's button)									w			
Dactylanthus taylorii												
Dichondra sp. (D. brevifolia agg.)		x			x				d			
Drosera binata (forked sundew)									w			
D. peltata subsp. auriculata (sundew)		x								x		
Elatostema rugosum	x	x	x	x	x	x	x		d		x	
Epilobium alsinoides (willow-herb)	x	x	?									
E. cinereum (willow-herb)		x										
E. insulare (willow-herb)							x		w			
E. komarovianum (willow-herb)									d			
E. macropus (willow-herb)												
E. nerteroides (willow-herb)	x	x	x			x					x	
E. nummulariifolium (willow-herb)	x	x	x			x						
E. pallidiflorum (willow-herb)									w			
E. pedunculare (willow-herb)									d		x	
E. pubens (willow-herb)	x	x	x									
E. rotundifolium (willow-herb)	x	x			x	x	x	x	d		x	
Euchiton (Gnaphalium) audax s.s. (NZ cudweed)	x	x	x	?						x		x
E. gymnocephala (NZ cudweed)	x	x		x					d		x	
E. involucrata (NZ cudweed)									w	x		
E. sphaerica (NZ cudweed)									d			
Euphrasia cuneata (eyebright)	x	x			x		x	x				
Galium propinquum (NZ bedstraw)		x							d			
G. trilobum (NZ bedstraw)									w			
Geranium microphyllum				x								
G. potentilloides		x				x						
Glossostigma elatinoides									w			
Gunnera monoica var. monoica	x	x		x	x				d	x	x	
Haloragis erecta	x	x			x	x	x		w		x	
Hydrocotyle elongata	x	x									x	
H. heteromeria (waxweed)				x	x	x	x	x	w		x	
H. microphylla			x						w		x	
H. moschata (hairy pennywort)	x	x		x	x	x	x	x	w	x	x	
H. novae-zeelandiae s.s.		x					x		w		x	
H. pterocarpa									w			
Lagenifera pumila		x		x	x		x	x	d	x	x	
Leptinella squalida ssp. squalida									d			
Leptostigma (Nertera) setulosa									w			
Limosella lineata						x	x	x	w			

¹ All plants seen were *Cardamine* sp. (unnamed "Narrow Petal" of Pritchard 1957)

	1	2	3	4	5	6	7	8	9	10	11	12
<i>Mentha cunninghamii</i> (NZ mint)									d			x
<i>Myriophyllum propinquum</i> (milfoil)				x					w			
<i>M. triphyllum</i>									w			
<i>Nertera ciliata</i>												x
<i>N. depressa</i>	x	x	x	x	x	x	x	x	w	x	x	
<i>N. villosa</i>					x							
<i>Ourisia macrophylla</i> ssp. <i>robusta</i> (mtn foxglove)	x											x
<i>Oxalis exilis</i>	x	x							w		x	
<i>O. magellanica</i>									d		x	
<i>Parahebe diffusa</i>		x									x	
<i>Plantago raoulii</i> var. (narrow-leaved)		x										
<i>Polygonum salicifolium</i> (willow-weed)									w			
<i>Pratia angulata</i>	x	x	x	x	x	x	x	x	w	x	x	x
<i>Pseudognaphalium luteo-album</i> agg. (cud-weed)						x	x	x	d		x	
<i>Ranunculus reflexus</i> (bush buttercup)	x	x	x		x	x	x	x	w	x	x	x
<i>R. sp.</i> (<i>R. amphitrichus</i> and/or <i>R. glabrifolius</i>) (waoriki)									w			
<i>Senecio glomeratus</i> (fireweed)												
<i>S. hispidulus</i> (fireweed)	x											
<i>S. minimus</i> (fireweed)	x	x	x	x	x	x	x	x	w		x	
<i>S. rufiglandulosus</i>	x	x			x	x		x	d		x	x
<i>Stellaria decipiens</i> (NZ chickweed)		x	x	x	x	x	x	x	d	x	x	
<i>Urtica incisa</i> (nettle)	x	x	x	x	x	x	x	x	d		x	x
<i>Wahlenbergia rupestris</i> (harebell)									d			
<i>W. gracilis</i> (likely error, prob. <i>W. violacea</i> ?) (harebell)		?										

Monocot Herbs

1. Orchids

<i>Acianthus sinclairii</i>	x	x							d			
<i>Aporostylis bifolia</i>					x							
<i>Bulbophyllum pygmaeum</i>	x											
<i>Caladenia catenata</i>		x				x						
<i>C. chlorostyla</i>												
<i>C. aff. carnea</i> (pink flowers)										x		
<i>Chiloglottis cornuta</i>		x		x	x					x	x	x?
<i>Corybas acuminatus</i> (spider orchid)												
<i>C. cheesemanii</i> (spider orchid)												
<i>C. cryptanthus</i> (leafless spider orchid)												
<i>C. macranthus</i> (spider orchid)		x								x		
<i>C. oblongus</i> (spider orchid)		x			x			x		x	x	
<i>C. orbiculatus</i> (spider orchid)												
<i>C. iridescens</i>			?				?		?			
<i>C. papa</i>										x		

	1	2	3	4	5	6	7	8	9	10	11	12
<i>C. rivularis</i> agg. [not <i>C. riv.</i> s.s.]		x				x			d		x	
<i>C. trilobus</i> agg.	x	x	x			x	x	x			x	x
<i>Dendrobium</i> (<i>Winika</i>) <i>cunninghamii</i>	x	x	x	x	x	x	x		d	x	x	x
<i>Drymoanthus adversus</i>	x			x	x			x	d			
<i>Earina autumnalis</i> (autumn orchid)	x	x	x		x	x	x	x	d	x	x	x
<i>E. mucronata</i>	x	x	x	x	x	x	x	x	d	x	x	x
<i>Gastrodia cunninghamii</i>		x								x		
<i>G. sp.</i> (unnamed: <i>G. "Long Column"</i>)												
<i>Genoplesium</i> (<i>Prasophyllum</i>) <i>nudum</i>		x										
<i>Microtis unifolia</i>		x		x	x	x	x	?	w		x	
<i>Orthoceras strictum</i>		x										
<i>Pterostylis alobula</i> (greenhood orchid)									d			
<i>P. banksii</i> (greenhood orchid)	x	x		x		x	x	x	d	x		
<i>P. trullifolia</i> (? error for <i>P. alobula</i>) (greenhood orchid)												
<i>P. graminea</i> and/or <i>P. montana</i> (greenhood orchid)		x	x	x							?	x
<i>Thelymitra longifolia</i> (sun orchid)		x	x		?		?	?	w	x	x	
2. Grasses												
<i>Cortaderia fulvida</i> (spring toetoe)	x	x	x	x		x	x	x			x	
<i>C. toetoe</i> (summer toetoe)	x	x					x		w			
<i>Deyeuxia avenoides</i>									d			
<i>Dichelachne crinita</i> (plumegrass)		x							d			
<i>Echinopogon ovatus</i> (hedgehog grass)				x	x							
<i>Isachne globosa</i> (swamp millet)				x					w			
<i>Microlaena avenacea</i> (bush rice grass)	x	x	x	x	x	x	x	x	d		x	
<i>M. stipoides</i> (meadow rice grass)	x	x	x			x			d			
<i>Poa anceps</i> ssp. <i>anceps</i>	x	x				x	x	x	d		x	
<i>Rytidosperma clavatum</i> (danthonia)		x										
<i>R. gracile</i> (danthonia)		x			?	?		x	d			
<i>R. unarede</i> (danthonia)		x						?				
3. Sedges												
<i>Baumea articulata</i>				x								
<i>Bolboschoenus fluviatilis</i>							x		w			
<i>Carex breviculmis</i>									d			
<i>C. dipsacea</i>									w			
<i>C. dissita</i>		x		x		x	x	x	d			
<i>C. flagellifera</i>		x							w			
<i>C. geminata</i> agg.	x	x		x	x	x			w		x ²	
<i>C. forsteri</i>	x	x			x						x	
<i>C. inversa</i>									d			

² All plants were of the unnamed broad-leaved form of *C. geminata*

	1	2	3	4	5	6	7	8	9	10	11	12
<i>C. lessoniana</i>	x						x	x	w		?	
<i>C. maorica</i>			x	x		x			w			
<i>C. secta</i> var. <i>secta</i> (<i>purei</i>)			x	x		x			w		x	
<i>C. solandri</i>	x	x			x					x	x	
<i>C. spinirostris</i>												
<i>C. virgata</i>				x	x	x	x	x	w	x	x	
<i>Cyperus ustulatus</i>							x		w		x	
<i>Eleocharis acuta</i> (sharp spike sedge)				x			x		w			
<i>E. gracilis</i> (slender spike sedge)									w			
<i>Gahnia lacera</i>		x										x
<i>G. pauciflora</i>	x	x			?			x				
<i>G. setifolia</i>	x				x				d		x	
<i>Isolepis distigmata</i>							x					
<i>I. nodosa</i>									d			
<i>I. pottsii</i>		x					?					
<i>I. prolifer</i>					?				w			x
<i>I. reticularis</i>	x	x				x			w		x	
<i>Machaerina sinclairii</i> (tuhara)	x	x	x		x	x	x	x	d		x	
<i>Schoenoplectus tabernaemontani</i> (kapungawha)							x		w			
<i>Schoenus maschalinus</i>		x						x	d		x	
<i>S. tendo</i>	x				x					x		
<i>Uncinia affinis</i> (hooked sedge)												
<i>U. banksii</i> (hooked sedge)				x	x							
<i>U. clavata</i> (hooked sedge)										x		
<i>U. ferruginea</i> (hooked sedge)	x	x		x	x	x	x	x				
<i>U. gracilentata</i> (hooked sedge)												
<i>U. scabra</i> (hooked sedge)								x	d			
<i>U. uncinata</i> (hooked sedge)	x	x	x	x	x	x	x	x	d		x	x
<i>U. zotovii</i> (hooked sedge)	x		x		x	x			?			x

4. Rushes

<i>Juncus australis</i>									d	x		
<i>J. distegus</i>									w			
<i>J. gregiflorus</i>	x		x	x	x	x	x	x	w		x	
<i>J. pallidus</i>									w			
<i>J. planifolius</i>				x	x			x	w		x	
<i>J. sarophorus</i>			x	x	x				w	x		
<i>Luzula picta</i> s.s. (woodrush)	x	x	x						d	x	x	x

5. Monocot herbs other than orchids, grasses, sedges, rushes

<i>Arthropodium candidum</i>	x	x										x
<i>Astelia fragrans</i>				x								
<i>A. solandri</i>	x	x	x	x	x	x	x	x	w	x	x	x
<i>A. trinervia</i>	x			x								

	1	2	3	4	5	6	7	8	9	10	11	12
<i>Collospermum hastatum</i>		x	x	x	x	x	xx	w		x	x	
<i>C. microspermum</i>	x	x		x	x	x					?	
<i>Dianella nigra</i> (turutu)	x	x	x	x	x	x	x	x	w		x	x
<i>Lemna minor</i> (of NZ authors)				x			x		w			
<i>Libertia grandiflora</i>			x		x		x				x	
<i>L. ixiooides</i>												
<i>L. pulchella</i>	x				x							
<i>Phormium cookianum</i> (wharariki)	x		x			x	x	x	w		x	
<i>P. tenax</i> (harakeke)				x					w			
<i>Potamogeton cheesemanii</i> (pondweed)					x							
<i>P. ochreatus</i>									w			
<i>Triglochin striatum</i> (arrow-grass)									w			
<i>Typha orientalis</i> (raupo)			x	x	x		x		w	x		

Ferns

<i>Adiantum cunninghamii</i> (maidenhair)	x	x		x		x	x	x	d	x	x	x
<i>A. fulvum</i> (maidenhair)												
<i>Anarthropteris lanceolata</i>	x	x	x	x	x	x		x	d		x	
<i>Arthropteris tenella</i>				x								
<i>Asplenium bulbiferum</i> (hen and chickens fern)	x	x	x	x	x	x	x	x	d		x	x
<i>A. colensoi</i> ^a												
<i>A. flaccidum</i> (hanging spleenwort)	x	x	x	x	x	x	x	x	w	x	x	x
<i>A. gracillimum</i>				x							x	
<i>A. hookerianum</i> s.s.				x		x						
<i>A. oblongifolium</i> (shining spleenwort)	x	x	x	x	x		x	x	d		x	x
<i>A. polyodon</i> (sickle spleenwort)	x	x	x	x		x	x	x	w		x	
<i>Azolla filiculoides</i> ssp. <i>rubra</i>			x	x			x		w			
<i>Blechnum chambersii</i>	x	x	x	x	x	x	x	x	w	x	x	
<i>B. colensoi</i>	x	x	x		x	x		x		x	x	
<i>B. discolor</i> (crown fern)	x		x	x	x	x	x	x	w	x	x	x
<i>B. filiforme</i> (climbing blechnum)	x	x	x	x	x	x	x	x	w		x	x
<i>B. fluviatile</i>	x	x	x	x	x	x	x	x	w	x	x	x
<i>B. membranaceum</i>		x									x	
<i>B. minus</i> (of NZ authors) (swamp kiokio)			x				x		w			
<i>B. novae-zelandiae</i> (kiokio)	x	x	x	?	x	x	x	x	d	x	x	x
<i>B. penna-marina</i>				x					d			x
<i>B. procerum</i>												
<i>B. triangularifolium</i> (cliff kiokio)											x	
<i>B. vulcanicum</i>	x		x									
<i>Botrychium australe</i> (parsley fern)									d			
<i>B. biforme</i>		x	x									
<i>Cardiomanes reniforme</i> (kidney fern)	x	x	x	x	x	x	x	x	d	x	x	x
^a New record by J Campbell 2/01 <i>Ctenopteris heterophylla</i>				x	x	x		x		x	x	
<i>Cyathea cunninghamii</i> (gully tree)												

	1	2	3	4	5	6	7	8	9	10	11	12
fern)		x					x	x			x	
<i>C. dealbata</i> (ponga)	x	x	x	x	x		x	x	w	x	x	x
<i>C. medullaris</i> (mamaku)	x	x	x	x	x		x	x	w		x	x
<i>C. smithii</i> (katote, soft tree fern)	x	x	x		x		x	x	d	x	x	x
<i>Dicksonia fibrosa</i> (wheki-ponga)	x	x	x		x	x	x	x	d	x	x	
<i>D. squarrosa</i> (wheki)	x	x	x	x	x	x	x	x	w	x	x	x
<i>Diplazium australe</i>	x	x			x	x		x	w	x		
<i>Gleichenia dicarpa</i> (tangle fern)										?		?
<i>Grammitis billardierei</i>	x		x		x			x				
<i>G. ciliata</i>		x			x				d			
<i>G. pseudociliata</i>												
<i>Histiopteris incisa</i>	x	x	x	x	x	x	x	x	w	x	x	x
<i>Hymenophyllum bivalve</i>												
<i>H. demissum</i>	x	x	x		x	x	x	x	d		x	
<i>H. dilatatum</i>	x	x	x	x	x			x		x	x	
<i>H. ferrugineum</i>	x	x	x	x	x			x			x	
<i>H. flabellatum</i>	x	x		x	x	x	x	x			x	x
<i>H. flexuosum</i>	x		x									
<i>H. multifidum</i>	x	x			x		x	x		x	x	
<i>H. rarum</i>	x	x			x			x				
<i>H. revolutum</i>	x	x			x	x	x				x	
<i>H. sanguinolentum</i>	x	x	x		x	x	x	x	d	x		x
<i>H. scabrum</i>	x	x	x	x	x						x	
<i>Hypolepis ambigua</i>	x	x	x	x	x		x		w		x	
<i>H. lactea</i>												
<i>H. rufobarbata</i>					x						x	
<i>Lastreopsis glabella</i>	x		x	x					d			
<i>L. hispida</i>	x	x	x	x					d		x	
<i>Leptolepia novae-zelandiae</i>		x	x									
<i>Leptopteris hymenophylloides</i>	x	x	x	x	x	x	x	x	d		x	x
<i>L. hymenophylloides</i> x <i>L. suberba</i>												
<i>L. superba</i> (prince of Wales fern)												
<i>Lindsaea trichomanoides</i>			x		x		x	x	d			
<i>L. viridis</i>											x	
<i>Microsorium pustulatum</i> (hound's tongue)	x	x	x	x	x	x	x	x	w	x	x	
<i>M. scandens</i>	x	x	x	x	x	x	x	x	d		x	x?
<i>Ophioglossum coriaceum</i> (adder's tongue)		x										
<i>Paesia scaberula</i> (ring fern)	x	x	x	x	x	x	x	x	w	x	x	
<i>Pellaea rotundifolia</i> (button fern)		x							d	x		x
<i>Pneumatopteris pennigera</i>	x	x	x	x					w		x	
<i>Polystichum richardii</i> (hard shieldfern)	x	x	x	x	x	x	x	x			x	
<i>P. silvaticum</i> sp.		x		x								
<i>P. vestitum</i>	x	x			x	x	x			x		

	1	2	3	4	5	6	7	8	9	10	11	12
Pteridium esculentum (bracken)	x	x	x	x	x	x	x	x	w	x	x	x
Pteris macilenta (of NZ authors)		x	x	x			x	x	w	x	x	
P. tremula (shaking brake)				x			x	x	d		x	
Pyrrosia eleagnifolia	x	x	x	x	x	x	x	x	w	x	x	x
Rumohra adiantiformis	x	x	x		x			x	d		x	
Sticherus cunninghamii (umbrella fern)			x							x		?
Trichomanes elongatum		x							d			
T. endlicherianum												
T. colensoi												
T. venosum	x	x	x	x	x	x	x	x			x	
<u>Fern Allies</u>												
Huperzia varia (Lycopodium varium)	x	x	x	x	x	x	x	x	d		x	
Lycopodium deuterodensum										x		
L. scariosum				x	x					x		
L. volubile (climbing club moss)	x	x	x		x	x	x	x	d	x	x	
Tmesipteris elongata		x			x		x	x	d	x	x	
T. tannensis	x		x	x	x	x	x		d		x	

Exotic Species within natural areas

(*u=uncommon*)

Trees and shrubs

Dicot herbs

Cerastium fontanum (mouse-eared chickweed)												u
Cirsium arvense (Californian thistle)												x
Cirsium palustre (marsh thistle)												x
Cirsium vulgare (Scotch thistle)												x
Digitalis purpurea (foxglove)												x
Gnaphalium spicatum? (cudweed)												u
Lotus peduncularis (lotus major)												x
Mentha suaveolens (apple mint)												x
Mycelis muralis (wall lettuce)												x
Prunella vulgaris (selfheal)												x
Ranunculus repens (creeping buttercup)												x
Sagina procumbens												u
Senecio bipinnatisectus (fireweed)												x
Senecio jacobaea (ragwort)												x
Veronica serpyllifolia (marsh speedwell)												x

Monocot herbs

Agrostis stolonifera (creeping bent)												x
Anthoxanthum odoratum (sweet vernal)												x
Cyperus eragrostis												x
Hedychium gardnerianum (kahili ginger)												x ³

³ Not actually in the defined area, but on road edges down-river from Larsen's

	1	2	3	4	5	6	7	8	9	10	11	12
Holcus lanatus (Yorkshire fog)											x	x
Juncus tenuis											u	
Poa annua (annual poa)											u	
Rytidosperma racemosum (danthonia)										x		
Schedonorus phoenix (tall fescue)											x	

Total indigenous species = 367

Flowering notes for Tahupo, Nov 2000 Heketara mass flowering; Pterostylis montana, Carpodetus serratus coming into flower.

Miro